

REFERENCES

- Ahmed, W., Dun, R.B. and Winston, R.J. (1963). The efficiency of conversion of feed to wool in Merino flocks selected for or against fleece weight. *Australian Journal of Experimental Agriculture and Animal Husbandry*. **3**, pp 269-275.
- Al-Khalidi, U.A.S. and Chaglassian T.H. (1965). The species distribution of xanthine oxidase. *The Biochemical Journal*. **97**, pp 318-320.
- Allden, W.G. (1979). Feed intake, diet composition and wool growth. In, *Physiological and Environmental Limitations to Wool Growth*. (Eds. J.L.Black and P.J.Reis) pp 61-78. University of New England Publishing Unit, Armidale, Australia.
- Allison, M.J. (1969). Biosynthesis of amino acids by ruminal microorganisms. *Journal of Animal Science*. **89** pp 797-807
- Allison, M.J. (1970). Nitrogen metabolism of ruminal micro-organisms. In, *Physiology of Digestion and Metabolism in the Ruminant*. (Ed A.T.Phillipson) pp 456-473. Oriel Press Limited, Newcastle upon Tyne, England.
- Altman, P.L., and Dittmer, D.S. (1974). *Biology Data Book*, p1531. British, Mainly Land. III.
- Annisson, E.F. (1956). Nitrogen metabolism in the sheep. Protein digestion in the rumen. *The Biochemical Journal*. **64**, pp 705-714.
- Antoniewicz, A.M. and Pisulewski, P.M. (1982). Measurement of endogenous allantoin excretion in sheep urine. *Journal of Agricultural Science, Cambridge*. **98**, pp 221-223.
- Antoniewicz, A.M., Heinemann, W.W. and Hanks, E.M. (1980). The effect of changes in the intestinal flow of nucleic acids on allantoin excretion in the urine of sheep. *Journal of Agricultural Science, Cambridge*. **95**, pp 395-400.
- Armstrong, D.G. and Hutton, K. (1975). Fate of nitrogenous compounds entering the small intestine. In, *Digestion and Metabolism in the Ruminant*. (Eds. I.W.McDonald and A.C.I. Warner) pp 432-447. The University of New England Publishing Unit, Armidale, Australia.
- Atkins, K.D. and Robards, G.E. (1976). Efficiency of growth and wool production of young Merino ewes from a flock selected for fertility. *Australian Journal of Experimental Agriculture and Animal Husbandry*. **16**, pp 315-320.
- Balcells, J., Guada, J.A., Castrillo, C., and Gasa, J. (1991). Urinary excretion of allantoin and allantoin precursors by sheep after different rates of purine infusion into the duodenum. *Journal of Agricultural Science, Cambridge*. **116**, 309-317.

- Balcells, J., Parker, D.S., and Seal, C.J. (1992a). Purine metabolite concentrations in portal and peripheral blood of steers, sheep and rats. *Comparative Biochemistry and Physiology*. **101B**, 4, 633-636.
- Balcells, J., Guada, J.A., Peiro, J.M., and Parker, D.S. (1992b). Simultaneous determination of allantoin and oxypurines in biological fluids by high-performance liquid chromatography. *Journal of Chromatography*. **575**, 153-157.
- Baldwin, R.L. (1965). Pathways of carbohydrate metabolism in the rumen. In, *Physiology of Digestion and Metabolism in the Ruminant*. (Ed R.W.Dougherty) pp 379-389. Butterworth, Washington, DC. U.S.A.
- Baldwin, R.L. and Denham, S.C. (1979). Quantitative and Dynamic aspects of nitrogen metabolism in the rumen: A modelling analysis. *Journal of Animal Science*. **49**, pp 1631-1639.
- Baldwin, R.L., Wood, W.A. and Emery, R.S. (1963). Conversion of glucose-¹⁴C to propionate by the rumen microbiota. *Journal of Bacteriology*. **85**, pp 1346-1349.
- Baldwin, R.L., Lucas, H.L. and Cabrera, R. (1970). Energetic relationships in the formation and utilization of fermentation end-products. In, *Physiology of Digestion and Metabolism in the Ruminant*. (Ed A.T.Phillipson) pp 319-334. Oriel Press Limited, Newcastle upon Tyne, England.
- Ball, F.M., Hill, M.K. and Leng, F.A. (1972). The effects of dietary supplements of oil on ruminal fermentation, liveweight gain and wool growth in Merino sheep. *Proceedings of the Australian Society of Animal Production*. **9**, pp 331-334.
- Bauchop, T. and Elsdon, S.R. (1960). The growth of micro-organisms in relation to their energy supply. *Journal of General Microbiology*. **23** pp 457-469.
- Becker, W.A. (1985). *Manual of Quantitative Genetics* (4th edition). Academic Enterprises Pullman, Washington.
- Beitz, J.A. (1974). Micro-kjeldahl analysis by an improved automated ammonia determination following manual digestion. *Analytical Chemistry*. **46**, 1617-1618.
- Belasco, I.J. (1954). New nitrogen feed compounds for ruminants - a laboratory evaluation. *Journal of Animal Science*. **13**, 501-610.
- Bergen, W.G., Bates, D.B., Johnson, D.E., Waller, J.C. and Black, J.R. (1980). Ruminal microbial protein synthesis and efficiency. In, *Protein Requirements for Cattle: Symposium*. (Ed. F.N.Owens) pp 99-112. Oklahoma State University, Stillwater.

- Berlin, R.D. and Hawkins, R.A. (1968). Secretion of purines by the small intestine: general characteristics. *American Journal of Physiology*. **215**, pp 932-941.
- Bird, S.H. (1982). Studies on the relationship between rumen protozoa and production in sheep and cattle. Ph.D. thesis University of New England, Armidale, Australia.
- Bird, S.H. (1989). Production from ciliate-free ruminants. In, *The Roles of Protozoa and Fungi in Ruminant Digestion*. (Eds. J.V.Nolan, R.A.Leng. and D.I.Demeyer) pp 233-246 Penambul Books, Armidale, Australia.
- Bird, S.H. and Leng, R.A. (1978). The effects of defaunation of the rumen on the growth of cattle on low-protein-high-energy diets. *British Journal of Nutrition*. **40**, pp 163-167.
- Bird, S.H. and Leng, R.A. (1984). Further studies on the effects of the presence or absence of protozoa in the rumen on liveweight gain and wool growth in sheep. *British Journal of Nutrition*. **52**, pp 607-611.
- Bird, S.H., Hill, M.K. and Leng, R.A. (1979). The effects of defaunation of the rumen on the growth of lambs on low-protein high-energy diets. *British Journal of Nutrition*. **42**, pp 81-87.
- Black, J.L. (1987). Mechanisms controlling the rate of growth, composition and morphology of wool. In, *Merino Improvement Programs*. (Ed. B.J.McGuirk) pp 457-480. Australian Wool Corporation, Melbourne.
- Black, J.L. and Reis, P.J. (1979). Speculation on the control of nutrient partition between wool growth and other body functions. In, *Physiological and Environmental Limitations to Wool Growth*. (Eds. J.L.Black and P.J.Reis) pp 269-293. University of New England Publishing Unit, Armidale, Australia.
- Black, J.L., Robards, G.E. and Thomas, R. (1973). Effects of protein and energy intakes on the wool growth of Merino wethers. *Australian Journal of Agricultural Research*. **24**, pp 399-412.
- Blackburn, T.H. and Hobson, P.N. (1960). Proteolysis in the sheep rumen by whole and fractionated rumen contents. *Journal of General Microbiology*. **22**, pp 272-281.
- Broderick, G.A. (1987). Determination of protein degradation rates using a rumen in vitro system containing inhibitors of microbial nitrogen metabolism. *British Journal of Nutrition*. **58**, pp 463-475.
- Broderick, G.A. and Merchen, N.R. (1992). Markers for quantifying microbial protein synthesis in the rumen. *Journal of Dairy Science*. **75**, pp 2618-2632.

- Broderick, G.A., Wallace, R.J. and Ørskov, E.R. (1991). Control of rate and extent of protein degradation. In, *Physiological Aspects of Digestion and Metabolism in Ruminants*. (Eds. T.Tsuda, Y.Sasaki and R.Kawashima) pp 541-592. Academic Press, Inc. Sydney, Australia.
- Bryant, M.P. (1973). Nutritional requirements of the predominant rumen cellulolytic bacteria. *Federation Proceedings*. **32**, 7, pp1809-1813.
- Bryant, M.P. and Small, N. (1960). Observations on the ruminal microorganisms of isolated and inoculated calves. *Journal of Dairy Science*. **43**, pp 654-667.
- Bryant, M.P. and Robinson, I.M. (1962). Some nutritional characteristics of predominant culturable ruminal bacteria. *Journal of Bacteriology*. **84**, pp 605-614.
- Bunting, L.D., Howard, M.D., Muntifering, R.B., Dawson, K.A. and Boling, J.A. (1987). Effect of feeding frequency on forage fibre and nitrogen utilisation in sheep. *Journal of Animal Science*. **64**, pp 1170-1177.
- Burritt, E.A., and Provenza, F.D. (1989). Food aversion learning: Conditioning lambs to avoid a palatable shrub (*Cercocarpus montanus*). *Journal of Animal Science*. **67**, pp 650-653.
- Butler-Hogg, B.W. (1984). Growth patterns in sheep: wool growth during weight loss and subsequent compensatory growth. *Journal of Agricultural Science, Cambridge*. **102**, pp 105-109.
- Cecava, M.J., Merchen, N.R., Gay, L.C. and Berger, L.L. (1990a). Composition of ruminal bacteria harvested from steers as influenced by dietary energy level, feeding frequency, and isolation techniques. *Journal of Dairy Science*. **73**, pp 2480-2488.
- Cecava, M.J., Merchen, N.R., Berger, L.L. and Nelson, D.R. (1990b). Effect of energy level and feeding frequency on site of digestion and postruminal nutrient flows in steers. *Journal of Dairy Science*. **73**, pp 2470-2479.
- Chalupa, W. (1968). Problems in feeding urea to ruminants. *Journal of Animal Science*. **27**, pp 207-219.
- Chalupa, W. (1976). Degradation of amino acids by the mixed rumen microbial population. *Journal of Animal Science*. **43**, pp 828-834.
- Chalupa, W., Chandler, J.E. and Brown, R.E. (1973). Amino acid nutrition of growing cattle. *Journal of Animal Science*. **37**, 339 (abstract).
- Chalupa, W., Clark, J., Opliger, F. and Larker, R. (1970). Ammonia metabolism in rumen bacteria and mucosa from sheep fed soy protein or urea. *Journal of Nutrition*. **100**, pp 161-169.

- Chapman, R.E. and Wheeler, J.L. (1963). Dye-Banding: A technique for fleece growth studies. *Australian Journal of Science*. **26**, pp 53-54.
- Chapman, R.E. and Ward, K.A. (1979). Histological and biochemical features of the wool fibre and follicle. In, *Physiological and Environmental Limitations to Wool Growth*. (Eds. J.L.Black and P.J.Reis) pp 193-208. University of New England Publishing Unit, Armidale, Australia.
- Chapple, R.S., and Lynch, J.J. (1986) Behavioural factors modifying acceptance of supplementary foods by sheep. *Research and Development in Agriculture*. **3**, pp 113-120.
- Charlton, D. (1995). Sirolan-Las scan. A review of its development, performance and application. *Wool Technology and Sheep Breeding*. **43**, pp 212-228.
- Chen, G., Strobel, H.I., Russell, J. B. and Sniffen, C.J. (1987). Effect of hydrophobicity on utilization of peptides by ruminal bacteria in vitro. *Applied and Environmental Microbiology*. **53**, pp 2021-2025.
- Chen, M. and Wolin, M.J. (1977). Influence of CH₄ production by *Methanobacterium ruminantium* on the fermentation of glucose and lactate by *Selenomonas ruminantium*. *Applied and Environmental Microbiology*. **34**, pp 756-759.
- Chen, X.B., Orskov, E.R. and DeB. Hovell, F.D. (1990a). Excretion of purine derivatives by ruminants: endogenous excretion, differences between cattle and sheep. *British Journal of Nutrition*. **63**, pp 121-129.
- Chen, X.B., DeB.Hovell, F.D., Ørskov, E.R., and Brown, D.S. (1990b). Excretion of purine derivatives by ruminants: effect of exogenous nucleic acid supply on purine derivative excretion by sheep. *British Journal of Nutrition*. **63**, 131-142.
- Chen, X.B., DeB.Hovell, F.D., and Ørskov, E.R. (1990c). Excretion of purine derivatives by ruminants: recycling of allantoin into the rumen via saliva and its fate in the gut. *British Journal of Nutrition*. **63**, 197-205.
- Chen, X.B., Kyle, D.J., Ørskov, E.R., and DeB.Hovell, F.D. (1991). Renal clearance of plasma allantoin in sheep. *Experimental Physiology*. **76**, 59-65.
- Chen, X.B., Chen, Y.K., Franklin, M.F., Ørskov, E.R. and Shand, W.J. (1992a). The effect of feed intake and body weight on purine derivative excretion and microbial protein supply in sheep. *Journal of Animal Science*. **70**, pp 1534-1542.
- Chen, X.B., Sharif, A., Chowdhury, F., DeB.Hovell, F.Dickon., Ørskov, E.R. and Kyle, D.J. (1992b). Endogenous allantoin excretion in response to changes in protein supply in sheep. *Journal of Nutrition*. **122**, pp 2226-2232.

- Clark, J.H. and Davis, C.L. (1983). Future *improvement of milk production: Potential for nutritional improvement*. *Journal of Animal Science*. **57**, pp 750-764.
- Coleman, G.S. (1975). The interrelationships between rumen ciliate protozoa and bacteria. In, *Digestion and Metabolism in the Ruminant*. (Eds. I.W.McDonald and A.C.I. Warner) pp 149-164. The University of New England Publishing Unit, Armidale, Australia.
- Condon, R.J., Hall, G. and Hatfield, E.E. (1970). Metabolism of abomasally infused ¹⁴C-labelled RNA adenine, uracil and glycine. *Journal of Animal Science*. **31**, pp 1037-1038 (abstract).
- Corbett, J.L., Greenhalgh, J.F.D. and McDonald, A.P. (1958). Paper as a carrier of chromium sesquioxide. *Nature, London*. **182**, pp 1014-1016.
- Cotta, M.A. and Hespell, R.B. (1986). Protein and amino acid metabolism of rumen bacteria. In, *Control of Digestion and Metabolism in Ruminants*. (Eds. L.P.Milligan, W.L.Grovum and A.Dobson). pp 122-136. Prentice-Hall, Englewood Cliffs, New Jersey.
- Cottle, D. (1980). The synthesis, turnover and outflow of ruminal organisms. Ph.D. thesis University of New England, Armidale, Australia.
- Cottle, D.J. and Velle, W. (1989). Degradation and outflow of amino acids from the rumen of sheep. *British Journal of Nutrition*. **61**, pp 397-408.
- Cronjé, P.B. and Smuts, M. (1994). Nutrient partitioning in Merino rams with different wool growth rates. *Animal Production*. **59**, pp 55-60.
- Crook, W.M. and Simpson, W.E. (1971). Determination of ammonia in Kjeldahl digests of crops by an automated procedure. *Journal of the Science of Food and Agriculture*. **22**, 9.
- Davidson, J.N. (1972). *The Biochemistry of the Nucleic Acids*. (7th Edition) Chapman and Hall and Science Paperbacks, Great Britain.
- Davis, G.P. and Kinghorn, B.P. (1986). Genetic and phenotypic parameters for growth, wool production and reproduction traits in a line of Merino sheep. *Proceedings of the 3rd World Congress of Genetics Applied to Livestock Improvement*, Nebraska. **XI** pp 145-150.
- Dawes, E.A. and Senior, P.J. (1973). The role and regulation of energy polymers in microorganisms. *Advances in Microbial Physiology*. **10**, pp 135-266.
- De Vries, W., van Wyck-Kapteyn, W.M.C. and Stouthamer, A.H. (1973). Generation of ATP during cytochrome-linked anaerobic electron transport in propionic bacteria. *Journal of General Microbiology*. **76**, pp 31-41.
- Dehority, B.A., Scott, H.W. and Kowaluk, P. (1967). Volatile fatty acid requirements of cellulolytic rumen bacteria. *Journal of Bacteriology*. **94**, pp 537-543.

- Dolling, C.H.S. and Moore, R.W, (1960). Efficiency of conversion of food to wool. 1. Correlated response to selection for high and low clean wool weight per head. *Australian Journal of Agricultural Research*. **11**, pp 836-844.
- Dolling, C.H.S. and Piper, L.R. (1968). Efficiency of conversion of food to wool. III. Wool production of ewes selected for high clean wool weight and of random control ewes on restricted and unrestricted food intakes in pens. *Australian Journal of Agricultural Research*. **19**, pp 1009-1028.
- Dove, H. (1984). Gypsum labelled with tritiated water as a marker for estimating supplement intake by individual sheep fed in groups. *Australian Journal of Experimental Agriculture and Animal Husbandry*. **24**, pp 484-493.
- Downes, A.M. (1961). On the amino acids essential for the tissues of the sheep. *Australian Journal of Biological Sciences*. **14**, pp 254-259.
- Downes, A.M. (1971). Variation in wool length and diameter with sheep nutrition. In, *Applied Polymer Symposium* No. 18 pp 395-904. John Wiley & Sons, Inc.
- Dun, R.B. (1958). The influence of selection and plane of nutrition on the components of fleece weight in Merino sheep. *Australian Journal of Agricultural Research*. **9**, pp 802-818.
- Duncan, P.A., White, B.A. and Mackie, R.I. (1992). Purification and properties of NADP-dependent glutamate dehydrogenase from *Ruminococcus flavefaciens* FD-1. *Applied and Environmental Microbiology*. **58**, pp 4032-4037.
- Dunlop, A.A. (1962). Interactions between heredity and environment in the Australian Merino. 1. Strain X location interactions in wool traits. *Australian Journal of Agricultural Research*. **13**, pp 503-531.
- Dunlop, A.A. (1963). Interactions between heredity and environment in the Australian Merino. II. Strain X location interactions in body traits and reproductive performance. *Australian Journal of Agricultural Research*. **14**, pp 690-703.
- Eadie, J.M. and Hobson, P.N. (1962). Effect of the presence or absence of rumen ciliate protozoa on the total rumen bacterial count in lambs. *Nature, London*. **193**, pp 503-505.
- Eckert, R., Randall, D., and Augustine, G. (1989). *Animal Physiology Mechanisms and Adaptations*. 3rd Edition, W.H. Freeman and Company New York, U.S.A.
- El Fouly. (1983). Quantitative estimation of net rates of production of bacterial and protozoal nitrogen and their interconversion in the rumen. In, *Nuclear Techniques for Assessing and Improving Ruminant Feeds*. pp 67-79. International Atomic Agency, Vienna

- Ellis, W.C., and Bleichner, K.C. (1969). Apparent utilization of absorbed purines by sheep. *Journal of Animal Science*. **29**, p 157 (abstract)
- Erfle, J.D., Sauer, F.D. and Mahadevan, S. (1977). Effect of ammonia concentration on activity of enzymes of ammonia assimilation and on synthesis of amino acids by mixed rumen bacteria in continuous culture. *Journal of Dairy Science*. **60**, pp 1064-1072.
- Erwin, E.S., Macro, G.J and Emesy, E.M. (1961). Volatile fatty acid analysis of blood and rumen fluid by gas chromatography. *Journal of Dairy Science*. **44**, 1768.
- Evans, R.A., Axford, R.F.E. and Offer, N.W. (1975). A method for estimating the quantities of microbial and dietary proteins flowing in the duodenal digesta of ruminants. *Proceedings of the Nutrition Society*. **34**, 65A.
- Faichney, G.J. (1968). The effect of frequency of feeding on the utilisation of roughage diets by sheep. *Australian Journal of Agricultural Research*. **19**, pp 813-819.
- Ferguson, K.A. (1959). The influence of dietary protein percentage on the growth of wool. *Nature, London*. **184**, pp 907
- Ferguson, K.A. (1972). The nutritional value of diets for wool growth. *Proceedings of the Australian Society of Animal Production*. **9**, p 314-320.
- Ferguson, K.A. (1975). The protection of dietary proteins and amino acids against microbial fermentation in the rumen. In, *Digestion and Metabolism in the Ruminant*. (Eds. I.W.McDonald and A.C.I. Warner) pp 448-464. The University of New England Publishing Unit, Armidale, Australia.
- Ferguson, W.S. and Terry, R.A. (1954). The fractionation of the non-protein nitrogen of grassland herbage. *Journal of the Science of Food and Agriculture*. **5**, pp 515-524.
- Finkelstein, J.D. and Mudd, S.H. (1967). Trans-sulfuration in mammals: the methionine-sparing effect of cystine. *Journal of Biological Chemistry*. **242**, pp 873-880.
- Forrest, W.W. and Walker, D.J. (1971). The generation and utilization of energy during growth. *Advances in Microbial Physiology*. **5**, p 513.
- Fraser, A.S. (1954). Development of the skin follicle population in Merino sheep. *Australian Journal of Agricultural Research*. **5**, pp 737-744.
- Fraser, A.S. and Short, B.F. (1960). *The Biology of the Fleece*. Commonwealth Scientific and Industrial Research Organization, Australian Animal Research Laboratories Technical Paper, No. 3 pp 1-108.

- Fujihara, T., Orskov, E.R., Reeds, P.J. and Kyle, D.J. (1987). The effect of protein infusion on urinary excretion of purine derivatives in ruminants nourished by intragastric infusion. *Journal of Agricultural Science Cambridge*. **109**, pp 7-12.
- Geissler, C., Hoffmann, M. and Hickel, B. (1976). Ein Beitrag zur gaschromatographischen bestimmung fluchtiger fettsauren. *Arch. tierernahrg.* **26**, p 123.
- Giesecke, D., Stangassinger, M. and Tiemeyer, W. (1984). Nucleic acid digestion and urinary purine metabolites in sheep nourished by intragastric infusions. *Canadian Journal of Animal Science*. **64**, Suppl. pp 144-145.
- Gillespie, J.M. and Reis, P.J. (1966). The dietary-regulated biosynthesis of high-sulphur wool proteins. *The Biochemical Journal*. **98**, pp 669-677.
- Graham, N. McC. (1968). The metabolic rate of Merino rams bred for high or low wool production. *Australian Journal of Agricultural Research*. **19**, pp 821-824.
- Gregory, I.P. (1982). Genetic studies of South Australian Merino sheep. III Heritabilities of various wool and body traits. *Australian Journal of Agricultural Research*. **33**, pp 355-362.
- Hardy, M.H. and Lyne, A.G. (1955). The pre-natal development of wool follicles in Merino sheep. *Australian Journal of Biological Sciences*. **9**, pp 423-441.
- Harrison, D.G. and McAllan, A.B. (1980). Factors affecting microbial growth yields in the reticulo-rumen. In, *Digestive Physiology and Metabolism in Ruminants*. (Eds. Y. Ruckebusch and P.Thivend) pp 205-226. MTP press Ltd.
- Harrison, D.G., Beever, D.E. and Osbourn, D.F. (1979). The contribution of protozoa to the protein entering the duodenum of sheep. *British Journal of Nutrition*. **41**, pp 521-527.
- Harrison, D.G., Beever, D.E., Thomson, D.J. and Osbourn, D.F. (1975). Manipulation of rumen fermentation in sheep by increasing the rate of flow of water from the rumen. *Journal of Agricultural Science, Cambridge*. **85**, pp 93-101.
- Harrison, F.A., Hill, K.J., and Mangan, J.L. (1963). Absorption and excretion of lithium and magnesium in the sheep. *The Biochemical Journal*. **89**, pp 99-100.
- Harvey, W.A. (1988). Users Guide for LSMLMW PC-1 Version: Mixed Model Least-Squares and Maximum Likelihood Computer Program. Ohio State University, Ohio.
- Henderson, A.E. (1965). Relationship of wool follicle and wool fibre dimensions. In *Biology of the Skin and Hair Growth*. (Eds. A.G.Lyne and B.F.Short) pp 447-460 Angus and Robertson, Sydney.

- Henderson, A.E. and Hayman, B.I. (1960). Methods of analysis and the influence of fleece characters on unit area wool production of Romney lambs. *Australian Journal of Agricultural Research*. **11**, pp 851-870.
- Henderson, J.F. and Paterson, A.R.P. (1973). *Nucleotide Metabolism and Introduction*. Academic Press, London.
- Hespell, R.B. (1984). Influence of ammonia assimilation pathways and survival strategy on rumen microbial growth. In, *Herbivore Nutrition in the Subtropics and Tropics*. (Eds. F.M.C.Gilchrist and R.I. Mackie) pp 346-358. The Science Press Pty. Ltd., Craighall, South Africa.
- Hespell, R.B. and Bryant, M.P. (1979). Efficiency of rumen microbial growth: Influence of some theoretical and experimental factors on Y_{ATP} . *Journal of Animal Science*. **49**, pp 1640-1659.
- Hitchings, G.H. (1978). Uric acid: chemistry and synthesis. In, *Uric Acid*. (Eds. W.N.Kelly and J.M.Weiner) pp 1-20. Springer-Verlag. Berlin, Heidelberg and New York.
- Hobson, P.N. and Summers, R. (1967). The continuous culture of anaerobic bacteria. *Journal of General Microbiology*. **47**, pp 53-65.
- Hocking Edwards, J.E. and Hynd, P.I. (1992). Cellular characteristics of wool follicles and fibres in fine wool and strong wool Merinos. *Australian Journal of Agricultural Research*. **43**, pp 355-365.
- Hogan, J.P. and Weston, R.H. (1967). The digestion of two diets of differing protein content but with similar capacities to sustain wool growth. *Australian Journal of Agricultural Research*. **18**, pp 973-981.
- Hume, I.D. (1970a). Synthesis of microbial protein in the rumen. III. The effect of dietary protein. *Australian Journal of Agricultural Research*. **21**, pp 305-314.
- Hume, I.D. (1970b). Synthesis of microbial protein in the rumen. II. A response to higher volatile fatty acids. *Australian Journal of Agricultural Research*. **21**, pp 297-304.
- Hume, I.D., Moir, R.J. and Somers, M. (1970). Synthesis of microbial protein in the rumen. I. Influence of the level of nitrogen intake. *Australian Journal of Agricultural Research*. **21**, pp 283-296.
- Hungate, R.E. (1966). *The Rumen and its Microbes*. New York & London: Academic Press.
- Hutchinson, G. and Mellor, D.J. (1983). Effects of maternal nutrition on the initiation of secondary wool follicles in foetal sheep. *Journal of Comparative Pathology*. **93**, pp 577-583.

- Hutchinson, K.J. (1961). Measurements of wool production and its physiological components in a group of South Australian Merino sheep. *Australian Journal of Agricultural Research*. **12**, pp 696-714.
- Hynd, P.I. (1989). Effects of nutrition on wool follicle cell kinetics in sheep differing in efficiency of wool production. *Australian Journal of Agricultural Research*. **40**, pp 409-417.
- Hynd, P.I. (1994). Follicular determinants of the length and diameter of wool fibres. I. Comparison of sheep differing in fibre length/diameter ratio at two levels of nutrition. *Australian Journal of Agricultural Research*. **45**, pp 1137-1147.
- Hynd, P.I. and Allden, W.G. (1985). Ruminal fermentation pattern, post-ruminal protein flow and wool growth rate of sheep on a high-barley diet. *Australian Journal of Agricultural Research*. **36**, pp 451-460.
- Hynd, P.I. and Everett, B.K. (1990). Estimation of cell birth rate in the wool follicle bulb using colchicine metaphase arrest or DNA labelling with bromodeoxyuridine. *Australian Journal of Agricultural Research*. **41**, pp 741-749.
- Ibrahim, L. and Wright, E.A. (1982). A quantitative study of hair growth using mouse and rat vibrissal follicles. I. Dermal papilla volume determines hair volume. *Journal of Embryology and Experimental Morphology*. **72**, pp 209-224.
- Ikhatua, U.J., Echoche, O.W. and Jmoh, J.E. (1987). The influence of feeding frequency on feed intake, nutrient utilisation and nitrogen metabolism in growing zebu cattle. *Journal of Agricultural Science, Cambridge*. **108**, pp 639-642.
- Isaacson, H.R., Hinds, F.C., Bryant, M.P. and Owens, F.N. (1975). Efficiency of energy utilisation by mixed rumen bacteria in continuous culture. *Journal of Dairy Science*. **58**, pp 1645-1659.
- Ivan, M., Hidiroglou, M. and Petit, H.V. (1991). Duodenal flow of nitrogen following protozoal inoculation of fauna-free sheep fed a diet supplemented with casein or soybean meal. *Canadian Journal of Animal Science*. **71**, pp 793-801.
- Ivan, M., Dayrell, de.S., Mahadevan, S. and Hidiroglou, M. (1992). Effects of bentonite on wool growth and nitrogen metabolism in fauna-free and faunated sheep. *Journal of Animal Science*. **70**, pp 3194-3202.
- Jackson, N. and Roberts, E.M. (1970). Comparison of three Australian Merino strains for wool and body traits. 1. Genetic means of studs and strains and their interactions with years and sexes. *Australian Journal of Agricultural Research*. **21**, pp 815-835.

- Jarvis, T.M., Hynd, P.I. and Snoswell, A.M. (1990). Activity of polyamine-synthesising enzymes in wool follicles. *Proceedings of the Australian Society of Animal Production*. **18**, p 498.
- Jurtshuk, P., Doetsch, R.N., Jnr, and Shaw, J.C. (1958). Anaerobic purine dissimilation by washed suspensions of bovine rumen bacteria. *Journal of Dairy Science*. **41**, pp 190-202.
- Kahn, L.P. (1991). Allantoin excretion in sheep. *A Summer Scholarship Report to the Wool Research and Development Corporation*. University of New England, Armidale, Australia.
- Kahn, L.P. (1994). The use of lithium chloride for estimating supplement intake in grazing sheep: Estimates of heritability and repeatability. *Australian Journal of Agricultural Research*. **45**, pp 1731-1739.
- Kahn, L.P. and Nolan, J.V. (1994). Wool growth: Manipulation by nutrition. In, *Australian Rural Science Annual*. pp 44-47. P&G Lynch and Associates PTY LTD, Bundall, QLD, Australia
- Kaufmann, W. (1976). Influence of the composition of the ration and the feeding frequency on pH regulation in the rumen and on feed intake in ruminants. *Livestock Production Science*. **3**, 103-113.
- Kauter, K. (1992). Rumen Motility Studies. Honours Thesis. University of New England, Armidale, N.S.W. Australia.
- Kelly, K.E., Harris, P.M., Birtles, M.J., Dellow, D.W. and Hall, A.J. (1993). Cell proliferation in the wool follicles of fleeceweight selected and control Romney rams. *Australian Journal of Agricultural Research*. **44**, pp 239-253.
- Kempton, T.J. (1979). Protein to energy ratio of absorbed nutrients in relation to wool growth. In, *Physiological and Environmental Limitations to Wool Growth*. (Eds. J.L.Black and P.J.Reis) pp 209-222. University of New England Publishing Unit, Armidale, Australia.
- Kempton, T.J., Hill, M.K. and Leng, R.A. (1978). The effects of varying bypass amino acid and glucose availability on lamb growth and wool growth. *Proceedings of the Australian Society of Animal Production*. **12**, p143.
- Kempton, T.J., Nolan, J.V. and Leng, R.A. (1979). Protein nutrition of growing lambs. 2. Effect on nitrogen digestion of supplementing a low-protein-cellulosic diet with either urea, casein or formaldehyde-treated casein. *British Journal of Nutrition*. **42**, pp 303-315.
- Kennedy, P.M. and Milligan, L.P. (1978). Effects of cold exposure on digestion, microbial synthesis and nitrogen transformations in sheep. *British Journal of Nutrition*. **39**, pp 105-117.

- Kennedy, P.M., Christopherson, R. and Milligan, L.P. (1976). The effect of cold exposure of sheep on digestion, rumen turnover and efficiency of microbial synthesis. *British Journal of Nutrition*. **36**, pp 231-242.
- Kleiner, D. (1985). Bacterial ammonium transport. *FEMS Microbiology Reviews*. **32**, pp 87-100.
- Kodak Ektachem (1986). Ammoria test methodology, Publication No. MP2-33 K8L018. Eastman Kodak Company, Rochester, New York, U.S.A.
- Kopečný, J. and Wallace, R.J. (1982). Cellular location and some properties of proteolytic enzymes of rumen bacteria. *Applied and Environmental Microbiology*. **43**, pp 1026-1033.
- Langlands, J.P. (1975). Techniques for estimating nutrient intake and its utilization by the grazing ruminant. In *Digestion and Metabolism in the Ruminant Proceedings IV International Symposium* (Eds. W.McDonald and A.C.I.Warner), pp 320-332. University of New England Publication Unit, Armidale, N.S.W.
- Langlands, J.P. and Wheeler, J.L. (1968). The dyebanding and tattooed patch procedures for estimating wool production and obtaining samples for the measurement of fibre diameter. *Australian Journal of Experimental Agriculture and Animal Husbandry*. **8**, pp 265-269.
- Lawrence, R.J. (1993). The effect of bentonite on the microbial flow from the rumen in faunated and defaunated sheep using purine excretion analysis as an indicator. Rural Science Honours Thesis, University of New England, Armidale, Australia.
- Lax, J. and Brown, G.H. (1967). The effects of inbreeding, maternal handicap, and range in age on 10 fleece and body characteristics in Merino rams and ewes. *Australian Journal of Agricultural Research*. **18**, pp 639-706.
- Leatherbarrow, R.J. (1992). *Grant. Data Analysis and Graphics Program*. Version 3. Erithacus Software Ltd.
- Lee, G.J. and Williams, A.J. (1993). Nutritional response in wool growth by four Merino genotypes of differing wool growth performance. *Australian Journal of Agricultural Research*. **45**, pp 1171-1187.
- Lee, G.J. and Williams, A.J. (1994). Nutritional responses in wool growth by four Merino genotypes of differing wool growth performance. *Australian Journal of Agricultural Research*. **45**, pp 1171-1187.
- Lehninger, A.L. (1977). *Biochemistry*. (2nd Edition). Worth Publishers, Inc.

- Leibholz, J. (1972). Nitrogen metabolism in sheep. II. The flow of amino acids into the duodenum from dietary and microbial sources. *Australian Journal of Agricultural Research*. **23**, pp 1073-1083.
- Leng, R.A. (1982a). Dynamics of protozoa in the rumen of sheep. *British Journal of Nutrition*. **48**, pp 399-415.
- Leng, R.A. (1982b). Modification of rumen fermentation. In, Nutritional Limits to Animal Production from Pastures. (Ed. . .B.Hacker) pp 427-453. CAB, 1 Farnham Royal, U.K.
- Leng, R.A. and Brett, D.J. (1966). Simultaneous measurements of the rates of production of acetic, propionic and butyric acids in the rumen of sheep on different diets and the correlation between production rates and concentrations of these acids. *British Journal of Nutrition*. **20**, pp 541-552.
- Leng, R.A. and Leonard, G.J. (1965). Measurement of the rates of production of acetic, propionic and butyric acids in the rumen of sheep. *British Journal of Nutrition*. **19**, pp 469-484.
- Leng, R.A. and Nolan, J.V. (1984). Nitrogen metabolism in the rumen. *Journal of Dairy Science*. **67**, pp 1072-1089.
- Lindberg, J.E. (1989). Nitrogen metabolism and urinary excretion of purines in goat kids. *British Journal of Nutrition*. **61**, pp 309-321.
- Lindberg, J.E. and Jacobsson, K.G. (1990). Nitrogen and purine metabolism at varying energy and protein supplies in sheep sustained on intragastric infusion. *British Journal of Nutrition*. **64**, pp 359-370.
- Ling, J.R. and Buttery, P.J. (1973). The simultaneous use of ribonucleic acid, 35S, 2,6-diaminopimelic acid and 2-aminoethylphosphonic acid as markers of microbial nitrogen entering the duodenum of sheep. *British Journal of Nutrition*. **39**, pp 165-179.
- Lobley, G.E., Connell, A., Lomax, M.A., Brown, D.S., Milne, E., Calder, A.G. and Farningham, D.A.H. (1995). Hepatic detoxification of ammonia in the ovine liver: possible consequences for amino acid metabolism. *British Journal of Nutrition*. **73**, pp 667-685.
- Lush, J.M., Gooden, J.M. and Annison, E.F. (1991). The uptake of nitrogenous compounds from the gut of sheep genetically different in wool production. *Proceedings of the Nutrition Society of Australia*. **16**, p 144.

- Macrae, J.C. (1975). The use of re-entrant cannulae to partition digestive function within the gastro-intestinal tract of ruminants. In, *Digestion and Metabolism in the Ruminant*. (Eds. I.W.McDonald and A.C.I. Warner) pp 261-276. The University of New England Publishing Unit, Armidale, Australia.
- Maeng, W.J. and Baldwin, R.L. (1976a). Factors influencing rumen microbial growth rates and yields: Effects of urea and amino acids over time. *Journal of Dairy Science*. **59**, pp 643-647.
- Maeng, W.J. and Baldwin, R.L. (1976b). Factors influencing rumen microbial growth rates and yields: Effects of amino acid additions to a purified diet with nitrogen from urea. *Journal of Dairy Science*. **59**, pp 648-655.
- Maeng, W.J., Van Nevel, C.J., Baldwin, R.L. and Morris, J.G. (1976). Rumen microbial growth rates and yields: Effect of amino acids and protein. *Journal of Dairy Science*. **59**, pp 68-79.
- Marger, J., Hersko, A., Zeitlin-Beck, R., Shoshani, T. and Razin, A. (1967). Turnover of purine nucleotides in rabbit erythrocytes. 1. Studies in vivo. *Biochemica et Biophysica Acta*. **149**, pp 50-58.
- Marston, H. R. (1935). Studies on the relationship between nutrition and wool production of Merino sheep. II. The effect of the administration of cystine, cysteine, sulphur and of methionine on the growth of wool of a Merino ewe on a protein-poor ration. *Journal of Agricultural Science*. **25**, pp 113-131.
- Marston, H.R (1948). Nutritional factors involved in wool production by Merino sheep. I. The influence of fooder intake on the rate of wool growth. *Australian Journal of Scientific Research*. Series **B1**, pp 362-375.
- Mathews, C.K. and van Holde. K.E. (1990). *Biochemistry*. The Benjamin/Cummings Publications Comp. Inc. Redwood City, California.
- Matthews, D.M. and Payne, J.W. (1975). *Peptide Transport in Protein Nutrition*. (Eds. A.Neuberger and E.L.Tatum). North Holland Publishing Company, Amsterdam.
- McAllan, A.B. (1980). The degradation of nucleic acids in, and the removal of breakdown products from the small intestines of steers. *British Journal of Nutrition*. **44**, pp 99-112.
- McAllan, A.B. (1982). The fate of nucleic acids in ruminants. *Proceedings of the Nutrition Society*. **41**, pp 309-317.
- McAllan, A.B. and Smith, R.H. (1971). Nucleic acids in ruminant digesta as indices of microbial nitrogen. *Proceedings of the Nutrition Society*. **31**, 24A.

- McAllan, A.B. and Smith, R.H. (1973). Degradation of nucleic acid derivatives by rumen bacteria in vitro. *British Journal of Nutrition*. **29**, pp 467-474.
- McDonald, I.W. (1952). The role of ammonia in ruminal digestion of protein. *The Biochemical Journal*. **51**, pp 86-90.
- McDonald, I.W. (1968). Nutritional aspects of protein metabolism in ruminants. *Australian Veterinary Journal*. **44**, pp 145-150.
- McDonald, I.W. and Hall, R.J. (1967). The conversion of casein into microbial proteins in the rumen. *The Biochemical Journal*. **67**, pp 400-405.
- McSweeney, C.S., Mackie, R.I. and White, B.A. (1994). Transport and intracellular metabolism of major feed compounds by ruminal bacteria: the potential for metabolic manipulation. *Australian Journal of Agricultural Research*. **45**, pp 731-756.
- Mehrez, A.Z. and Ørskov, E.R. (1977). A study of the artificial bag technique for determining the digestibility of feeds in the rumen. *Journal of Agricultural Science, Cambridge*. **88**, pp 645-650.
- Mehrez, A.Z., Ørskov, E.R. and McDonald, I.M. (1977). Rates of rumen fermentation in relation to ammonia concentration. *British Journal of Nutrition*. **38**, pp 437-443.
- Mellor, D.J. and Murray, L. (1981). Effects of placental weight and maternal nutrition on the growth rates of individual fetuses in single and twin bearing ewes during late pregnancy. *Research in Veterinary Science*. **30**, pp 198-204.
- Merchen, N.R. and Titgemeyer, E.C. (1992). Manipulation of amino acid supply to the growing ruminant. *Journal of Animal Science*. **70**, pp 3238-3247.
- Merry, R.J. and McAllan, A.B. (1983). A comparison of the chemical composition of mixed bacteria harvested from the liquid and solid fractions of rumen digesta. *British Journal of Nutrition*. **50**, pp 701-709.
- Mitchell, P. (1961). Coupling of phosphorylation to electron and hydrogen transfer by a chemiosmotic type mechanism. *Nature, London*. **191**, pp 144-148.
- Mócsennyi, A.R., Anke, M., and Szentmihályi, S. (1987). Li content in some major forages and Li-status of animals. *Acta Agronomica Hungaria*. **36**, pp 325-331.
- Moir, R.J. and Somers, M. (1957). Ruminal flora studies. VIII. The influence of rate and method of feeding a ration upon its digestibility upon ruminal function and upon ruminal population. *Australian Journal of Agricultural Research*. **8**, pp 253-257.

- Moore, G.P.M., Jackson, N. and Lax, J. (1989). Evidence of a unique developmental mechanism specifying both wool follicle density and fibre size in sheep selected for single skin and fleece characters. *Genetical Research, Cambridge*. **53**, pp 57-62.
- Moore, G.P.M., Pisansarakit, P., da Cros, D.L. and Isaacs, K. (1991). The dermal papilla in follicle morphogenesis and function. In *Wool Biology*. (Ed. P.I.Hynd) pp 33-41. Australian Wool Corporation, Parkville, Victoria, Australia.
- Mortimer, S.I. and Atkins, K.D. (1989). Genetic evaluation of production traits between and within flocks of Merino sheep. I. Hogget fleece weights, body weight and wool quality. *Australian Journal of Agricultural Research*. **40**, pp 433-443.
- Murray, A.W. (1971). The Biological Significance of Purine Salvage. *Annual Review of Biochemistry*. **40**, pp 811-826.
- Nagai, S. and Aiba, S. (1972). Reassessment of maintenance and energy uncoupling in the growth of *Azotobacter vinelandii*. *Journal of General Microbiology*. **73**, pp 531-538.
- Nagorcka, B.N. (1977). The description and analysis of wool growth. *Australian Journal of Agricultural Research*. **28**, pp 737-746.
- Nagorcka, B.N. (1995a). The reaction-diffusion (RD) theory of wool (hair) follicle initiation and development. I. Primary follicles. *Australian Journal of Agricultural Research*. **46**, pp 333-355.
- Nagorcka, B.N. (1995b). The reaction-diffusion (RD) theory of wool (hair) follicle initiation and development. I. Original secondary follicles. *Australian Journal of Agricultural Research*. **46**, pp 357-378.
- Nagorcka, B.N. and Mooney, J.R. (1982). The role of a reaction-diffusion system in the formation of hair fibres. *Journal of Theoretical Biology*. **98**, pp 575-607.
- Neijssel, O.M. and Tempest, D.W. (1976). Bioenergetic aspects of aerobic growth of *Klebsiella aerogenes* NCTC 418 in carbon-limited and carbon sufficient chemostat culture. *Archives of Microbiology*. **197**, pp 215-221.
- Neutze, S.A., Smith, R.L. and Forbes, W.A. (1993). Application of an inhibitor in vitro method for estimating rumen degradation of feed protein. *Animal Feed Science and Technology*. **40**, pp 251-265.
- Nishino, T. (1991). In, *Flavins and Flavoproteins*. (Eds. B.Curi, S.Ronchi and G.Zanetti). Walter de Gruyter, Berlin p885

- Nocek, J.E. and Russell, J.B. (1988). Protein and energy as an integrated system. Relationship of ruminal protein and carbohydrate availability to microbial synthesis and milk production. *Journal of Dairy Science*. **71**, pp 2070-2107.
- Nogge, J.H. (1992). *Practical Curve Fitting and Data Analysis*. Prentice Hall Inc. Englewood Cliffs, New Jersey, U.S.A.
- Nolan, J.V. (1975). Quantitative models of nitrogen metabolism in sheep. In, *Digestion and Metabolism in the Ruminant*. (Eds. I.W.McDonald and A.C.I. Warner) pp 416-431. The University of New England Publishing Unit, Armidale, Australia.
- Nolan, J.V. (1993). Nitrogen kinetics. In, *Quantitative Aspects of Ruminant Digestion and Metabolism*. (Eds. J.M.Forbes and J.France) pp 123-143. CAB International.
- Nolan, J.V. and Leng, R.A. (1972). Dynamic aspects of ammonia and urea metabolism in sheep. *British Journal of Nutrition*. **27**, pp 177-194.
- Nolan, J.V., Norton, B.W., Murray, R.M., Ball, F.M., Roseby, F.B., Rohan-Jones, W., Hill, M.K., and Leng, R.A. (1975). Bodyweight and wool production in grazing sheep given access to a supplement of urea and molasses: intake of supplements /response relationships. *Journal of Agricultural Science, Cambridge*. **84**, 39-48.
- Nugent, J.H.A. and Mangan, J.L. (1981). Characteristics of the rumen proteolysis of fraction 1 (18S) leaf protein from lucerne (*Medicago sativa* L.). *British Journal of Nutrition*. **46**, pp 39-58.
- Ørskov, E.R. (1970). Nitrogen utilisation by the young ruminant. In, *Proceedings of the 4th Nutrition Conference for Feed Manufacturers*. (Eds. H.Swan and D.Lewis). pp 20-35. J and A Churchill, London.
- Ørskov, E.R. and McDonald, I. (1979). The estimation of protein degradability in the rumen from incubation measurements weighted according to rate of passage. *Journal of Agricultural Science, Cambridge*. **92**, pp 499-503.
- Ørskov, E.R., Grubb, D.A., Wenhäm, G. and Corrigan, W. (1979). The sustenance of growing and fattening ruminants by intragastric infusion of volatile fatty acid and protein. *British Journal of Nutrition*. **41**, pp 553-558.
- Payne, W.J. (1970). Energy yields and growth of heterotrophs. *Annual Review of Microbiology*. **24**, pp 17-52.
- Paynter, M.J.B. and Elsdon, S.R. (1970). Mechanism of propionate formation by *Selenomonas ruminantium*, a rumen bacterium. *Journal of General Microbiology*. **61**, pp 1-7.

- Perdok, H (1987). Ammoniated rice straw as a feed for growing cattle. PhD Thesis, University of New England, Armidale.
- Phillipson, A.T. (1952). The passage of digesta from the abomasum of sheep. *Journal of Physiology*. **116**, pp 84-97.
- Pilgrim, A.F. Gray, F.V., Weller, R A. and Belling, C.B. (1970). Synthesis of microbial protein from ammonia in the sheep's rumen and the proportion of dietary nitrogen converted into microbial nitrogen. *British Journal of Nutrition*. **24**, pp 589-598.
- Piper, L.R. and Dolling, C.H.S. (1966). Variation in the sulphur content of wool of Merino sheep associated with genetic differences in wool-producing capacity. *Australian Journal of Biological Sciences*. **19**, pp 1179-1182.
- Piper, L.R. and Dolling, C.H.S. (1969a). Efficiency of conversion of food to wool IV. Comparison of sheep selected for high clean wool weight with sheep from a random control group at three levels of dietary protein. *Australian Journal of Agricultural Research*. **20**, pp 561-578.
- Piper, L.R. and Dolling, C.H.S. (1969b). Efficiency of conversion of food to wool V. Comparison of the apparent digestive ability of sheep selected for high clean wool weight with that of sheep from a random control group. *Australian Journal of Agricultural Research*. **20**, pp 579-587.
- Pirt, S.J. (1975). *Principles of Microbe and Cell Cultivation*. Balckwell Scientific Publications, Melbourne, Australia.
- Pisulewski, P.M. and Buttery, P.J. (1985). The effect of increasing methionine supply on the methionine conversion to cyst(e)ine in sheep. *British Journal of Nutrition*. **54**, pp 121-129.
- Preston, T.R. and Leng, R.A. (1987). *Matching Ruminant Production Systems With Available Resources In The Tropics And Sub-Tropics*. Penambul Books, Armidale, N.S.W Australia.
- Punia, B.S., Leibholz, J. and Faichney, G.J. (1992). Rate of production of protozoa in the rumen and the flow of protozoal nitrogen to the duodenum in sheep and cattle given a pelleted diet of lucerne hay and barley. *Journal of Agricultural Science, Cambridge*. **118**, pp 229-236.
- Purser, D.B. (1970). Nitrogen metabolism in the rumen: Micro-organisms as a source of protein for the ruminant animal. *Journal of Animal Science*. **30**, pp 988-1001.
- Purser, D.B. and Buechler, S.M. (1966). Amino acid composition of rumen organisms. *Journal of Dairy Science*. **49**, pp 81-84.

- Ralphs, M.H., and Cheney, C.D. (1993). Influence of cattle age, lithium chloride dose level, and food type in the retention of food aversions. *Journal of Animal Science*. **71**, 373-379.
- Razzaque, M.A., Topps, J.H., Kay, R.N.B. and Brockway, J.M. (1981). Metabolism of the nucleic acids of rumen bacteria by preruminant and ruminant lambs. *British Journal of Nutrition*. **45**, pp 517-528.
- Reis, P.J. (1967). The growth and composition of wool. IV. The differential response of growth and of sulphur content of wool to the level of sulphur-containing amino acids per abomasum. *Australian Journal of Biological Sciences*. **20**, pp 809-825.
- Reis, P.J. (1969). The growth and composition of wool. V. Stimulation of wool growth by the abomasal administration of varying amounts of casein. *Australian Journal of Biological Sciences*. **22**, pp 745-759.
- Reis, P.J. (1979). Effects of amino acids on the growth and properties of wool. In, *Physiological and Environmental Limitations to Wool Growth*. (Eds. J.L.Black and P.J.Reis) pp 223-242. University of New England Publishing Unit, Armidale, Australia.
- Reis, P.J. (1989). The influence of absorbed nutrients on wool growth. In, *The Biology of Wool and Hair*. (Eds. G.E.Rogers, P.J.Reis, K.A.Ward and R.C.Marshall). pp 185-203. Chapman & Hall, London.
- Reis, P.J. and Schinckel, P.G. (1963). Some effects of sulphur-containing amino acids on the growth and composition of wool. *Australian Journal of Biological Science*. **16**, pp 218-230.
- Reis, P.J., Tunks, D.A. and Sharry, L.F. (1989). Incorporation of abomasal and intravenous doses of [³⁵S]cystine and [³⁵S]methionine into wool. *Journal of Agricultural Science, Cambridge*. **112**, pp 313-319.
- Reis, P.J., Tunks, D.A. and Munro, S.G. (1990). Effects of the infusion of amino acids into the abomasum of sheep, with emphasis on the relative value of methionine, cysteine and homocysteine for wool growth. *Journal of Agricultural Science, Cambridge*. **114**, pp 59-68.
- Reis, P.J., Tunks, D.A. and Munro, S.G. (1992). Effects of abomasal protein and energy supply on wool growth in Merino sheep. *Australian Journal of Agricultural Research*. **43**, pp 1353-1366.
- Reis, P.J., Tunks, D.A., Williams O.B. and Williams, A.J. (1967). A relationship between sulphur content of wool and wool production by Merino sheep. *Australian Journal of Biological Sciences*. **20**, pp 157-163.

- Richardson, C.R. and Hatfield, E.E (1978). The limiting amino acids in growing cattle. *Journal of Animal Science*. **46**, pp 740-745.
- Robards, G.E., Williams, A.J. and Hunt, M.H.R. (1974). Selection for crimp frequency in the wool of Merino sheep. 2. Efficiency of conversion of food to wool. *Australian Journal of Experimental Agriculture and Animal Husbandry*. **14**, pp 441-448.
- Robinson, P.H. and Sniffen, C.J. (1985). Forestomach and whole tract digestibility for lactating dairy cows as influenced by feeding frequency. *Journal of Dairy Science*. **68**, pp 857-867.
- Rocks, R.L., Wheeler, J.L., and Fedges, D.A. (1982). Labelled waters of crystallization in gypsum to measure the intake by sheep of loose and compressed mineral supplements. *Australian Journal of Experimental Agriculture and Animal Husbandry*. **22**, pp 35-42.
- Romero V, A., Siebert, B.D. and Murray, R.M. (1976). A study on the effect of frequency of urea ingestion on the utilization of low quality roughage by steers. *Australian Journal of Experimental Agriculture and Animal Husbandry*. **16**, pp 308-314.
- Romulo, B., Bird, S.H. and Leng, R.A. (1989). Effects of defaunation and protein supplementation on intake, digestibility, N retention and fungal numbers in sheep fed straw-based diets. In, *The Roles of Protozoa and Fungi in Ruminant Digestion*. (Eds. J.V.Nolan, R.A.Leng. and D.I.Demeyer) pp 285-288. Penambul Books, Armidale, Australia.
- Roussos, G.G. (1963). Studies on a hypoxanthine oxidase from bovine small intestine. *Biochemica et Biophysica Acta*. **73**, pp 338-340.
- Rudall, K.M. (1956). The size and shape of the papilla in wool follicles. *Proceedings of the International Wool Textile Research Conference*. Vol. **F**, pp 9-25.
- Ruiz, A., Mowat, D.N. and Grovum, W.L. (1989). Effects of feeding frequency and soybean meal supplementation of alfalfa silage on duodenal nitrogen supply to sheep. *Canadian Journal of Animal Science*. **69**, pp 1021-1030.
- Russell, J.B. (1986). Heat production by ruminal bacteria in continuous culture and its relationship to maintenance energy. *Journal of Bacteriology*. **168**, pp 694-701.
- Russell, J.B. and Strobel, H.J. (1987). Concentration of ammonia across cell membranes of mixed rumen bacteria. *Journal of Dairy Science*. **70**, pp 970-976.
- Russell, J.B., Strobel, H.J. and Martin, S.A. (1990). Strategies of nutrient transport by ruminal bacteria. *Journal of Dairy Science*. **73**, pp 2996-3012.
- Russell, J.B., Onodera, R. and Hino, T. (1991). Ruminal protein fermentation: New perspectives on previous contradictions. In, *Physiological Aspects of Digestion and*

- Metabolism in Ruminants*. (Eds. T.Tsuda, Y.Sasaki and R.Kawashima) pp 681-697. Academic Press, Inc. Tokyo.
- Russell, J.B., Strobel, H.J., Driessen, A.J.M. and Konings, W.N. (1988). Sodium-dependent transport of neutral amino acids by whole cells and membrane vesicles of *Streptococcus bovis*. *Journal of Bacteriology*. **170**, pp 3531-3536.
- Ryan, B.F., Joiner, B.L. and Rayan, Jr. T.A. (1985). Minitab handbook (2nd ed.). PWS Publishers, Boston, U.S.A.
- Rys, R., Antoniewicz, A. and Maciejewicz, J. (1975). Allantoin in urine as an index of microbial protein in the rumen I, *Tracer Studies on Non-protein Nitrogen for Ruminants*. Vienna: International Atomic Energy Agency, pp 95-98.
- SAS (1990). SAS / STAT User's Guide Version 6 4th edition vol. 2, SAS Institute Inc. Cary, NC, U.S.A.
- Satter, L.D. (1986). Protein supply from undegraded dietary protein. *Journal of Dairy Science*. **69**, pp 2734-2749.
- Satter, L.D. and Slyter, L.L. (1974). Effect of ammonia concentration on rumen microbial protein production in vitro. *British Journal of Nutrition*. **32**, pp 199-208.
- Schaefer, D.M., Davis, C.L. and Bryant, M.P. (1980). Ammonia saturation constants for predominant species of rumen bacteria. *Journal of Dairy Science*. **63**, pp 1248-1263.
- Scheifinger, C.C. and Wolin, M.J. (1973). Propionate formation from cellulose and soluble sugars by combined cultures of *Bacteroides succinogenes* and *Selenomonas ruminantium*. *Applied Microbiology*. **26**, pp 789-795.
- Schinckel, P.G. (1955). The post-natal development of the skin follicle population in a strain of Merino sheep. *Australian Journal of Agricultural Research*. **6**, pp 68-76.
- Schinckel, P.G. (1960). Variation of feed intake as a cause of variation in wool production of grazing sheep. *Australian Journal of Agricultural Research*. **11**, pp 585-594.
- Schinckel, P.G. (1961). Mitotic activity in wool follicle bulbs. *Australian Journal of Biological Sciences*. **14**, pp 659-676.
- Schinckel, P.G. and Short, B.F. (1961). The influence of nutritional level during pre-natal and early post-natal life on adult fleece and body characteristics. *Australian Journal of Agricultural Research*. **12**, pp 176-202.
- Schwartz, H.M. and Gilchrist, F.M.C. (1975). Microbial interactions with the diet and the host animal. In, *Digestion and Metabolism in the Ruminant*. (Eds. I.W.McDonald and A.C.I. Warner) pp 165-179. The University of New England Publishing Unit, Armidale, Australia.

- Scott, T.W. and Ashes, J.R. (1993). Dietary lipids for ruminants: Protection, utilization and effects on remodelling of skeletal muscle phospholipids. *Australian Journal of Agricultural Research*. **44**, pp 495-508.
- Senez, J.C. (1962). Some considerations on the energetics of bacterial growth. *Bacteriological Reviews*. **26**, pp 95-107.
- Shiple, R.A and Clark, R.E. (1972). *Tracer Methods for In Vivo Kinetics*. Academic Press, New York.
- Short, B.F. (1955). Developmental modification of fleece structure by adverse maternal nutrition. *Australian Journal of Agricultural Research*. **6**, pp 863-872.
- Short, B.F., Wilson, P.A. and Schinckel, P.G. (1965). Proliferation of follicle matrix cells in relation to wool growth. . In *Biology of the Skin and Hair Growth*. (Eds. A.G.Lyne and B.F.Short) pp 409-427. Angus and Robertson, Sydney.
- Siddons, R.C., Beever, D.E. and Nolan, J.V. (1982). A comparison of methods for the estimation of microbial nitrogen in duodenal digesta of sheep. *British Journal of Nutrition*. **48**, pp 377-389.
- Sinclair, L.A., Garnsworthy, P.C., Newbold, J.R. and Buttery, P.J. (1993). Effect of synchronizing the rate of dietary energy and nitrogen release on rumen fermentation and microbial protein synthesis in sheep. *Journal of Agricultural Science, Cambridge*. **120**, pp 251-263.
- Smith, C.J., Hespell, R.B. and Bryant, M.P. (1980). Ammonia assimilation and glutamate formation in the anaerobe *Selenomonas ruminantium*. *Journal of Bacteriology*. **141**, pp 593-602.
- Smith, R.C., Moussa, N.N. and Hawkins, G.E. (1974). Utilization of the nucleic acids of *Escherichia coli* and rumen bacteria by sheep. *British Journal of Nutrition*. **32**, pp 529-537.
- Smith, R.H. (1975). Nitrogen metabolism in the rumen and the composition and nutritive value of nitrogen compounds entering the duodenum. In, *Digestion and Metabolism in the Ruminant*. (Eds. I.W.McDonald and A.C.I. Warner) pp 399-415. The University of New England Publishing Unit, Armidale, Australia.
- Smith, R.H. (1979). Synthesis of microbial nitrogen compounds in the rumen and their subsequent digestion. *Journal of Animal Science*. **49** pp 1604-1614.
- Smith, R.H. and McAllan, A.B. (1970). Nucleic acid metabolism in the ruminant. *British Journal of Nutrition*. **24**, pp 545-556.

- Smith, R.H. and McAllan, A.B. (1971). Nucleic acid metabolism in the ruminant. 3* Amounts of nucleic acids and total and ammonia nitrogen in digesta from the rumen, duodenum and ileum of calves. *British Journal of Nutrition*. **25**, pp 181-190.
- Smith, R.H. and McAllan, A.B. (1974). Some factors influencing the chemical composition of mixed rumen bacteria. *British Journal of Nutrition*. **31**, pp 27-34.
- Smith, R.H., McAllan, A.B., Hewitt, D. and Lewis, P.E. (1978). Estimation of amounts of microbial and dietary nitrogen compounds entering the duodenum of cattle. *Journal of Agricultural Science, Cambridge*. **90**, pp 557-568.
- Soetanto, H. (1985). Studies on the role of rumen-anaerobic fungi and protozoa in fibre digestion. M.Rur.Sci. Thesis. The University of New England, Armidale, Australia.
- Sorenson, L.B. (1960). The elimination of uric acid in man. *Scandinavian Journal of Clinical and Laboratory Investigation*. **12**, Suppl. 54, pp 1-214.
- Standing Committee on Agriculture, Ruminants Subcommittee. (1990). Ruminants. Feeding Standards for Australian Livestock. C.S.I.R.O Publications, Victoria, Australia.
- Storm, E. and Ørskov, E.R. (1984). The nutritive value of rumen micro-organisms in ruminants. 4. The limiting amino acids of microbial protein in growing sheep determined by a new approach. *British Journal of Nutrition*. **52**, pp 613-620.
- Storm, E., Brown, D.S. and Ørskov, E.R. (1983). The nutritive value of rumen micro-organisms in ruminants. 3. The digestion of amino and nucleic acids in, and losses of endogenous nitrogen from, the small intestine of sheep. *British Journal of Nutrition*. **50**, pp 479-485.
- Stouthamer, A.H. (1979). The search for correlation between theoretical and experimental growth yields. In, *Microbial Biochemistry. International Review of Biochemistry*. **21**, pp 1-47.
- Stouthamer, A.H. and Bettenhausen, C. (1973). Utilization of energy for growth and maintenance in continuous and batch cultures of micro-organisms. *Biochimica et Biophysica Acta*. **301**, pp 53-70
- Stryer, L. (1988). *Biochemistry* (3rd Edition). W.H. Freeman and Company, New York.
- Suharyono (1992). Estimation of dietary intake in sheep, using lithium as a marker. Masters thesis. University of New England, Armidale, N.S.W. Australia.
- Suharyono., Nolan, J.V., and Kent, J. (1991). Estimation of supplement intake in individual grazing ruminants using lithium chloride as a marker. In *Recent Advances in Animal*

- Nutrition in Australia*. (Ed. D.J.Farrell) p 16A. Armidale, N.S.W. University of New England Publishing Unit.
- Surra, J., Guada, J.A., Balcells, J., and Castrillo, C. (1993). Salivary losses of purine derivatives in sheep. *British Society of Animal Production Winter Meeting*. pp 175-176.
- Tamminga, S. (1979). Protein degradation in the forestomachs of ruminants. *Journal of Animal Science*. **49**, pp 1615-1630.
- Thompson, J.M. and Kinghorn, B P. (1992). Catman - A program to measure cat-scans for prediction of body components in live animals. *Australian Society of Animal Breeding and Genetics*. (Rockhampton) **10**, pp 560-564.
- Tillman, A.D. and Sidhu, K.S. (1969). Nitrogen metabolism in ruminants: Rate of ruminal ammonia production and nitrogen utilization by ruminants-a review. *Journal of Animal Science*. **28**, pp 689-697.
- Titgemeyer, E.C. and Merchen, N.R. (1990). The effect of abomasal methionine supplementation on nitrogen retention of growing steers postminally infused with casein or nonsulfur-containing amino acids. *Journal of Animal Science*. **68**, 750-757.
- Topps, J.H. and Elliot, R.C. (1965). Relationship between concentrations of ruminal nucleic acids and excretion of purine derivatives by sheep. *Nature, London*. **205**, pp 498-499.
- Tudor, G.D. and Morris, J.G. (1971). The effect of the frequency of ingestion of urea on voluntary intake, organic matter digestibility and nitrogen balance of sheep. *Australian Journal of Experimental Agriculture and Animal Husbandry*. **11**, pp 483-487.
- Turner, Helen Newton (1958). Relationships among clean wool weight and its components. I. Changes in clean wool weight related to changes in the components. *Australian Journal of Agricultural Research*. **9**, pp 511-552.
- Turner, Helen. Newton. (1961). Relationships among clean wool weight and its components. II. The effect of maternal handicap and its influence on selection. *Australian Journal of Agricultural Research*. **12**, pp 974-991
- Ulyatt, M.J (1964). The suitability of lithium as a marker for estimating rumen water volume in sheep. *New Zealand Journal of Agriculture Research*. **7**, pp 774-778.
- Ulyatt, M.J., Waghorn, G.C., John, A., Reid, C.S.W. and Monro, J. (1984). effect of intake and feeding frequency on feeding behaviour and quantitative aspects of digestion in sheep fed chaffed lucerne hay. *Journal of Agricultural Science, Cambridge*. **102**, pp 645-657.
- Ushida, K., Jouany, J.P. and Thivend, P. (1986). Role of rumen protozoa in nitrogen digestion in sheep given two isonitrogenous diets. *British Journal of Nutrition*. **56**, pp 407-419.

- Van Den Hende, C., Oyaert, W. and Bouckaert, J.H. (1963). Metabolism of glycine, alanine, valine, leucine and isoleucine by rumen bacteria. *Research in Veterinary Science*. **4**, pp 382-389.
- Van Der Horst, C.J.G. (1960). Occurrence of keto-acids in blood serum and urine of cattle in comparison with man, horse, sheep and dog. *Nature, London*. **187**, pp 146-147.
- Van Nevel, C.J., Demeyer, D.I. and Henderickx, H.K. (1975). Use of ^{32}P to estimate microbial synthesis in the rumen. In, *Tracer Studies on Non-Protein Nitrogen for Ruminants II*. pp 15 - 20. International Atomic Energy Agency, Vienna.
- VanDemark, P.J. and Batzing, B.L. (1987). *The Microbes. An Introduction to Their Nature and Importance*. The Benjamin / Cummings publishing Company, Inc.
- Vercoe, J.E. (1976). Urinary allantoin excretion and digestible dry-matter intake in cattle and buffalo. *Journal of Agricultural Science, Cambridge*. **86**, pp 613-615.
- Virtanen, A.I. (1966). Milk production of cows on protein free feed. *Science*. **153**, pp 1603-1614.
- Waldo, D.R. (1968). Nitrogen utilization by the ruminant, nitrogen metabolism in the ruminant. *Journal of Dairy Science*. **51**, pp 265-275.
- Walker, D.M. and Norton, B.W. (1971). Nitrogen balance studies with the milk-fed lamb. 9. Energy and protein requirements for maintenance, live-weight gain and wool growth. *British Journal of Nutrition*. **26**, pp 15-29.
- Walkley, J.R.W., Ponzoni, R.W. and Dolling, C.H.S. (1987). Phenotypic and genetic parameters for lamb and hogget traits in a flock of South Australian Merino sheep. *Australian Journal of Experimental Agriculture*. **27**, pp 205-210.
- Wallace, R.J. (1988). Ecology of rumen microorganisms: Protein use. In, *Aspects of Digestive Physiology in Ruminants*. (Eds A.Dobson and M.J.Dobson). pp 99-122 Cornell University Press, Ithaca, New York.
- Wallace, R.J. and Brammall, M.L. (1985). The role of different species of bacteria in the hydrolysis of protein in the rumen. *Journal of General Microbiology*. **131**, pp 821-832.
- Wallace, R.J. and McPherson, C.A. (1987). Factors affecting the rate of breakdown of bacterial protein in rumen fluid. *British Journal of Nutrition*. **58**, pp 313-323.
- Wallace, R.J. and Cotta, M.A. (1988). Metabolism of nitrogen-containing compounds. In, *The Rumen Microbial Ecosystem*. (Ed. P.N.Hobson) pp 217-249. Elsevier Science Publishers LTD, Essex, England.

- Weller, R.A. (1957). The amino acid composition of hydrostaes of microbial preparations from the rumen of sheep. *Australian Journal of Biological Science*. **10**, pp 384-389.
- Weller, R.A. and Pilgram, A.F. (1974). Passage of protozoa and volatile fatty acids from the rumen of the sheep and from a continuous in vitro fermentation system. *British Journal of Nutrition*. **32**, pp 341-351.
- Weller, R.A. Gray, F.V. and Pilgram, A.F. (1958). The conversion of plant protein to microbial nitrogen in the rumen of sheep. *British Journal of Nutrition*. **12**, pp 421-429.
- Weston, R.H. (1959). The efficiency of wool production of grazing Merino sheep. *Australian Journal of Agricultural Research*. **10**, pp 865-885.
- Williams, A.J. (1973). Metabolism of cystine by Merino sheep genetically different in wool production. IV. Rates of entry of cystine into plasma, measured with a single intravenous injection of L-[³⁵S]Cystine, and the subsequent incorporation of ³⁵S into wool fibres. *Australian Journal of Biological Sciences*. **29**, pp 513-524.
- Williams, A.J. (1979). Speculations on the biological mechanisms responsible for genetic variation in the rate of wool growth. In, *Physiological and Environmental Limitations to Wool Growth*. (Eds. J.L.Black and P.J.Reis) pp 336-354. University of New England Publishing Unit, Armidale, Australia.
- Williams, A.J. (1987). Physiological consequences of selection for increased fleece weight. In, *Merino Improvement Programs*. (Ed. B.J.McGuirk) pp 481-494. Australian Wool Corporation, Melbourne
- Williams, A.J. and Winston, R.J. (1965). Relative efficiencies of conversion of feed to wool at three levels of nutrition in flocks genetically different in wool production. *Australian Journal of Experimental Agriculture and Animal Husbandry*. **5**, pp 390-395.
- Williams, A.J. and Winston, R.J. (1987). A study of the characteristics of wool follicle and fibre in Merino sheep genetically different in wool production. *Australian Journal of Agricultural Research*. **38**, pp 743-755.
- Williams, A.J., Robards, G.E. and Saville, D.G. (1972a). Metabolism of cystine by Merino sheep genetically different in wool production. II. The responses in wool growth to abomasal infusions of L-cystine or DL-methionine. *Australian Journal of Biological Sciences*. **25**, pp 1269-1276.
- Williams, A.J., Leng, R.A. and Stephenson, S.K. (1972b). Metabolism of cystine by Merino sheep genetically different in wool production. I. Comparison of the entry rates of cystine in

- sheep from flocks selectively bred for high and low fleece weight. *Australian Journal of Biological Sciences*. **25**, pp 1253-1268.
- Wilson, D.W. and Wilson, H.C. (1962). Studies *in vitro* of the digestion and absorption of purine nucleotides by the intestine. *Journal of Biological Chemistry*. **237**, pp 1643-1647.
- Wilson, P.A. and Short, B.F. (1979). Cell proliferation and cortical cell production in relation to wool growth. *Australian Journal of Biological Sciences*. **32**, pp 317-327.
- Wright, D.E. (1967). Metabolism of peptides by rumen microorganisms. *Applied Microbiology*. **15**, pp 547-550.