

BIBLIOGRAPHY

- Albee, A.L., (1962). Relationships between the mineral association, chemical composition and physical properties of the Chlorite series. *Amer. Mineral.*, 47, 851-870.
- Allen, J.R.L., (1970). *Physical processes of sedimentation*. George Allen & Unwin Ltd, London, 248 pp.
- Anderson, T.B., (1964). Kink bands and related geological structures. *Nature*, 202, 272-274.
- Anderson, T.B., (1968). The geometry of a natural orthorhombic system of kink bands. In Baer, A.J.; Norris, D.K. *Kink bands and Brittle Deformation*. Geol. Surv. Canada Paper 68-52, 200-220.
- Armstrong, J.D., (1966). Geological notes on the Warwick-Elbow Valley area. *Geol. Soc. Aust. Qd. Div.*, Field Conference Southern Moreton Basin, 15-18.
- Australian Code of Stratigraphic Nomenclature (1973). Reprinted, with corrigenda and additional notes, from *J. Geol. Soc. Aust.*, 11(1), 165-171, 1964.
- Banno, S., (1964). Petrologic studies on the Sanbagawa crystalline schists in the Bessi-Ino district, central Sikoku, Japan. *Tokyo Univ. Fac. Sci. J. Sec. 2*, 15, 203-319.
- Barrow, G., (1912). On the geology of the Lower Dee-side and the Southern Highland Border. *Proc. Geol. Assoc.*, 23, 274-290.
- Bayly, K.M.W., (1974). The geology of an area north-west of Glenrock, N.S.W. *Unpub. B.Sc. (Hons.) Thesis*, Univ. New England.
- Benson, W.N., (1914). The geology and petrology of the Great Serpentinite Belt of New South Wales, Part III. Petrology. *Proc. Linn. Soc. N.S.W.*, 38, 662-724.
- Benson, W.N., (1918). The geology and petrology of the Great Serpentinite Belt of New South Wales, Part VIII. The extension of the Great Serpentinite Belt from the Nundle district to the coast. *Proc. Linn. Soc. N.S.W.*, 43, 593-599.
- Berner, H.; Ramberg, H.; Stephansson, O., (1972). Diapirism in theory and experiment. *Tectonophysics*, 15, 197-218.
- Billings, M.P., (1954). *Structural Geology (Second Edition)*. Prentice-Hall, Inc. Englewood Cliffs, 514 pp.
- Binns, R.A., (1965). Homblendes from some basic hornfelses in the New England region, New South Wales. *Mineral. Mag.*, 34, 52-65.
- Binns, R.A., (1966). Granitic intrusions and regional metamorphic rocks of Permian age from the Wongwibinda district, North-eastern New South Wales. *J. Proc. Roy. Soc. N.S.W.*, 99, 5-36.
- Binns, R.A.; Richards, J.R., (1965). Regional metamorphic rocks of Permian age from the New England district of New South Wales. *Aust. J. Sci.*, 27, 233.
- Binns, R.A. and others, (1967). *New England Tableland, Southern Part, with explanatory Text, Geol. Map. New England 1:250,000*. Univ. New England, Armidale.
- Bishop, D.G., (1972). Progressive metamorphism from prehnite-pumpellyite to greenschist facies in the Dansey Pass Area, Otago, New Zealand. *Geol. Soc. Amer. Bull.* 83, 3177-3198.

- Bofinger, V.M., (1961). The Geology of the Bingara area. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Borradaile, G.J., (1972). Variably oriented co-planar primary folds. *Geol. Mag., 109(2),* 89-98.
- Bouma, A.H., (1962). *Sedimentology of some flysch deposits: A graphic approach to facies interpretation.* Elsevier, Amsterdam. 168 pp.
- Bouma, A.H., (1969). *Methods for the study of sedimentary structures.* John Wiley & Sons, New York. 458 pp.
- Bouma, A.H., (1972). Fossil Contourites in lower Niesenflysch, Switzerland. *Jour. Sedim. Petrol. 42(4),* 917-921.
- Bouma, A.H.; Hollister, C.D., (1973). Deep Ocean Basin Sedimentation. in SEPM Pacific Section. *Turbidites and deep water sedimentation.* Anaheim, 39-78.
- Bourke, D.J., (1970). The geology of the Honeysuckle Creek region. *Unpub. Geology IIIS Project, Univ. New England.*
- Bourke, D.J., (1971). The structural and stratigraphic study of the Upper Kunderang Brook District. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Boxall, A.M., (1972). The geology of an area to the southeast of Bonshaw, North-eastern New South Wales. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Braddock, W.A., (1970). The origin of slaty cleavage: Evidence from Precambrian Rocks in Colorado. *Geol. Soc. Amer. Bull., 81,* 589-600.
- Bridgewater, D.; Sutton, J.; Watterson, J., (1974). Crustal downfolding associated with igneous activity. *Tectonophysics, 21,* 57-77.
- Brindley, G.W., (1961). Chlorite Minerals. In: *The X-ray Identification and crystal structures of clay minerals.* Mineral Soc., London, 242-296.
- Broughton, J.G., (1946). An example of the development of cleavages. *J. Geol. 54,* 1-18.
- Brown, E.H., (1967). The Greenschist facies in part of eastern Otago, New Zealand. *Contr. Mineral. Petrol. 14,* 259-292.
- Brown, E.H., (1971). Phase relations of biotite and stilpnomelane in the greenschist facies. *Contr. Mineral. Petrol., 31,* 275-299.
- Browne, W.R., (1929). An outline of the history of igneous action in New South Wales till the close of the Palaeozoic Era. *Proc. Linn. Soc. N.S.W., 54,* 9-39.
- Browne, W.R., (1933). An account of post-Palaeozoic igneous activity in New South Wales. *J. Proc. Roy. Soc. N.S.W., 67,* 9-95.
- Browne, W.R., (1969). Geology of N.S.W. Geomorphology General Notes. *J. Geol. Soc. Aust., 16(1),* 559-569.
- Brunker, R.L.; Chesnut, W.S.; Cameron, R.G., (1969). 1:250,000 Geological Sheet SH56-6 Grafton. N.S.W. Geol. Surv.
- Burns, K.L., (1972). An algebra of geological events. *Geol. Soc. Aust. Joint Specialists Groups Meetings, Canberra February 1972 Abstracts.* I25-I26.
- Burns, K.L., (1973). Structural data files. *Tectonics and Structural Newsletter of SGTSG of Geol. Soc. Aust., 2,* 21-22.

- Burns, K.L.; Dunnet, D., (1973). Structural data processing. *Tectonics and Structural Newsletter of SGTSG of Geol. Soc. Aust.*, 2, 20-21.
- Burns, K.L.; Marshall, B.; Gee, R.D., (1969). Computer-assisted geological mapping. *Aust. Inst. Min. Metall. Proc.*, 232, 41-47.
- Butler, H.R., (1974). The Geology of the Stanthorpe-Leyburn Mineral District, Queensland and New South Wales. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Campbell, J.D., (1958). En echelon folding. *Econ. Geol.*, 53, 448-472.
- Campbell, K.S.W., (1961). New species of the Permian spiferoids *Ingelarella* and *Notospirifer* from Queensland and their stratigraphic implication. *Palaeontographica, A*, 117, 159-192.
- Campbell, K.S.W., (1962). Marine fossils from the Carboniferous glacial rocks of New South Wales. *Palaeontology*, 36, 38-52.
- Carey, S.W., (1934). The geological structure of the Werrie Basin. *Proc. Linn. Soc. N.S.W.*, 59, 351-374.
- Carey, S.W., (1937). The Carboniferous sequence in the Werrie Basin. *Proc. Linn. Soc. N.S.W.*, 62, 341-376.
- Carey, S.W., (1955). The Orocline concept in Geotectonics. Part I, *Roy. Soc. Tas. Pap. Proc.*, 89, 255-288.
- Carey, S.W., (1962). Folding. *J. Alberta Soc. Petrol. Geol.*, 10, 95-144.
- Carne, J.E., (1895). Report on the Corambla, Bucca Creek and adjacent reefs. *N.S.W. Mines Dept. Ann. Rep.*, 144-149.
- Carson, W.P., (1968). Development of Flow Cleavage in the Martinsburg Shale, Port Jervis South Area (Northern New Jersey). *Tectonophysics*, 5(6), 531-541.
- Challinor, J., (1945). The Primary and Secondary Elements of a Fold. *Proc. Geol. Assoc.*, 56, 82-88.
- Chappell, B.W., (1961a). The stratigraphy and structural geology of the Manilla-Moore Creek District, N.S.W. and petrology of the greywackes of the Baldwin Formation. *Unpub. M.Sc. Thesis, Univ. New England.*
- Chappell, B.W., (1961b). The stratigraphy and structural geology of the Manilla-Moore Creek District, N.S.W., *J. Proc. Roy. Soc. N.S.W.*, 95, 63-75.
- Chappell, B.W., (1968). Volcanic greywackes from the Upper Devonian Baldwin Formation, Tamworth-Barraba district, New South Wales. *J. Geol. Soc. Aust.*, 15, 87-102.
- Chappell, B.W., (1973). The New England Batholith. *Lecture to Discussion Group on New England Batholith, Macquarie Univ.*, 13th July 1973, Unpub.
- Chayes, F. (1957). A provisional re-classification of granite. *Geol. Mag.*, 94, 58-68.
- Chesnut, W.S.; Bowman, H.N., (1968). Geological reconnaissance for construction materials of the area around Wooli breakwater. *Rep. Geol. Surv. N.S.W.* (unpub.)
- Chidester, A.H., (1962). Petrology and geochemistry of selected talc-bearing ultramafic rocks and adjacent country rocks in north-Central Vermont. *U.S. Geol. Surv. Prof. Pap.*, 345, 207 pp.

- Christie, J.M., (1960). Mylonitic rocks of the Moine Thrust Zone in the Assynt Region, North-West Scotland. *Trans. Edinb. Geol. Soc.*, 18, 79-93.
- Christoffel, D.A., (1971). Motion of the New Zealand Alpine Fault deduced from the pattern of sea-floor spreading. In Collins, B.W.; Fraser, R., (Eds) *Recent Crustal Movements*. *Roy. Soc. N.Z. Bull.*, 9, 25-30.
- Clark, B.R., (1970). Origin of slaty cleavage in the Coeur d'Alene District, Idaho. *Geol. Soc. Amer. Bull.*, 81, 3061-3072.
- Clark, R.H.; McIntyre, D.B., (1951). The use of the terms pitch and plunge. *Amer. J. Sci.*, 249, 591-599.
- Clarke, Rev. W.B., (1853). On the geology of the Clarence District and adjoining regions. *N.S.W. Leg. Council, Votes and Proc for 1853*, II, 373-385.
- Clayton, L., (1966). Tectonic depressions along the Hope Fault, a trans-current fault in north Canterbury, New Zealand. *N.Z. J. Geol. Geophys.*, 9(1/2), 95-104.
- Cloos, E., (1947). Oolite deformation in the South Mountain Fold, Maryland. *Geol. Soc. Amer. Bull.*, 58, 843-918.
- Coats, R.P., (1964). Umberatana Group. *Geol. Surv. Sth. Aust. Quart. Geol. Notes*, 9, 7-12.
- Collerson, K.D., (1967). The Wollomombi-Wongwibinda-Guy Fawkes Area; some aspects of the igneous and metamorphic petrology. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Coney, P.J., (1970). The geotectonic cycle and the new global tectonics. *Geol. Soc. Amer. Bull.*, 81 (3), 739-748.
- Cook, V.R., (1973). The tectonic setting of the northern extremity of the Peel Fault, Warialda Rail, N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Coombs, D.S., (1961). Some recent work on the lower grades of metamorphism. *Aust. J. Sci.*, 24 (5), 203-215.
- Coombs, D.S.; Horodyski, R.J.; Naylor, R.S., (1970). Occurrence of prehnite-pumpellyite facies metamorphism in northern Maine. *Amer. J. Sci.*, 268, 142-156.
- Cooper, J.A.; Richards, J.R.; Webb, A.W., (1963). Some potassium-argon ages in New England, New South Wales. *J. Geol. Soc. Aust.*, 10, 313-316.
- Cronk, D.K., (1973). Petrology of the southern part of the Sheep Station Creek Complex, North-east of Dorrigo, N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Crook, K.A.W., (1958). Note on the Occurrence of a Carboniferous Plant near Armidale, N.S.W. *Aust. J. Sci.*, 20 (7), 216.
- Crook, K.A.W., (1959). Geological evolution of the Tamworth Trough. *Unpub. Ph.D. Thesis, Univ. New England*.
- Crook, K.A.W., (1961a). Stratigraphy of the Tamworth Group (lower and middle Devonian), Tamworth-Nundle district, N.S.W. *J. Proc. Roy. Soc. N.S.W.*, 94, 173-188.
- Crook, K.A.W., (1961b). Stratigraphy of the Parry Group (upper Devonian - lower Carboniferous), Tamworth-Nundle district, N.S.W. *J. Proc. Roy. Soc. N.S.W.*, 94, 189-207.

- Crook, K.A.W., (1961c). Post-Carboniferous stratigraphy of the Tamworth-Nundle district, N.S.W. *J. Proc. Roy. Soc. N.S.W.*, 94, 209-213.
- Crook, K.A.W., (1961d). Vein Minerals from the Tamworth and Parry Groups (Devonian and lower Carboniferous), N.S.W. *Amer. Mineral.*, 46, 1017-1029.
- Crook, K.A.W., (1963). Structural Geology of part of the Tamworth Trough. *Proc. Linn. Soc. N.S.W.*, 87, 397-409.
- Crook, K.A.W., (1964). Cleavage in weakly deformed Mudstones. *Amer. J. Sci.*, 262, 523-31.
- Crook, K.A.W., (1974). Lithogenesis and Geotectonics: The significance of compositional variation in flysch arenites (greywackes). In Dott, R.H., Jr.; Shaver, R.H., (Eds). *Modern and ancient geosynclinal sedimentation*. *Soc. Econ. Paleo. Mineral. Spec. Pub.*, 19, 304-310.
- Crosby, G.W.; Link, P.K., (1972). Stress Reorientation during folding. *Geol. Rundschau.*, 61 (2), 413-429.
- Cross, K.C., (1974). Possible Oceanic Crust in the Nundle Area, N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Crowell, J.C., (1955). Directional-current structures from the Prealpine Flysch, Switzerland. *Geol. Soc. Amer. Bull.*, 66, 1351-1384.
- Crowell, J.C.; Frakes, L.A., (1971). Late Palaeozoic Glaciation of Australia. *J. Geol. Soc. Aust.*, 17 (2), 115-155.
- Cumming, P.D., (1971). Geology of the Dyamberin Copper Mine. *Unpub. Geology IIIS Project, Univ. New England.*
- Cummins, W.A., (1962). The greywacke problem. *Lpool Manchr Geol. J.*, 3, 51-72.
- Currie, J.B.; Patnode, H.W.; Trump, R.P., (1962). Development of folds in sedimentary strata. *Geol. Soc. Amer. Bull.*, 73, 655-674.
- Cusack, V., (1970). Stratigraphy, sedimentary petrology, structure and sedimentation of the Byron Bay District, N.S.W. *Unpub. Geology IIIS Project, Univ. New England.*
- David, T.W.E., (1885). Report on a coal seam on the River Severn near Ashford, New England District. *N.S.W. Dept. Mines. Ann. Rep.*, 139-140.
- Deer, W.A.; Howie, R.A.; Zussman, J., (1962-1963). *Rock Forming Minerals: Vol 1 Ortho and ring silicates; Vol 2 Chain silicates; Vol 3 Sheet silicates; Vol 4 Framework silicates; Vol 5 Non-silicates*. Longmans, London.
- Denmead, A.K., (1928). A survey of the Brisbane Schists. *Roy. Soc. Qd. Proc.*, 39, 71-106.
- Denmead, A.K.; Tweedale, G.W.; Wilson, A.F., (1974) (Eds). *The Tasman Geosyncline - A Symposium*, Geol. Soc. Aust. Qd. Div., 409 pp.
- Dennen, W.H.; Blackburn, W.H.; Quesada, A., (1970). Aluminium in Quartz as a geothermometer. *Contr. Mineral. Petrol.*, 27, 332-342.
- Dennis, D.M., (1974). The stratigraphy, palaeoecology and biostratigraphy of a Permian sequence near Warwick, Queensland. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Dennis, J.G., (1967). International tectonic dictionary, english terminology. *Amer. Assoc. Petrol. Geol. Mem.*, 7, 196 pp.
- Dennis, J.G.; Atwater, T.M., (1974). Terminology of geodynamics. *Amer. Assoc. Petrol. Geol. Bull.*, 58 (6), 1030-1036.

- Dennis, P.C., (1974). Geology of the Silverwood area near Warwick, Queensland. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Den Tex, E., (1965). Metamorphic lineages of orogenic plutonism. *Geol. Mijnb.*, 44 (4), 105-132.
- de Sitter, L.U., (1954). Schistosity and shear in micro- and macrofolds. *Geol. Mijnb.*, 14, 277-282.
- de Sitter, L.U., (1956). *Structural Geology*. McGraw-Hill Book Co., New York. 552 pp.
- de Sitter, L.U., (1964). *Structural Geology (Second Edition)*. McGraw-Hill Book Co., New York. 551 pp.
- Dewey, J.F.; Bird, J.M., (1970). Mountain belts and the new global tectonics. *J. Geophys. Res.*, 75, 2625-2647.
- Dickinson, W.R., (1970). Interpreting detrital modes of greywacke and arkose. *J. Sedim. Petrol.*, 40 (2), 695-707.
- Dickinson, W.R., (1971). Plate tectonic models of geosynclines. *Earth. Planet. Sci. Lett.*, 10, 165-174.
- Dieterich, J.H., (1969). Origin of cleavage in folded rocks. *Amer. J. Sci.*, 267, 155-165.
- Docherty, A.M., (1973). Calc-alkaline Palaeozoic volcanics and Tertiary alkaline volcanics of the Tenterden-Wandsworth area, north-east, N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Dott, R.H., (1963). Dynamics of subaqueous gravity depositional processes. *Bull. Amer. Assoc. Petrol. Geol.*, 47, 104-128.
- Dott, R.H., (1964). Wacke, Greywacke and matrix - What approach to immature sandstone classification? *J. Sedim. Petrol.*, 34 (3), 625-632.
- Dun, G.M., (1964). The geology of a part of the Wollomombi region. *Unpub. Geology III Project, Univ. New England.*
- Dunoyer de Segonzac, G., (1970). The transformation of clay minerals during diagenesis and low-grade metamorphism : A review. *Sedimentology*, 15, 281-346.
- Dunoyer de Segonzac, G.; Ferrero, J.; Kubler, B., (1968). Sur la cristallinité de l'illite dans la diagenèse et l'anchimétamorphisme. *Sedimentology*, 10, 137-143.
- Durney, D.W., (1972). Solution-transfer, an important geological deformation mechanism. *Nature*, 235, 315-317.
- Elliott, D., (1965). The quantitative mapping of directional minor structures. *J. Geol.*, 73, 865-880.
- Epstein, S.; Taylor, H.P., Jr., (1967). Variation of $^{18}\text{O}/^{16}\text{O}$ in minerals and rocks. In Abelson, P.H., (Ed.). *Researches in Geochemistry*, 2, 29-62. John Wiley, New York.
- Ernst, W.G., (1963). Significance of phengitic micas from low-grade schists. *Amer. Mineral.*, 48, 1357-1373.
- Ernst, W.G.; Seki, Y.; Onuki, H.; Gilbert, H.C., (1970). Comparative study of low-grade metamorphism in the California Coast Ranges and the outer metamorphic belt of Japan. *Mem. Geol. Soc. Amer.* 124.
- Everenden, J.F.; Richards, J.R., (1962). Potassium-argon ages in eastern Australia. *J. Geol. Soc. Aust.*, 9, 1-49.

- Fairbain, H.W., (1949). *Structural petrology of deformed rocks*. Addison-Wesley, Cambridge, 344 pp.
- Fisher, D., (1968). A structural analysis, and some aspects of the metamorphic petrology of the Little Chandler River area, Wongwibinda. *Unpub. Geology IIIS Project, Univ. New England*.
- Fisher, D., (1969). A structural study of the Warnes River District. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Fitzpatrick, K.R., (in press). Woolomin Beds and associated sediments. In Markham, N.L. and Basden, H., (Eds.) *The Mineral Deposits of New South Wales*, N.S.W. Geol. Surv. Centenary Volume.
- Fleming, P.J.G.; Day, R.W.; Murray, C.G.; Whitaker, W.G., (1974). Late Palaeozoic invertebrate macrofossils in the Neranleigh-Fernvale Beds. *Qd. Govt. Min. J.*, LXXV, March 1974, 104-107.
- Fleuty, M.J., (1964). The description of folds. *Proc. Geol. Assoc.*, 75, 461-492.
- Flinn, D., (1956). On the deformation of the Funzie conglomerate, Fetler, Shetland. *J. Geol.*, 64, 480-505.
- Flint, J.C.E., (1973). The Geology of the Mesozoic and Palaeozoic Sequence in the Clarence River - Tyndale Area, Clarence-Moreton Basin, New South Wales. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Flood, R.H., (1964). The geology of the Woolbrook-Walcha Road area, N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Flood, R.H., (1971). A study of part of the New England Bathylith, New South Wales. *Unpub. Ph.D. Thesis, Univ. New England*.
- Frey, M., (1970). The step from diagenesis to metamorphism in pelitic rocks during alpine orogenesis. *Sedimentology*, 15, 261-279.
- Furtak, H.; Richter, D., (1967). Relations between fold form and tectonic shortening in flexure folds. *Geol. Mitt.*, 7, 109-128.
- Fyson, W.K., (1962). Tectonic structures in the Devonian rocks near Plymouth, Devon. *Geol. Mag.*, 99, 208-226.
- Fyson, W.K., (1968). Profile variation in a kink set. In Baer, A.J.; Norris, D.K., (Eds.). *Kink bands and brittle deformation*. Geol. Surv. Canada Paper 68-52, 243-254.
- Garlick, G.D.; Epstein, S., (1967). Oxygen isotope ratios in coexisting minerals of regionally metamorphosed rocks. *Geochim. Cosmochim. Acta*, 31, 181-214.
- Garnett, J.A.; Brown, R.L., (1973). Fabric variation in the Lubec-Belleisle Zone of southern New Brunswick. *Can. J. Earth. Sci.*, 10(11), 1591-1599.
- Geiser, P.A., (1974). Cleavage in some sedimentary rocks of the Central Valley and Ridge Province, Maryland. *Geol. Soc. Amer. Bull.*, 85, 1399-1412.
- Glen, R.A.; Heugh, J.P., (1973). Igneous rocks associated with ultramafics along the Peel Thrust, New South Wales. *N.S.W. Geol. Surv. Quart. Notes*, 11, 16-18.
- Gonzalez-Bonorino, F., (1960). The mechanical factor in the formation of schistosity. *Int. Geol. Congr. XXI Copenhagen*, 18, 303-316.
- Goodwin, D.N., (1962). The geology of the district between Port Macquarie and Camden Haven, N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.

- Gould, R.E., (1967). The geology of the Slacks' Creek Area, Southeast Queensland. *Univ. Qd. Paps. Dept. Geol.*, VI (5), 115-144.
- Greaves, G.J.G., (1960). The geology of the Hillgrove-Wollomombi-Rockvale District, New South Wales. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Green, D.C., (1973). Radiometric evidence of the Kanimblan orogeny in Southeastern Queensland and the age of the Neranleigh-Fernvale Group. *J. Geol. Soc. Aust.*, 20 (2), 153-160.
- Green, D.C.; Webb, A.W., (1974). Geochronology of the Northern part of the Tasman Geosyncline. In Denmead, A.K.; Tweedale, G.W.; Wilson, A.F., *The Tasman Geosyncline - A Symposium*, Geol. Soc. Aust. Qd. Div. 275-291.
- Griffiths, J.R., (1971). Reconstruction of the South-west Pacific margin of Gondwanaland. *Nature*, 234, 203-207.
- Grindley, G.W., (1963). Structure of the Alpine Schists of South Westland, southern Alps, New Zealand. *N.Z. J. Geol. Geophys.*, 6 (5), 872-930.
- Gunthorpe, R.J., (1963). Geology of part of Boundary Creek, Rockvale. *Unpub. Geology IIIS Project, Univ. New England*.
- Gunthorpe, R.J., (1970). Plutonic and metamorphic rocks of the Walcha-Nowendoc-Yarrowitch District, Northern New South Wales. *Unpub. Ph.D. Thesis, Univ. New England*.
- Gutsche, H.W., (1961). The geology of Grafton-Coaldale-Alice Photo Divisions. *Unpub. M.Sc. (Prelim.) Thesis, Univ. New England*.
- Hall, R.L., (1963). The geology of an area north-east of Attunga, N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Hall, R.L., (1970). Ordovician and Silurian coral faunas from northeastern New South Wales. *Unpub. M.Sc. Thesis, Univ. New England*.
- Hamblin, W.K., (1962). X-ray radiography in the study of structures in homogeneous sediments. *J. Sedim. Petrol.*, 32, 201-210.
- Hanlon, F.N., (1942). Wolfram deposits - Wild Cattle Creek. *N.S.W. Geol. Surv. Reps. 1939-45*, 72-73.
- Hansen, E., (1971). *Strain Facies*. George Allen & Unwin Ltd., London. 208 pp.
- Harker, A., (1885). The cause of slaty cleavage: compression v. shearing. *Geol. Mag.*, 2, 15-17.
- Harrington, H.J., (1974). The Tasman Geosyncline in Australia. In Denmead, A.K.; Tweedale, G.W.; Wilson, A.F., (Eds.). *The Tasman Geosyncline - A Symposium*, Geol. Soc. Aust., Qd. Div., 383-407.
- Harris, J.L., (1963). The geology of part of the Rockvale District near Armidale, N.S.W. *Unpub. Geology IIIS Project, Univ. New England*.
- Harrison, E.J., (1952). The Magword Mine. *N.S.W. Mines Dept. Ann. Rep.*, 76-78.
- Hashimoto, M., (1966). On the prehnite-pumpellyite metagreywacke facies. *J. Geol. Soc. Jap.*, 70, 180-183.
- Hay, J.C., (1970). Permian fault slivers at Attunga. *Unpub. Geology IIIS Project, Univ. New England*.
- Haydon, R.C., (1974). The geology of the Winterbourne area, south of Armidale, New South Wales, including the petrology of the Cheyenne Igneous Complex. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.

- Heezen, B.C.; Hollister, C.D., (1963). Evidence of deep-sea bottom currents from abyssal sediments (Abs). *Abstracts of Papers; Intern. Assoc. Phys. Oceanography, 13th Gen. Assemb, Intern. Union Geodesy and Geophys.*, 6, 111.
- Heezen, B.C.; Hollister, C.D., (1964). Deep-sea current evidence from abyssal sediments. *Marine Geology*, 1, 141-174.
- Heezen, B.C.; Ruddiman, W.T., (1966). Shaping of the continental rise by deep geostrophic contour currents, *Science*, 152, 502-508.
- Henley, S., (1972). Three computer programs for calculation of petrological and geochemical parameters from silicate analysis. *Bur. Min. Res. Record*, 1972/106, 8 pp.
- Hensel, H.D., (1973). The petrography, mineralogy and geochemistry of plutonic rocks of the Moona Plains Complex near Walcha, N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Herbert, H.K., (1963). The mineralogy and genesis of the ore from, and a petrological survey of the rocks surrounding, the New England antimony mine, Fishington, near Guyra, N.S.W. *Unpub. Geology IIIS Project, Univ. New England.*
- Hess, H.H., (1960). Stillwater igneous complex, Montana. *Geol. Soc. Amer. Mem.*, 80, 230 pp.
- Heugh, J.P., (1970). Geology of the Salisbury Waters area. *Unpub. Geology IIIS Project, Univ. New England.*
- Heugh, J.P., (1971). The geology of an area east of Hanging Rock, N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Hey, M.H., (1954). A new review of the chlorites. *Mineral. Mag.*, 30, 277-292.
- Higgins, M.W., (1971). Cataclastic Rocks. *U.S. Geol. Surv. Prof. Pap.*, 687.
- High, L.R., Jr.; Picard, M.D., (1971). Mathematical treatment of orientation data. In Carver, R.E., (Ed). *Procedures in Sedimentary Petrology*. Wiley-Interscience, New York, 21-45.
- Hill, D., (1940). The Middle Devonian rugose corals of Queensland II. The Silverwood-Lucky Valley area. *Proc. Roy. Soc. Qd*, L1(9), 150-168.
- Hill, D., (1951). Geology. In *Handbook of Queensland*, Aust. Assoc. Adv. Sci., Brisbane, 13-24.
- Hill, D., (1960). Geological Structure. *J. Geol. Soc. Aust.*, 7, 1-19.
- Hills, E.S., (1963). *Elements of Structural Geology*. Methuen & Co. Ltd., London. 483 pp.
- Hinrichsen, J.; Schurmann, K., (1969). Untersuchungen zur Stabilität von Pumpellyit. *Neues Jahrb. Mineral. Monatsh.*, 10, 441-445.
- Hoeppener, R., (1956). Zum problem der Bruchbildung, Schieferung und falting. *Geol. Rundschau*, 45, 247-283.
- Hollister, C.D.; Heezen, B.C., (1972). Geologic effects of ocean bottom currents: western North Atlantic. In Gordon, A.L., (Ed). *Studies in Physical Oceanography - A tribute to George Wust on his 80 Birthday*. Gordon & Breach, New York, II, 37-66.
- Horikoshi, E., (1965). Chlorite from the Sanbagawa Schists. *J. Geol. Soc. Jap.*, 71, 419-424.

- Hoschek, G., (1973). Zur Stabilitat metamorpher Biotit-Paragenesen. *Tschermaks Min. Petr. Mitt.*, 20, 48-58.
- Hsu, K.J., (1955). Granulites and mylonites of the region about Cucamonga and San Antonio Canyons, San Gabriel Mountains, California. *Univ. Calif. Pub. Geol. Sci.*, 30, 223-352.
- Hsu, K.J., (1972). The concept of the geosyncline, yesterday and today. *Trans. Leicester Literary Phil. Soc.*, 66, 26-48.
- Hsu, K.J., (1973). The odyssey of geosyncline. In Ginsburg, R.N., (Ed). *Evolving concepts in sedimentology*. John Hopkins Univ. Press, Baltimore, 66-92.
- Hudleston, P.J., (1973a). Fold morphology and some geometrical implications of theories of fold development. *Tectonophysics*, 16, 1-46.
- Hudleston, P.J., (1973b). An analysis of "single-layer" folds developed experimentally in viscous media. *Tectonophysics*, 16, 189-214.
- Hudleston, P.J., (1973c). The analysis and interpretation of minor folds developed in the Moine rocks of Monar, Scotland. *Tectonophysics*, 17, 89-132.
- Hutton, C.O.; Turner, F.J., (1936). Metamorphic zones in north-west Otago. *Trans. Roy. Soc. N.Z.*, 65 (4), 405-406.
- Iwasaki, M., (1963). Metamorphic rocks of the Kotu-Bizan area, Eastern Sikoku. *Tokyo Univ. Fac. Sci. Sec. 2*, 15, 1-90.
- Jakes, P.; Gill, J., (1970). Rare earth elements and the island arc tholeiitic series. *Earth. Planet. Sci. Lett.*, 9, 17-28.
- Jakes, P.; White, A.J.R., (1971). Composition of Island Arcs and continental growth. *Earth. Planet. Sci. Lett.*, 12, 224-230.
- Jakes, P.; White, A.J.R., (1972a). Major and trace element abundances in volcanic rocks of orogenic areas. *Geol. Soc. Amer. Bull.*, 83, 29-40.
- Jakes, P.; White, A.J.R., (1972b). Hornblendes from calc-alkaline volcanic rocks of island arcs and continental margins. *Amer. Mineral.*, 57, 887-902.
- James, H.L., (1955). Zones of regional metamorphism in the Precambrian of Northern Michigan. *Bull. Geol. Soc. Amer.*, 66, 1455-1488.
- Jeffery, D.G., (1971). A Structural analysis of the "Double Fold" Locality Rockvale, N.S.W. *Unpub. Geology IIIS Project*, Univ. New England.
- Johnson, A.M., (1970). *Physical processes in geology*. Freeman, Cooper & Co., San Francisco. 577 pp.
- Johnson, A.M.; Ellen, S.D., (1974). A theory of concentric, kink, and sinusoidal folding and of monoclinal flexuring of compressible, elastic multilayers. I. Introduction. *Tectonophysics*, 21, 301-339.
- Johnston, D.A., (1968). The geology of the Halls Creek/Oaky Creek district south of Bingara, N.S.W. *Unpub. B.Sc. (Hons.) Thesis*, Univ. New England.
- Jolly, W.T., (1970). Zeolite and prehnite-pumpellyite facies in south central Puerto Rico. *Contr. Mineral. Petrol.*, 27, 204-224.
- Jones, P.J.; Campbell, K.S.W.; Roberts, J., (1973). Correlation chart for the Carboniferous system of Australia. *Bur. Min. Res. Bull.* 156A, 40 pp.
- Joyce, A.S., (1964). Geology of the Yarrowyck Area. *Unpub. B.Sc. (Hons.) Thesis*, Univ. New England.

- Katada, M., (1965). Petrology of Ryoke metamorphic rocks in Northern Kiso district, central Japan. *J. Jap. Assoc. Mineral. Petrol. Econ. Geol.*, 53, 77-90, 155-164, 187-204.
- Kay, M., (1951). North American geosynclines. *Geol. Soc. Amer. Mem.*, 48, 1-143.
- Kelley, J.C., (1971). Mathematical analysis of point count data. In Carver, R.E., (Ed). *Procedures in Sedimentary Petrology*. Wiley-Interscience, New York, 409-425.
- Kennedy, D.R., (1964). The Yooroonaah Tin-Zinc-Lead Prospect, Ebor. *N.S.W. Dept. Mines Geol. Surv. Rep.*, 29, 1-10.
- Kennedy, W.Q., (1949). Zones of progressive regional metamorphism in the Moine schists of the Western Highlands of Scotland. *Geol. Mag.*, 86, 43-56.
- Kenny, E.J., (1926). Rockvale arsenic deposits. *N.S.W. Dept. Mines Ann. Rep.*, 101.
- Kenny, E.J., (1932). Geology and mineral prospects of the Tyringham district. *N.S.W. Mines Dept. Ann. Rep.*, 88-89.
- Kenny, E.J., (1936). Geological reconnaissance of the North Coast region. *N.S.W. Mines Dept. Ann. Rep.*, 92.
- Kirkegaard, A.G.; Shaw, R.D.; Murray, C.G., (1970). Geology of the Rockhampton and Port Clinton 1:250,000 Sheet area. *Rep. Geol. Surv. Qd.*, 38.
- Knill, J.L., (1960). A classification of cleavages, with special references to the Craignish district of the Scottish Highlands. *Int. Geol. Congr. XXI Copenhagen*, 18, 317-325.
- Koch, G.S., Jr.; Link, R.F., (1970). *Statistical analysis of geological data Vol. 1*. J. Wiley & Sons New York, 375 pp.
- Korsch, R.J., (1967). Structural analysis of a superposed folded area near Rockvale, N.S.W. *Unpub. Geology IIIS Project, Univ. New England*.
- Korsch, R.J., (1968). Structure and sedimentology of the Pre-Mesozoic sediments of the Woolgoolga district, North Coast, N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Korsch, R.J., (1971). Palaeozoic sedimentology and igneous geology of the Woolgoolga district, North Coast, New South Wales. *J. Proc. Roy. Soc. N.S.W.*, 104, 63-75.
- Korsch, R.J., (1973). Structural analysis of the Palaeozoic sediments in the Woolgoolga district, North Coast, New South Wales. *J. Proc. Roy. Soc. N.S.W.*, 106, 98-103.
- Krause, D.C., (1973). Crustal plates of the Bismarck and Solomon Seas. In Fraser, R. (Comp.). *Oceanography of the South Pacific 1972*. N.Z. Nat. Comm. for UNESCO, Wellington. pp.271-280.
- Kubler, B., (1966). La cristallinité de l'illite et les zones tout à fait supérieures du métamorphisme. In: *Colloque sur les Etages Tectoniques*. A la Baconniere, Neuchael, 105-122.
- Kubler, B., (1968). Evaluation quantitative du métamorphisme par la cristallinité de l'illite. Etat des progrès réalisés ces dernières années. *Bull. Centre Rech. Pau-S.N.P.A.* 2, 385-397.
- Kuenen, P.H., (1938). Observations and experiments in ptygmatic folding. *Soc. Geol. Finlande Comptes rendus*, 12, 11-28.

- Kuenen, Ph.H., (1952). Palaeogeographic significance of graded bedding and associated features. *Koninkl. Nederl. Akad. Weten. Ser. B.*, 55, 28-36.
- Kuno, H., (1959). Origin of Cenozoic Petrographic Provinces of Japan and surrounding areas. *Bull. Volcanologique Ser. II*, 20, 37-76.
- Landis, C.A.; Rogers, J., (1968). Some experimental data on the stability of pumpellyite. *Amer. Mineral.*, 53, 1038-1041.
- Langham, A.C., (1973). Permian acid volcanics and Tertiary basic volcanics of the Wandsworth area, New South Wales. *Unpub. B.Sc.(Hons.) Thesis, Univ. New England.*
- Lawrence, L.J.; Chand, F., (1962). Ore minerals of the Rockvale Mine, N.S.W., with special reference to unmixing textures. *Aust. Inst. Min. Mett. Proc.*, 204, 161-183.
- Leitch, E.C., (1969). Igneous activity and diastrophism in the Permian of New South Wales. *Geol. Soc. Aust. Spec. Pub.*, 2, 21-37.
- Leitch, E.C., (1972). The Geological development of the Bellinger-Macleay Region : A study in the tectonics of the New England Fold Belt. *Unpub. Ph.D. Thesis, Univ. New England.*
- Leitch, E.C., (1973). The New England Batholith. *Lecture to Discussion Group on New England Batholith Macquarie Univ.*, 13th July, 1973, Unpub.
- Leitch, E.C., (1974a). The geological development of the southern part of the New England Fold Belt. *J. Geol. Soc. Aust.*, 21(2), 133-156.
- Leitch, E.C., (1974b). Low grade regional metamorphism in the Eastern part of the New England Fold Belt. *Geol. Soc. Aust. Qd. Div. Field Conference*, 30-32.
- Leitch, E.C., (In Press, a). K-Ar study of low grade regional metamorphic rocks. *Earth. Planet. Sci. Lett.*
- Leitch, E.C., (1975, in press, b). A plate tectonic interpretation of the Palaeozoic history of the New England Fold Belt. *Bull. Geol. Soc. Amer.*, 86.
- Leitch, E.C.; Mayer, W., (1969). Mass-movement phenomena in an Upper Carboniferous greywacke-argillite sequence in north-eastern N.S.W. *N.Z. J. Geol. Geophys.*, 12, 156-171.
- Leitch, E.C.; Neilson, M.J.; Hobson, E., (1969). 1:250,000 Geological Sheet SH56 10-11, Dorrigo-Coffs Harbour. N.S.W. Geol. Surv.
- Leith, C.K., (1905). Rock cleavage. *U.S. Geol. Surv. Bull.*, 239, 1-216.
- Leith, C.K., (1923). *Structural Geology (Second Edition)*. Henry Holt & Co., New York, 390 pp.
- Lewis, I.H., (1973). Sedimentation and structure of some Upper Palaeozoic sedimentary rocks northeast of Armidale. *Unpub. B.Sc.(Hons.) Thesis, Univ. New England.*
- Lillie, A.R., (1960). On the abundance of mesoscopic folds in the Alpine schists of New Zealand. *N.Z. J. Geol. Geophys.*, 3 (1), 69-71.
- Lillie, A.R., (1961). Folds and faults in the New Zealand Alps and their tectonic significance. *Proc. Roy. Soc. N.Z.*, 89 (1), 57-84.
- Lillie, A.R., (1962a). Geology of Malte Brun Range, Central Alps, New Zealand. *N.Z. J. Geol. Geophys.*, 5 (2), 256-268.
- Lillie, A.R., (1962b). Geology of southern part of Mount Cook Range. *N.Z. J. Geol. Geophys.*, 5 (2), 320-321.

- Lillie, A.R., (1963). Structural geology in high mountains, especially in New Zealand Alps. *N.Z. Alpine J.*, 20, 1-18.
- Lillie, A.R.,; Gunn, B.M., (1964). Steeply plunging folds in the Sealy Range, Southern Alps. *N.Z. J. Geol. Geophys.*, 7 (3), 403-423.
- Lindsay, J.F., (1964). Permian and Carboniferous sedimentation of the Macleay District, N.S.W. *Unpub. M.Sc. Thesis, Univ. New England*.
- Lindsay, J.F., (1966). Carboniferous subaqueous mass-movement in the Manning-Macleay Basin, Kempsey, New South Wales. *J. Sedim. Petrol.*, 36, 719-732.
- Lindsay, J.F., (1969). Stratigraphy and structure of the Palaeozoic sediments of the Lower Macleay region, northeastern New South Wales. *J. Proc. Roy. Soc. N.S.W.*, 102, 41-55.
- Liou, J.G., (1971). Synthesis and stability relations of prehnite, $\text{Ca}_2\text{Al}_2\text{Si}_3\text{O}_{10}(\text{OH})_2$. *Amer. Mineral.*, 56, 507-531.
- Liou, J.G., (1971). P-T stabilities of laumontite, Wairakite, lawsonite, and related minerals in the system $\text{CaAl}_2\text{Si}_2\text{O}_8 - \text{SiO}_2 - \text{H}_2\text{O}$. *J. Petrol.*, 12 (2), 379-411.
- Loudon, T.V., (1964). Computer analysis of orientation data in structural geology. *Office Naval Res. Techn. Rep.*, 13, 129 pp.
- Lucas, K.G., (1958). The sedimentary petrology of the Palaeozoic rocks of the Border Rivers area, with a review of the structure. *Unpub. M.Sc. Thesis, Univ. Queensland*.
- Lucas, K.G., (1960). The Texas area. *J. Geol. Soc. Aust.*, 7, 229-235.
- Lusk, J., (1963). Copper ores, and their distribution in Western New England. *Unpub. M.Sc. Thesis, Univ. New England*.
- McCarthy, B.H., (1971). The Permian fauna in the 'Glenmore' Homestead area, Bonshaw, N.S.W. *Unpub. Geology IIIS Project, Univ. New England*.
- McCarthy, B.H., (1972). The Stratigraphy of the Carboniferous-Permian succession in northern New South Wales. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- McCarthy, B.H.; Runnegar, B.N.; Kleeman, J.D., (1974). Late Carboniferous-Early Permian sequence north of Drake, N.S.W. Dates Deposition and deformation of Beenleigh Block. *Qd. Govt. Min. J.*, Sept. 1974, 1-6.
- McClatchie, L., (1962). The Evening Star Gold Mine, Coramba. *N.S.W. Dept. Mines Geol. Surv. Rep.*, 15, 1-2.
- McClatchie, L.; Sylvester, G.C., (1970). The Tulloch Silver Mine, Rockvale, Northern New South Wales. *N.S.W. Geol. Surv. Rec.*, 12, 5-28.
- McClung, G.R., (1968). Structural analysis of the Rockvale Creek area, Rockvale, N.S.W. *Unpub. Geology IIIS Project, Univ. New England*.
- McDougall, I.; Wilkinson, J.F.G., (1967). Potassium-argon dates on some Cainozoic volcanic rocks from northeastern New South Wales. *J. Geol. Soc. Aust.*, 14, 225-234.
- McElroy, C.T., (1956). A geological reconnaissance of the Red Cliff-Corindi-Nana Glen Area, Far North Coast Coal Province. *N.S.W. Dept. Mines Tech. Rep.*, 4, 89-95.
- McElroy, C.T., (1962). The geology of the Clarence-Moreton Basin. *N.S.W. Geol. Surv. Mem.*, 9.

- McIntyre, D.B., (1950). Note on two lineated tectonites from Strathavon, Banffshire. *Geol. Mag.*, 87, 331-336.
- McKee, B.; Leitch, E.C., (1971). Low-grade metamorphism in northeastern New South Wales, Australia. *Geol. Soc. Amer. Abstr. Prog.*, 3 (7), 643-644.
- McKelvey, B.C., (1966). The stratigraphy and petrology of a Devonian and Carboniferous sequence in north-eastern New South Wales. *Unpub. Ph.D. Thesis, Univ. New England.*
- McKelvey, B.C., (1968). Geological map of New England 1:100,000 Bangheet Sheet No. 280, with Marginal Text. *Univ. New England.*
- McKelvey, B.C., (1974). Devonian and Carboniferous sedimentation on the Tamworth Shelf. *Geol. Soc. Aust., Qd. Div., Field Conference New England Area*, 20-22.
- McKelvey, B.C.; Gutsche, H.W., (1969). The geology of some Permian sequences on the New England Tablelands, New South Wales. *Geol. Soc. Aust. Spec. Pub.*, 2, 13-20.
- McKenzie, A.J., (1972). Potassium-Argon dating of ten samples submitted by the Department of Mines, Sydney, Australia. *Robertson Research International Ltd. Rept. 723 (Unpub.)*.
- McKenzie, D.P.; Morgan, W.J., (1969). Evolution of triple junctions. *Nature*, 224, 125-133.
- McManus, J.B.; Kennedy, D.R.; Loudon, A.G.; Staude, W.J., (1965). The Wild Cattle Creek Antimony Deposit, Dorrigo, N.S.W. *N.S.W. Dept. Mines. Geol. Surv. Rep.*, 50, 1-18.
- McNamara, M.J., (1966). Chlorite-biotite equilibrium reactions in a Carbonate-free system. *J. Petrol.*, 7, 404-413.
- McQueen, K.G., (1971). Mineral deposits and their relation to the geological pattern in the Baryulgil-Fine Flower area. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Marriott, J.A., (1973). Geology of some foliated intrusions north of Wollomombi. *Unpub. Geology IIIS Project, Univ. New England.*
- Marsden, M.A.H., (1972). The Devonian history of northeastern Australia. *J. Geol. Soc. Aust.*, 19, 125-162.
- Mason, B., (1961). Potassium-argon ages of metamorphic rocks and granites from Westland, New Zealand. *N.Z. J. Geol. Geophys.*, 4 (4), 352-356.
- Mason, B., (1962). Metamorphism in the Southern Alps of New Zealand. *Bull. Amer. Mus. Nat. Hist.*, 123, 211-248.
- Mason, D.R., (1968). The Mornington Diorite intrusion. *Unpub. Geology IIIS Project, Univ. New England.*
- Mason, D.R., (1969). Part I. The geology of the Kyogle district, northeastern New South Wales. Part II. The Glenugie Peak intrusion near Grafton, New South Wales. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Mather, J.D., (1970). The biotite isograd and the lower greenschist facies in the Dalradian rocks of Scotland. *J. Petrol.*, 11 (2), 253-275.
- Matthews, D.H., (1958). Dimensions of asymmetrical folds. *Geol. Mag.*, 95, 511-513.
- Matthias, I.G., (1967). Geology of the Hastings district with particular reference to the ores and their igneous associates. *Unpub. B.S. (Hons.) Thesis, Univ. New England.*

- Maxwell, J.C., (1962). Origin of slaty and fracture cleavage in the Delaware Water Gap area, New Jersey and Pennsylvania. *Geol. Soc. Amer. Mem. (Buddington Volume)*., 281-311.
- Maxwell, W.G.H., (1954). *Strophalosia* in the Permian of Queensland. *J. Paleont.*, 28, 533-559.
- Maxwell, W.G.H., (1960). Mt. Barney. *J. Geol. Soc. Aust.*, 7, 167-168.
- Mayer, W., (1972). Palaeozoic sedimentary rocks from Southern New England : A sedimentological evaluation. *Unpub. Ph.D. Thesis, Univ. New England*.
- Mead, W.J., (1940). Folding, rock flowage, and foliate structures. *J. Geol.*, 48, 1007-1021.
- Mertie, J.B., Jr., (1940). Stratigraphic measurements in parallel folds. *Geol. Soc. Amer. Bull.*, 51, 1107-1134.
- Mertie, J.B., Jr., (1959). Classification, delineation and measurement of nonparallel folds. *U.S. Geol. Surv. Prof. Pap.*, 314-E, 91-124.
- Middleton, G.V.; Hampton, M.A., (1973). Mechanics of flow and deposition. In SEPM Pacific Section. *Turbidites and deep water sedimentation*. Anaheim, 1-38.
- Mikulski, J., (1973). Geochemical and petrological investigations of acid plutonic and associated rocks from the eastern margin of the New England Batholith near Glen Elgin, N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Miyashiro, A., (1958). Regional metamorphism of the Gosaisyo-Takanuki district in the central Abukuma Plateau. *Tokyo Univ. Fac. Sci. J., Sec. 2*, 11, 219-272.
- Miyashiro, A., (1961). Evolution of Metamorphic belts. *J. Petrol.*, 2 (3), 277-311.
- Miyashiro, A., (1972). Metamorphism and related magmatism in plate tectonics. *Amer. J. Sci.*, 272, 629-656.
- Miyashiro, A., (1973a). *Metamorphism and metamorphic belts*. George Allen & Unwin, London. 492 pp.
- Miyashiro, A., (1973b). Paired and unpaired metamorphic belts. *Tectonophysics*, 17, 241-254.
- Miyashiro, A.; Seki, Y., (1958). Enlargement of the Composition field of epidote and piedmontite with rising temperature. *Amer. J. Sci.* 256, 423-430.
- Moench, R.H., (1970). Premetamorphic down-to-basin faulting, folding, and tectonic dewatering, Rangeley area, Western Maine. *Geol. Soc. Amer. Bull.*, 81, 1463-1496.
- Moore, D.J., (1974). The stratigraphy and sedimentation of the late Devonian-Carboniferous sequence in the northern end of the Werrie Syncline, N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Moore, J.C.; Geigle, J.E., (1974). Slaty cleavage: incipient occurrences in the deep sea. *Science*, 183, 509-510.
- Morrow, R.J., (1967). Igneous and metamorphic geology of part of the Coaldale-south photosheet. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.

- Muffler, L.J.P.; White, D.E., (1969). Active metamorphism of Upper Cenozoic sediments in the Salton Sea - geothermal field and the Salton trough, southeastern California. *Bull. Geol. Soc. Amer.*, 80, 157-182.
- Neilson, M.J., (1965). The geology of the Guyra-Aberfoyle-Wards Mistake-Llangothlin area. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Neilson, M.J., (1970). The petrology of the New England Batholith near Guyra, New South Wales. *Unpub. Ph.D. Thesis, Univ. New England.*
- Neuss, I.D., (1965). The geology of the Dundurrabin, Tyringham and Sheep Station Creek areas and a study of the ore from the King of the Hills Copper mine, Dundurrabin. *Unpub. Geology IIIS Project, Univ. New England.*
- Neuss, I.D., (1966). The geology of the Ashford area and the geology and base metal mineralisation of the Leadville district. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Nicholson, D.A.; Suppel, D.W., (1967). Woolgoolga Mercury Prospect. *Unpub. Geol. Surv. N.S.W. Rept. GS67/159*, 13 pp.
- Nitsch, K.H., (1971). Stabilitätsbeziehungen von Prehnit-und Pumpellyithaltigen Paragenesen. *Contr. Mineral. Petrol.*, 30, 240-260.
- Northcott, I.W., (1972). Geology of the Ashford Caves Area. *Unpub. Geology IIIS Project, Univ. New England.*
- Northcott, I.W., (1973). Biostratigraphy of the Carboniferous-Permian succession of the Parrabel Anticline, west of Kempsey, Northern N.S.W. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Nott, S.A., (1967). Field project at Double Fold Locality, Rockvale. *Unpub. Geology IIIS Project, Univ. New England.*
- O'Driscoll, E.S., (1962). Experimental patterns in superposed similar folding. *J. Alberta. Soc. Petrol. Geol.*, 10, 145-167.
- Offler, R., (1973). Lowgrade metamorphism in Carboniferous rocks north of Newcastle. *Abst. 8th Sydney Basin Symposium, Univ. Newcastle*, 8.
- Okada, H.; Nakao, S., (1968). Plagioclase arenite in Lower Cretaceous flysch in the Furano area, Hokkaido. *J. Geol. Soc. Japan*, 74, 451-452.
- Olgers, F.; Flood, P.G., (1970a). Palaeozoic geology of the Warwick and Goondiwindi 1:250,000 sheet areas, Queensland and New South Wales. *Bur. Min. Res. Aust. Rec.*, 1970/6.
- Olgers, F.; Flood, P.G., (1970b). An angular Permian/Carboniferous Unconformity in southeastern Queensland and northeastern New South Wales. *J. Geol. Soc. Aust.*, 17, 81-85.
- Oversby, B., (1971). Palaeozoic plate tectonics in the southern Tasman Geosyncline. *Nature Phys. Sci.*, 234, 45-48.
- Oxley, G.W., (1972). The stratigraphy and economic geology of the Silver Spur area, southeast Queensland. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England.*
- Packham, G.H., (1967). The lower and middle Palaeozoic stratigraphy and sedimentary tectonics of the Sofala-Hill End-Euchareena region, N.S.W. *Proc. Linn. Soc. N.S.W.*, 93, 111-163.
- Packham, G.H., (1969), (Ed.). The geology of New South Wales. *J. Geol. Soc. Aust.*, 16, 1-654.

- Packham, G.H., (1973). A speculative Phanerozoic history of the south-west Pacific. In Coleman, P.J. (Ed.). *The Western Pacific : Island Arcs Marginal Seas Geochemistry*, Univ. W.A. Press, 369-388.
- Packham, G.H.; Leitch, E.C., (1974). The role of plate tectonic theory in the interpretation of the Tasman orogenic zone. In Denmead, A.K.; Tweedale, G.W.; Wilson, A.F., (Eds), *The Tasman Geosyncline - A Symposium*, Geol. Soc. Aust., Qd. Div., 129-154.
- Park, R.G., (1969). Structural correlation in Metamorphic belts. *Tectonophysics*, 7, 323-338.
- Paterson, M.; Weiss, L.E., (1966). Experimental deformation and folding in phyllite. *Bull. Geol. Soc. Amer.*, 77, 343-374.
- Pearcey, D., (1974). The structural geology of Rockvale. *Unpub. Geology IIIS Project, Univ. New England*.
- Perkins, W.G., (1968). Structures in rocks of the Wongwibinda Complex, Lynch-Camperdown Area. *Unpub. Geology IIIS Project, Univ. New England*.
- Petruk, W., (1964). Determination of the heavy atom content in chlorite by means of the X-ray diffractometer. *Amer. Mineral.*, 49, 61-71.
- Pettijohn, F.J., (1957). *Sedimentary Rocks*. Harper & Row, New York, 718 pp.
- Pettijohn, F.J.; Potter, P.E., (1964). *Atlas and Glossary of Primary Sedimentary Structures*. Springer-Verlag, Berlin, 370 pp.
- Pettijohn, F.J.; Potter, P.E.; Siever, R., (1972). *Sand and Sandstone*, Springer-Verlag, Berlin, 618 pp.
- Philip, G.M., (1966). The occurrence and palaeogeographic significance of Ordovician strata in northern N.S.W. *Aust. J. Sc.*, 29, 112-113.
- Phillips, E.R., (1968). Some plutonic rocks from a northern part of the New England Batholith. *Univ. Qd. Pap. Dept. Geol.*, 6, 159-206.
- Pittman, E.F., (1896). Notes on the Ashford Coal Field, County Arrawatta. *Geol. Surv. N.S.W. Rec.*, 5 (1), 26-30.
- Potter, P.E.; Pettijohn, F.J., (1963). *Palaeocurrents and basin analysis*. Springer-Verlag, Berlin, 296 pp.
- Powell, C.McA., (1969). Intrusive sandstone dykes in the Siamo Slate near Negaunee, Michigan. *Geol. Soc. Amer. Bull.*, 80, 2585-2594.
- Powell, C.McA., (1974). Timing of Slaty Cleavage during folding of Precambrian Rocks, Northwest Tasmania. *Geol. Soc. Amer. Bull.*, 85, 1043-1060.
- Powers, M.C., (1953). A new roundness scale for sedimentary particles. *J. Sed. Pet.*, 24, 117-119.
- Pratt, G.W.; Herbert, C., (1973). A reappraisal of the Lorne Basin. *Geol. Surv. N.S.W. Rec.*, 15 (2), 205-212.
- Price, I., (1969). Gravity tectonics on a mesoscopic and a macroscopic scale in the Rockvale area of N.S.W. *Unpub. Geology IIIS Project, Univ. New England*.
- Price, I., (1973). A new Permian and Upper Carboniferous(?) succession near Woodsreef, N.S.W., and its bearing on the palaeogeography of western New England. *Proc. Linn. Soc. N.S.W.*, 97 (3), 202-210.
- Price, N.J.; Hancock, P.L., (1972). Development of fracture cleavage and kindred structures. *Int. Geol. Congr. 24th Montreal*, 3, 584-592.

- Quodling, F.M., (1964). On traces of native iron at Port Macquarie, New South Wales. *J. Proc. Roy. Soc. N.S.W.*, 97, 81-82.
- Ragan, D.M., (1973). *Structural geology - an introduction to geometrical techniques (Second Edition)*. John Wiley & Sons, New York, 208 pp.
- Raggatt, H.G., (1941). Geological age of Ashford limestone. *Aust. J. Sci.*, 3, 170-171.
- Ramberg, H., (1959). Evolution of ptygmatic folding. *Norsk. geol. tidsskr.*, 39, 99-151.
- Ramberg, H., (1963). Strain distribution and geometry of folds. *Bull. Geol. Instn. Univ. Uppsala*, 42 (4), 1-20.
- Ramberg, H., (1963). Experimental study of gravity tectonics by means of centrifuged models. *Bull. Geol. Inst. Univ. Uppsala*, 42, 1-97.
- Ramberg, H., (1967a). *Gravity, deformation and the Earth's Crust*. Academic Press, London, 214 pp.
- Ramberg, H., (1967b). Model experimentation of the effect of gravity on tectonic processes. *Geophys. J.*, 14, 307-329.
- Ramberg, H., (1970). Model studies in relation to intrusion of plutonic bodies. In Newell, G.; Rast, N., (Eds). *Mechanism of Igneous Intrusion*. *Geol. J. Spec. Issue*, 2, 261-286.
- Ramberg, H. (1972). Mantle diapirism and its tectonic and magmagenetic consequences. *Phys. Earth. Planet. Interiors*, 5, 45-60.
- Ramsay, J.G., (1962a). The geometry and mechanics of formation of "similar" type folds. *J. Geol.*, 70, 309-327.
- Ramsay, J.G., (1962b). The geometry of conjugate fold systems. *Geol. Mag.*, 99, 516-526.
- Ramsay, J.G., (1964). The uses and limitations of beta-diagrams and pi-diagrams in the geometrical analysis of folds. *Quart. J. Geol. Soc. Lond.*, 120, 435-454.
- Ramsay, J.G., (1967). *Folding and fracturing of rocks*. McGraw-Hill Book Co., New York. 568 pp.
- Ramsay, W.R.H.; Stanley, J.M., (In press). Geophysical anomalies over the western margin of the New England Fold Belt, North-East New South Wales. *Geol. Soc. Amer. Bull.*
- Ransley, J.E., (1964). Aspects of the geology of the Rockvale-Wollomombi Area. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Ransley, J.E., (1970). The petrology of the New England Batholith in the Yarrowyck-Balala-Uralla area, northeastern New South Wales. *Unpub. M.Sc. Thesis, Univ. New England*.
- Rast, N., (1964). Morphology and interpretation of folds - a critical essay. *Lpool. Manchr. Geol. J.*, 4, 177-188.
- Reed, J.J., (1958). Regional metamorphism in south-east Nelson. *Bull. Geol. Surv. N.Z.*, 60.
- Reed, J.J., (1964). Mylonites, cataclasites, and associated rocks along the Alpine Fault, South Island, New Zealand. *N.Z. J. Geol. Geophys.*, 7 (4), 645-684.
- Relph, R.E., (1959a). The Magword Antimony mine, Fishington, near Guyra, New South Wales. *N.S.W. Dept. Mines Tech. Rep.*, 7, 61-67.

- Ralph, R.E., (1959b). The Gulf Copper Mine, Dyamberin, near Guyra, New South Wales. *N.S.W. Dept. Mines Techn. Rep.*, 7, 83-85.
- Richards, H.C.; Bryan, W.H., (1924). The geology of the Silverwood-Lucky Valley area. *Proc. Roy. Soc. Qd.*, 36, 44-108.
- Rickard, M.J., (1961). A note on cleavages in crenulated rocks. *Geol. Mag.*, 98, 324-32.
- Rickard, M.J., (1971). A classification diagram for fold orientations. *Geol. Mag.*, 108, 23-26.
- Roberts, J.; Oversby, B., (1973). The Early Carboniferous palaeogeography of the southern New England Belt, New South Wales. *J. Geol. Soc. Aust.*, 20, 161-173.
- Rod, E., (1974a). Structural interpretation of New England region, New South Wales. *J. Proc. Roy. Soc. N.S.W.*, 107, 90-99.
- Rod, E., (1974b). Palaeogeology of the New England region in Late Permian time. (Abs.). *Geol. Soc. Aust. Specialist Group in Tectonics and Structural Geology Symposium*, Brisbane, July 1974.
- Rose, G., (1968). 1:250,000 Geological Sheet SH56-7 Maclean, N.S.W. *Geol. Surv.*
- Roy, A.B., (1972). Significance of variable plunge and trend of small-scale upright folds in the type Aravalli rocks around Udaipur, Rajasthan (Western India). *Geol. Soc. Amer. Bull.*, 83, 1553-1556.
- Roy, P.S.; Bowman, H.N., (1968). Wooli Breakwater Investigation. Detailed geological examination and selection of breakwater stone quarry sites. *N.S.W. Geol. Surv. Rep. (Unpub.)*.
- Runnegar, B.N., (1967). Preliminary faunal zonation of the Eastern Australian Permian. *Qd. Govt. Min. J.*, 68, 552-556.
- Runnegar, B.N., (1969). The Permian faunal succession in eastern Australia. *Geol. Soc. Aust. Spec. Publs.*, 2, 73-98.
- Runnegar, B.N., (1970). The Permian faunas of northern New South Wales and the connection between the Sydney and Bowen Basins. *J. Geol. Soc. Aust.*, 16 (2), 697-710.
- Runnegar, B.N., (1974). The geological framework of New England. *Geol. Soc. Aust., Qd. Div., Field Conference New England Area*, 9-19.
- Rutland, R.W.R., (1973). Tectonic evolution of the continental crust of Australia. In Tarling, D.H.; Runcorn, S.K. (Eds). *Implications of Continental Drift to the Earth Sciences*, Academic Press, London, 1011-1033.
- Sander, B., (1970). *An Introduction to the study of fabrics of geological bodies*. Pergamon Press, Oxford, 641 pp. (Translation by Phillips, F.C.; Windsor, G., of "Einführung in die Gefügekunde der geologischen Körper", Springer-Verlag, Vienna 1948 and 1950.)
- Scheibner, E., (1972). Tectonic concepts and tectonic mapping. *Rec. Geol. Surv. N.S.W.*, 14 (1), 37-83.
- Scheibner, E., (1973). A plate tectonic model of the Palaeozoic tectonic history of New South Wales. *J. Geol. Soc. Aust.*, 20 (4), 405-426.
- Scheibner, E.; Glen, R.A., (1972). The Peel Thrust and its tectonic history. *Geol. Surv. N.S.W. Quart. Notes*, 8, 2-13.

- Schneider, E.D.; Fox, P.J.; Hollister, C.D.; Needham, D.; Heezen, B.C., (1967). Further evidence for contour currents in the Western North Atlantic. *Earth. Planet. Sci. Lett.*, 2, 351-357.
- Seki, Y., (1957). Petrological study of hornfelses in the central part of the Median zone of Kitakami Mountainland, Iwate Prefecture. *Saitama Univ. Sci. Rep., Ser. B.*, 2, 307-361.
- Seki, Y., (1961). Pumpellyite in low-grade metamorphism. *J. Petrol.*, 2, 407-423.
- Seki, Y., (1969). Facies series in low-grade metamorphism. *J. Geol. Soc. Jap.*, 75, 255-266.
- Seki, Y.; Oki, Y.; Matsuda, T.; Mikami, K.; Okumura, K., (1969). Metamorphism in the Tanzawa Mountains, central Japan. *J. Jap. Assoc. Mineral. Petrol. Econ. Geol.*, 61, 1-24, 50-75.
- Seki, Y.; Onuki, H.; Oba, T.; Mori, R., (1971). Sanbagawa metamorphism in the central Kii Peninsula. *Jap. J. Geol. Geogr.*, 41, 65-78.
- Sharpe, D., (1847). On Slaty cleavage. *Quart. J. Geol. Soc. Lond.*, 3, 74-104.
- Shaw, S.E., (1964). The petrology of portion of the New England Batholith, Tenterfield, New South Wales. *Unpub. Ph.D. Thesis, Univ. New England*.
- Shaw, S.E.; Flood, R.H., (1974). Eclogite from serpentinite near Attunga, New South Wales. *J. Geol. Soc. Aust.*, 21 (4), 377-385.
- Shelley, D., (1968). Ptygma-like veins in greywacke, mudstone, and low-grade schist from New Zealand. *J. Geol.*, 76, 692-701.
- Shido, F., (1958). Plutonic and metamorphic rocks of the Nakoso and Iritono districts in the central Abukuma Plateau. *Tokyo Univ. Fac. Sci. J., Sec. 2*, 11, 131-217.
- Short, G.A., (1971). The geology of the Mulla Creek area. *Unpub. Geology IIIS Project, Univ. New England*.
- Shrock, R.R., (1948). Sequence in layered rocks. McGraw-Hill Book Co. New York, 507 pp.
- Siddans, A.W.B., (1972). Slaty cleavage - a review of research since 1815. *Earth Sci. Rev.*, 205-232.
- Simandjuntak, T.O., (1974). A structural study of the Styx River Beds, Wollomombi Pluton and Chandler Fault Zone near Wollomombi Township. *Unpub. Geology IIIS Project, Univ. New England*.
- Slade, M.J., (1964). A stratigraphic and palaeobotanical study of the lower Tertiary sediments of the Armidale District, New South Wales. *Unpub. M.Sc. Thesis, Univ. New England*.
- Smith, A.J.; Rast, N., (1958). Sedimentary dykes in the Dalradian of Scotland. *Geol. Mag.*, 95, 234-240.
- Smith, G.J., (1973). Structural analysis and depositional environment of a Palaeozoic sequence near Armidale, New South Wales. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.
- Smith, R.E., (1969). Zones of progressive regional burial metamorphism in part of the Tasman Geosyncline, Eastern Australia. *J. Petrol.*, 10 (1), 144-163.
- Sneed, E.D.; Folk, R.L., (1958). Pebbles in the lower Colorado River, Texas : a study in particle morphogenesis. *J. Geol.*, 66, 114-150.

- Solomon, M.; Griffiths, J.R., (1972). Tectonic evolution of the Tasman Orogenic Zone, Eastern Australia. *Nature. Phys. Sci.*, 237, 3-6.
- Sorby, H.C., (1857). On some facts connected with slaty cleavage. *Br. Assoc. Adv. Sci. Rep.*, 92-93.
- Spry, A., (1953). Thermal metamorphism of portions of the Woolomin Group in the Armidale District, N.S.W. Pt. I: The Puddledock Area. *J. Proc. Roy. Soc. N.S.W.*, 87, 129-136.
- Spry, A., (1955). Thermal metamorphism of portions of the Woolomin Group in the Armidale District, N.S.W. Pt. II; The Tilbuster and Dumaresq Areas. *J. Proc. Roy. Soc. N.S.W.*, 89, 157-170.
- Spry, A., (1969). *Metamorphic Textures*. Pergamon Press, Oxford. 350 pp.
- Stauffer, M.R., (1966). An empirical-statistical study of three-dimensional fabric diagrams as used in structural analysis. *Canad. J. Earth. Sci.*, 3, 473-498.
- Stauffer, M.R.; Mukherjee, A., (1971). Superimposed deformations in the Missi Metasedimentary rocks near Flin Flon, Manitoba, *Canad. J. Earth. Sci.*, 8 (2), 217-242.
- Stauffer, P.H., (1967). Grainflow deposits and their implications, Santa Ynez Mountains, California. *J. Sedim. Petrol.*, 37, 487-508.
- Stephansson, O., (1971). Gravity tectonics on Oland. *Bull. Geol. Inst. Univ. Uppsala*, 3 (4) n.s., 37-78.
- Stephansson, O., (1972). Theoretical and experimental studies of diapiric structures on Oland. *Bull. Geol. Inst. Univ. Uppsala*, 3 n.s., 163-200.
- Stephenson, P.J., (1959). The Mt. Barney Central Complex, South-Eastern Queensland. *Geol. Mag.*, 96, 125-136.
- Stockwell, C.H., (1950). The use of plunge in the construction of cross-sections of folds. *Proc. Geol. Assoc. Can.*, 3, 97-121.
- Strens, R.G.J., (1968). Reconnaissance of the prehnite stability field. *Mineral. Mag.*, 36, 864-867.
- Strusz, D.L., (1967). *Chlamydophyllum*, *Iowaphyllum*, and *Sinospongophyllum* (Rugosa) from the Devonian of New South Wales. *Palaeontology*, 10 (3), 426-435.
- Suppel, D.W.; McClatchie, L., (1970). Geochemical sampling at the Rockvale Arsenic Mine near Armidale, New South Wales. *N.S.W. Geol. Surv. Rec.*, 12, 51-60.
- Tagiri, M., (1973). Metamorphism of Paleozoic rocks in the Hitachi District, southern Abukuma Plateau, Japan. *Sci. Rep. Tohoku Univ.*, 12, 1-67.
- Telford, P.G., (1972). Lower Devonian conodonts from the Silverwood Group, southeast Queensland. *Proc. Roy. Soc. Qd.*, 83 (5), 61-68.
- Tilley, C.E., (1925). A preliminary survey of metamorphic zones in the southern Highlands of Scotland. *Quart. J. Geol. Soc. Lond.*, 81, 100-112.
- Tilley, C.E., (1926). On some mineralogical transformations in crystalline schists. *Mineral. Mag.*, 21, 34-46.
- Traise, G.A., (1973). Palaeozoic sediments in the Armidale to Gara River District. *Unpub. B.Sc. (Hons.) Thesis, Univ. New England*.

- Trusheim, F., (1960). Mechanism of salt migration in northern Germany. *Bull. Amer. Assoc. Pet. Geol.*, 44 (9), 1519-1540.
- Tucker, R.M., (1967). Geology of the City of Brisbane I, The Pre-Mesozoic sediments and volcanics and the related intrusives. *Qd. Dept. Mines. Pub.* 324, 1-6 and 45-58.
- Turner, F.J., (1935). Metamorphism of the Te Anau Series in the region north-west of Lake Wakatipu. *Trans. Roy. Soc. N.Z.*, 65 (3), 329-349.
- Turner, F.J., (1938). Progressive regional metamorphism in Southern New Zealand. *Geol. Mag.*, 75, 160-174.
- Turner, F.J., (1948). Mineralogical and structural evolution of the metamorphic rocks. *Geol. Soc. Amer. Mem.*, 30, 1-342.
- Turner, F.J., (1968). *Metamorphic petrology : mineralogical and field aspects.* McGraw-Hill, New York. 403 pp.
- Turner, F.J.; Weiss, L.E., (1963). *Structural analysis of metamorphic tectonites.* McGraw-Hill Book Co., New York. 545 pp.
- Tuttle, O.F.; Bowen, N.L., (1958). Origin of granite in the light of experimental studies in the system $\text{NaAlSi}_3\text{O}_8 - \text{KAlSi}_3\text{O}_8 - \text{SiO}_2 - \text{H}_2\text{O}$. *Geol. Soc. Amer. Mem.*, 74, 153 pp.
- Van Hise, C.R., (1896). Principles of North American Pre-Cambrian Geology. *U.S. Geol. Surv. Rep.*, 16 (1894-5), Pt. 1, 571-843.
- Velde, B., (1967). Si^{+4} content of natural phengites. *Contr. Mineral. Petrol.*, 14, 250-258.
- Velde, B., (1968). The Si^{+4} content of natural phengites: a reply. *Contr. Mineral. Petrol.*, 17, 82-84.
- Verhoogen, J.; Turner, F.J.; Weiss, L.E.; Wahrhaftig, C.; Fyfe, W.S., (1970). *The Earth - an introduction to physical geology.* Holt, Rinehart & Winston, Inc., New York. 748 pp.
- Vernon, R.H., (1961). The geology and petrology of the Uralla area, N.S.W. *J. Proc. Roy. Soc. N.S.W.*, 95, 23-33.
- Vickery, J.C., (1972). The geology of part of the Mole River Valley, northern New South Wales. *Unpub. B.Sc.(Hons.) Thesis, Univ. New England.*
- Voisey, A.H., (1934). A preliminary account of the geology of the middle North Coast district of New South Wales. *Proc. Linn. Soc. N.S.W.*, 59, 333-347.
- Voisey, A.H., (1935). The physiography of the middle North Coast district of New South Wales. *J. Proc. Roy. Soc. N.S.W.*, 68, 88-103.
- Voisey, A.H., (1936). The upper Palaeozoic rocks in the neighbourhood of Boorook and Drake, N.S.W. *Proc. Linn. Soc. N.S.W.*, 61, 155-168.
- Voisey, A.H., (1937). The upper Palaeozoic rocks around Yessabah, near Kempsey, New South Wales. *J. Proc. Roy. Soc. N.S.W.*, 70, 183-204.
- Voisey, A.H., (1938). The upper Palaeozoic rocks in the neighbourhood of Taree, N.S.W. *Proc. Linn. Soc. N.S.W.*, 63, 453-462.
- Voisey, A.H., (1939a). The upper Palaeozoic rocks between Mount George and Wingham, New South Wales. *Proc. Linn. Soc. N.S.W.*, 64, 242-254.
- Voisey, A.H., (1939b). The geology of the lower Manning district of New South Wales. *Proc. Linn. Soc. N.S.W.*, 64, 394-407.

- Voisey, A.H., (1939c). The Lorne Triassic basin and associated rocks. *Proc. Linn. Soc. N.S.W.*, 64, 255-265.
- Voisey, A.H., (1940). The Upper Palaeozoic rocks in the country between the Manning and Karuah rivers, New South Wales. *Proc. Linn. Soc. N.S.W.*, 65, 192-210.
- Voisey, A.H., (1942a). The geology of the county of Sandon, N.S.W. *Proc. Linn. Soc. N.S.W.*, 67, 288-293.
- Voisey, A.H., (1942b). The Tertiary land surface in southern New England. *J. Proc. Roy. Soc. N.S.W.*, 76, 82-85.
- Voisey, A.H., (1950). The Permian deposits of Jeogla and Kangaroo Creek, N.S.W. *Sci. J. (Journal of the Science Society, New England University College.)* 6, 20-21.
- Voisey, A.H., (1953). Geological structure of the Eastern Highlands in New South Wales. In *Geology of Australian Ore Deposits*. (1st Ed.). Aust. Inst. Min. Mett., Melbourne.
- Voisey, A.H., (1957). Further remarks on the sedimentary formations of New South Wales. *J. Proc. Roy. Soc. N.S.W.*, 91, 165-189.
- Voisey, A.H., (1959). Tectonic evolution of north-eastern New South Wales, Australia. *J. Proc. Roy. Soc. N.S.W.*, 92, 191-203.
- Voisey, A.H., (1965). Geology and mineralisation of eastern New South Wales. In *Geology of Australian Ore Deposits*. (2nd Ed.). Aust. Inst. Min. Mett., Melbourne.
- Voisey, A.H., (1969). New England Region. Stratigraphy Lower Palaeozoic Systems. *J. Geol. Soc. Aust.*, 16 (1), 229-230.
- Völl, G., (1960). New work on petrofabrics. *Liverp. Manch. Geol. J.*, 2, 503-567.
- Walker, R.G., (1967). Turbidite sedimentary structures and their relationship to proximal and distal depositional environments. *J. Sedi. Petrol.*, 37, 25-43.
- Walker, R.G., (1970). Review of the geometry and facies organisation of turbidites and turbidite-bearing basins. *Geol. Assoc. Can. Spec. Pap.* 7, 219-251.
- Walker, R.G.; Mutti, E., (1973). Turbidite facies and facies associations. In *SEPM Pacific Section, Turbidites and deep water sedimentation*, Anaheim, 119-158.
- Want, R.G., (1972). Geology of Wilson's Creek area. *Unpub. Geology IIIS Project, Univ. New England*.
- Warner, D.S., (1970). The status of the volcanogenic rocks in the Glenmore homestead area, Bonshaw, N.S.W. *Unpub. Geology IIIS Project, Univ. New England*.
- Warner, R.F., (1971). The evolution of the landscape in southern New England. *Geogr. Soc. N.S.W. (New England)*. Occ. Pap. Geogr., 1, 1-47.
- Waterhouse, J.B., (1972). Folds of the Mount Cook National Park, New Zealand, and their origin under a wrench regime acting in a subduction zone. *J. Roy. Soc. N.Z.*, 2 (3), 413-430.
- Weaver, C.E., (1960). Possible uses of clay minerals in search for oil. *Bull. Amer. Assoc. Petrol. Geol.*, 44, 1505-1518.

- Weaver, C.E., (1961). Clay minerals of the Ouachita structural belt and adjacent foreland. In *The Ouachita System*. Bureau Econ. Geol., Austin, Texas, 147-160.
- Weiss, L.E., (1959). Geometry of superposed folding. *Bull. Geol. Soc. Amer.*, 70, 91-106.
- Wellman, H.W., (1962). A graphic method for analysing fossil distortion caused by tectonic deformation. *Geol. Mag.*, 99, 348-352.
- Wellman, H.W., (1973). New Zealand fault zones and sea-floor spreading. In Coleman, P.J., (Ed). *The Western Pacific: Island Arcs Marginal Seas Geochemistry*, Univ. W.A. Press, 335-348.
- Wentworth, C.K., (1922). A scale of grade and class terms for clastic sediments. *J. Geol.*, 30, 377-392.
- Whetten, J.T.; Hawkins, J.W., (1970). Diagenetic origin of greywacke matrix minerals. *Sedimentology*, 15, 347-361.
- White, A.H., (1966). An analysis of Upper Devonian and Carboniferous sedimentation in part of the western foreland of the New England Eugeosyncline. *Unpub. Ph.D. Thesis, Univ. New England*.
- White, A.J.R., (1964). Stilpnomelane in the Brisbane Metamorphics. *Aust. J. Sci.*, 26 (10), 324.
- Whiting, W., (1950). Limestone deposits, Parish Braylesford, County Gresham. *N.S.W. Dept. Mines Ann. Rep.*, 87.
- Whitten, E.H.T., (1966). *Structural geology of folded rocks*. Rand McNally & Co., Chicago. 663 pp.
- Wilkinson, C.S.; Slee, W.H.J., (1889). Prospecting Board - Progress Report. *N.S.W. Mines Dept. Ann. Rep.*, 202-203.
- Wilkinson, J.F.G., (1969). Intrusive rocks. The New England Batholith. *J. Geol. Soc. Aust.*, 16 (1), 271-299.
- Wilkinson, J.F.G., (1971). The petrology of some vitrophyric calc-alkaline volcanics from the Carboniferous of New South Wales. *J. Petrol.*, 12 (3), 587-619.
- Wilkinson, J.F.G., (1974a). Ultramafic rocks of Northeastern New South Wales. *Geol. Soc. Aust. Qd. Div. Field Conference New England Area*, 23.
- Wilkinson, J.F.G., (1974b). The New England Batholith. *Geol. Soc. Aust. Qd. Div., Field Conference New England Area*, 24-25.
- Williams, H.; Turner, F.J.; Gilbert, C.M., (1954). *Petrography. An Introduction to the study of rocks in thin sections*. W.H. Freeman & Co., San Francisco. 406 pp.
- Williams, P.F., (1970). A criticism of the use of style in the study of deformed rocks. *Bull. Geol. Soc. Amer.*, 81, 3283-3296.
- Williams, P.F.; Collins, A.R.; Wiltshire, R.G., (1969). Cleavage and penecontemporaneous deformation structures in sedimentary rocks. *J. Geol.*, 77, 415-425.
- Willis, B., (1893). Mechanics of Appalachian structure. *U.S. Geol. Surv. Ann. Rep.*, 13 (2), 213-281.
- Willis, B.; Willis, R., (1929). *Geologic Structures (Second Edition)*. McGraw-Hill Book Co., New York. 518 pp.

- Wilson, G., (1946). The relationship of slaty cleavage and kindrid structures to tectonics. *Proc. Geol. Assoc.*, 57, 263-302.
- Wilson, G., (1952). Ptygmatic structures and their formation. *Geol. Mag.*, 89, 1-21.
- Wilson, G., (1961). The tectonic significance of small scale structures, and their importance to the geologist in the field. *Annls. Soc. Geol. Belg.*, 84, 423-548.
- Winkler, H.G.F., (1957). Experimentelle Gesteinsmeta-morphose. I, Hydrothermale Metamorphose Karbonatefreier Tone. *Geochim. Cosmochim. Acta.*, 13, 42-69.
- Winkler, H.G.F., (1967). *Petrogenesis of Metamorphic rocks*. Revised 2nd Ed., Springer-Verlag Berlin. 237 pp.
- Wood, D.S., (1974). Current views of the development of slaty cleavage. *Ann. Rev. Earth. Planet. Sci.*, 2, 369-401.
- Woolnough, W.G., (1911). Preliminary note on the geology of the Kempsey district. *J. Proc. Roy. Soc. N.S.W.*, 45, 159-168.
- Zen, E-An., (1960). Metamorphism of Lower Paleozoic rocks in the vicinity of the Taconic Range in west-central Vermont. *Amer. Mineral.*, 45, 129-175.
- Zen, E-An.; Albee, A.L., (1964). Coexistent muscovite and paragonite in pelitic schists. *Am. Mineral.*, 49, 904-925.
- Zimmerle, W., (1968). Serpentine greywackes from the North Coast Basin, Colombia, and their geotectonic significance. *N. Jb. Miner., Abh.*, 109, 156-182.
- Zimmerman, H.B.; Hollister, C.D., (1970). Contour currents on the continental rise. *Am. Geophys. Union. Trans., U.S.* (4), 336 (Abs).
- Zingg, T., (1935). Beitrag zur Schotteranalyse. *Schweiz mineralog. petrog. Mitt.*, 15, 39-140.

ADDENDA

- Brown, E.H., (1968). The Si⁴⁺ content of natural phengites: discussion. *Contr. Mineral. Petrol.*, 17, 78-81.
- Becker, G.F., (1893). Finite homogeneous strain, flow and rupture of rocks. *Geol. Soc. Amer. Bull.*, 4, 13-90.