REFERENCES

Barnes, B.P.J., 1980. Types of Mineralisation in the Broken Hill Block and their Relationship to Stratigraphy. Records of Geol. Surv. N.S.W., B.P.J. Stevens (Ed), **20**(1), 33-70.

Bishop, J.R., 1989. An Evaluation of Geophysical Test Surveys over the Flying Doctor Prospect, Broken Hill. Report commissioned by Pasminco Mining Ltd.

Black, L.P., 1981. Age of the Warramunga Group, Tennant Creek, N.T. *BMR Journal of Geology and Geophysics* **6**, 253-257.

Blackman, R.B. and Tukey, J.W. (958). *The Measurement of Power Spectra.* Dover Publications, Inc., New York, 181p.

Boggs, D.B., 1996. Mathematical Theory Behind the Sub-Audio Magnetics Technique. Ph.D. Project (in progress) University of New England.

Bracewell, R.M., 1978. *The Fourier Transform and its Applications.* McGraw-Hill, New York, Second Edition. 433p.

Bradbury, R.C., 1994a. Technical Manual for the SAMCard. Geophysical Research Institute Internal Report.

Bradbury, R.C., 1994b. Technical Manual for the SAM Signal Simulator. Geophysical Research Institute Internal Report.

Breiner, S., 1973. Applications manual for portable magnetometers. Geometrics publication.

Cattach, M.K., 1985. *Aspects of the Induced Polarisation Survey Method with an Appraisal of the Performance of Some Contemporary Digital IP Receivers.* M.Sc. Thesis (unpublished). University of New England.

Cattach, M.K., Stanley, J.M. and Lee, S.J., 1991. Sub-Audio Magnetics Instrument. International Patent No: PCT/AU91/00238.

Cattach, M.K., Stanley, J.M., Lee, S.J. and Boyd, G.W., 1993. Sub-Audio Magnetics (SAM) - A High Resolution Technique for Simultaneously Mapping Electrical and Magnetic Properties. *Exploration Geophysics* **24**, 387-400.

Cattach, M.K., Stanley, J.M. and Boyd, G.W., 1995a. The Sub-Audio Magnetics Technique. Conference paper presented at *St. Petersburg '95*. International Geophysical Conference and Exposition, St. Petersburg, Russia. July, 1995.

Cattach, M.K., Stanley, J.M. and Bradbury, R.C., 1995b. Recent Developments in Sub-Audio Magnetics. Conference paper presented at the 11th ASEG Conference, Adelaide, Sept. '95.

Clark, P.J., 1981. *A Summary of the Magnetic Induced Polarisation Method.* B.Sc.(Hons) Thesis (unpublished). University of New England.

Cole, K.S. and Cole, R.H., 1941. Dispersion and Absorption in Dielectrics. *J. Chem. Phys.* **9**, 341.

Collett, L.S., 1990. History of the Induced - Polarization Method. In: *Induced Polarization: Applications and Case Histories.* Investigations in Geophysics **4**, Society of Exploration Geophysicists.

Croxford, N.J.W. and Jephcott, S., 1972. The McArthur lead-zinc-silver deposit, NT. *Proc. Australas. Inst. Min. Metall.* **243** 1-26

Dobrin, M.B., 1976. *Introduction to Geophysical Prospecting.* McGraw-Hill Internat. Book Company.

Dodds, D.J., 1981. Contemporary Signal Processing Technology in Induced Polarization Receivers. In: *Advances in Induced Polarization and Complex Resistivity.* University of Arizona.

Edwards, R.N., 1974. The Magnetometric Resistivity Method and its Application to the Mapping of a Fault. *Can. J. Earth Sci.*, **11**, 1136-1156.

Edwards, R.N and Howell, E.C, 1976. A field test of the Magnetometric Resistivity (MMR) Method. *Geophysics*, **41**, 1170-1183.

Edwards, R.N., Lee, H. and Nabighian, M.N., 1978. On the theory of the Magnetometric Resistivity (MMR) Method. *Geophysics* **43**, 1176-1203.

Edwards, R.N. and Nabighian, M.N., 1991. The Magnetometric Resistivity Method. In: *Electromagnetic Methods in Applied Geophysics.* Investigations in Geophysics **3**, Vol.2. Society of Exploration Geophysicists.

EG&G Geometrics, 1992. G-822A Cesium Magnetometer and Counter - Technical Manual.

Fathianpour, N. and Cattach, M.K., 1995. Analytical Solutions for the Total Field Magnetometric Resistivity (TFMMR) Technique. *Exploration Geophysics* **26**, 158-166.

Fathianpour, N., 1996. Theoretical (Analytical and Numerical) Modelling of the TFMMR Parameter of the SAM Technique using Finite Element Methods. Ph.D. Project (in progress). Flinders University of South Australia.

Foley, A., Cattach, M.K. and Lowe, G., 1995. Geophysics Of The Orlando Au-Cu-Bi Mine Area. Conference paper presented at the 11th ASEG Conference, Adelaide, Sept. '95.

Frangos, W., 1990. Stable-oscillator Phase IP Systems. In: *Induced Polarization: Applications and Case Histories.* Investigations in Geophysics **4**, Society of Exploration Geophysicists.

Geophysical Technology Pty Ltd., 1990. Technical Brief - Model TM-4 Magnetometer and Image Processing System.

Giancoli, D.C., 1988. *Physics for Scientists and Engineers with Modern Physics.* Second Edition. Prentice-Hall.

Happer, W., 1972. Optical Pumping. *Reviews of Modern Physics* **44**, 169-249.

Hishida, H., Tsujimoto, T., Humphreys, G. and Linford, G., 1993. MIP Test Survey over the HYC Deposit in McArthur River Area, NT. *Exploration Geophysics* **24**, 577-584.

Howland-Rose, A.W., 1978. A progress report on Rapid Reconnaissance Magnetic Induced Polarization surveys over exploration leases at Broken Hill, New South Wales on behalf of Amdex Mining Limited. Phase I - E.L. 744. Scintrex Research Report.

Howland-Rose, A.W., Linford, J.G. Pitcher, D.H. and Seigel, H.O., 1980. Some Recent Magnetic Induced Polarization Developments. *Geophysics* **45**, Parts I and II, 37-44.

Howland-Rose, A.W., 1981. The Present Application of the Magnetic Induced Polarization (MIP) Method in the Time and Frequency Domain. Internal Report, Scintrex Limited, NSW, Australia.

Jakosky, J.J., 1933. Method and apparatus for determining underground structure. U.S. Patent Number 1906271.

Jakosky, J.J., 1950. *Exploration Geophysics*. 2nd Edition. Los Angeles Times-Mirror Press.

Keller, G.V. and Frischknecht, F.C., 1966. *Electrical Methods in Geophysical Prospecting*, Pergamon Press.

Kunetz, G., 1966. *Principles of Direct Current Resistivity Prospecting*. Geoexploration Monographs, Series 1 - 1. Gebrüder Borntraeger, Berlin.

Larsen, D.H., 1993. Flying Doctor Geological Plan. Pasminco Mining Ltd.

Lee, S.J., 1979. *A Telemetry Link for a Portable Caesium Vapour Magnetometer*. B.Sc.(Hons) Thesis (unpublished). University of New England.

Lee, S.J., 1987. Differential Three Component Vector Magnetometer. Geophysical Research Institute - Internal Report.

Logan, R.G., 1979. *The geology and mineralogical zoning of the HYC Ag-Pb-Zn deposit, McArthur River, Northern Territory, Australia*. M.Sc. Thesis (unpublished). The Australian National University.

Logan, R.G., Murray, W.J. and W lliams, N. (1990). HYC Silver-Lead-Zinc Deposit, McArthur River. In: *Geol ogy of the Mineral Deposits of Australia and Papua and New Guinea*. Vol. 1 (F.E. Hughes Ed.). Aust. Inst. of Mining and Metallurgy.

Lowe, G.M., 1994. Renewal repoit for mineral claims C977 to C980 Tennant Creek, NT, Orlando Mine Prospec t. PosGold company report, number 12634.

Macnae, J.C., Lamontagne, Y. and West, G.F., 1984. Noise processing techniques for time-domain EM systems. *Geophysics* **49**, 934-948.

Maillet, R., 1947. The fundamenta equations of electrical prospecting. *Geophysics* **12**, 529-556.

Marshall, D.J. and Madden, T.R., 1959. Induced Polarization: A study of its causes. *Geophysics* **24**, 790-816.

McCarthy, D.J., 1994. Technical Manual for the SAM-XMT Transmitter Controller. Geophysical Research Inst tute Internal Report.

McNeil, R.D., 1966. Geology of the Orlando Mine, Tennant Creek, Australia. *Economic Geology*, **61**, 221-242.

Meilleroux, J.L., 1969. Locked Type caesium vapour magnetometer. Thompson-CSF Publication.

Nabighian, M.N., 1991. Introduction. In: *Electromagnetic Methods in Applied Geophysics*. Investigations in Geophysics **3**, Vol.2. Society of Exploration Geophysicists.

Newmont Holdings Pty Ltd, 1982. Taronga Project - Preliminary Feasibility Study.

Oates, M.D., 1993. *Controls on Au-Cu-Bi Mineralisation at The Orlando Mine, Tennant Creek, Northern Territory*. B.Sc.(Hons) Thesis (unpublished). University of Queensland.

Scintrex, 1993a. CS-2 Cesium Magnetometer Operating Manual.

Scintrex, 1993b. Scintrex IPR-12 Technical Brochure.

Seigel, H.O. and Howland-Rose, A.W., 1990. Advances in Applications: Magnetic Induced Polarization Method. In: *Induced Polarization: Applications and Case Histories.* Investigations in Geophysics **4**, Society of Exploration Geophysicists.

Seigel, H.O., 1959. Mathematical formulations and type curves for Induced Polarization. *Geophysics* **24**, 547-565.

Seigel, H.O., 1974. The Magnetic Induced Polarization Method. *Geophysics* **39**, 321-339.

Sertsrivanit, S., 1986. *High Resolution Magnetics in the Presence of Intense Near-Surface Magnetic Noise.* Ph.D. Thesis (unpublished). University of New England.

Shalley, M.J. and Harvey, T.V., 1992. Geophysical Responses of the HYC Deposit. *Exploration Geophysics* **23**, 299-304.

Sheriff, R.E., 1991. Encyclopedic Dictionary of Exploration Geophysics. Third Edition. Society of Exploration Geophysics.

Smith P., 1992. Report on ground geophysics collected by Poseidon Gold at the Orlando Prospect, Tennant Creek. PosGold company report, number 11024.

Stanley, J.M., 1975a. *An Alkali Vapour Magnetometer and its Applications.* Ph.D Thesis (unpublished). University of New England.

Stanley, J.M., 1975b. Applications of a rapid sampling vehicleborne magnetometer. *Bull., Austral. Soc. Exploration Geophysicists.* **6**, 100-103.

Stanley, J.M., 1982. New Magnetometer Technology and its Application to Archaeological Exploration. *In* Archaeometry - An Australian Perspective. ANU Press, 151-155.

Stanley, J.M., 1985. An Applicat on of High Resolution Magnetics to Dyke and Sill Detection. In: Bowen Ba:in Coal Symposium, *Geol. Soc. Austral. Abstracts.*

Stanley, J.M. and Cattach, M.K., 1986. An Image Processing Magnetometer System for Detecting Sub-surface Orc nance. *Proc., ABCA 5 Conference, HMAS Penguin*, Sydney.

Stanley, J.M. and Cattach, M.K., 1990. The Use of High Definition Mapping in Engineering Site Investiga ion. *Exploration Geophysics* **21**, 91-103.

Stanley, J.M., Sertsrivanit, S. and Clark, P.J. (1992). Magnetic Exploration Beneath a Near-Surface Magnetic Nc ise Source. *Exploration Geophysics* **23**, 323-326.

Stefanescu, S.S., 1929. Theoretica studies of electrical prospecting of the sub-surface. Studii Technice si Eco nomica. Academie de la Republique Populaire Roumaine, **14**, No. 1 (cited but not seen).

Stevens, B.P.J., Stroud, W.J., Willis, I.L., Brown, R.E., Bradley, G.M., Barnes, R.G., 1980. A Stratigraphic In erpreta ion of the Broken Hill Block. Records of Geol. Surv. N.S.W., B.P.J. Stevens (Ed), **20**(1), pp 9-32.

Sumner, J.S., 1976. *Principles of Induced Polarization for Geophysical Exploration.* Elsevier, Amsterdam.

Telford, W.M., Geldart, L.P. and Sheriff, R.E. (1990). *Applied Geophysics* - Second Edition. Cambridge Univc rsity Press.

Trimble Navigation Limited, 1992. SVeeSix 6-Channel GPS Sensor - Specification and User's Manual.

Tyne, E.D., 1987. *The Developme it of a Computer Controlled System for Continuous IP Logging and Spectral IP Measurements in Exploration Drillholes.* Ph.D. Thesis (unpublished). Uni versity of NSW.

Vacquier, V., Holmes, C., Kintzin ger, P.R. and Lavergne, M., 1957. Prospecting for Groundwater by Induced P olarizat ion. *Geophysics* **22**, 660-687.

Varian Associates of Canada Ltd., 1976. Varian Magnetometer Type VIW 2321 CI. Instruction Manual.

Wait, J.R. (ed), 1959. *Overvoltage Research and Geophysical Applications.* Pergamon Press, London.

Whittle, A.W.G., 1966. *The genesis of gold and base metal deposits in the Lower Proterozoic rocks of the Tennant Creek area.* Ph.D. Thesis (unpublished). University of Adelaide.

Widdop, W.G., Leyh, W.R., Larsen, D.F., 1983. Summary of Exploration. Northern Leases - Joint Venture. North Broken Hill Ltd., Report 121/291.

Williams, N., 1978. Studies of the base metal sulphide deposits at McArthur River, Northern Territory, Australia: I. The Cooley and Ridge Deposits. *Econ. Geol.* **73**, 1005-1035.

Zhdanov, M.S. and Keller, G.V., 1994. *The Geoelectrical Methods in Geophysical Exploration. Methods in Geochemistry and Geophysics* **31**. Elsevier, Amsterdam.

Zonge Engineering and Research Organisation, Inc., 1990a. GGT-10 Manual.

Zonge Engineering and Research Organisation, Inc., 1990b. XMT-16 Manual.

RESEARCH RELATED AWARDS

The following awards have been presented for the research described in this thesis:

1. **Best Published Paper in Exploration Geophysics.** Presented by the Australian Society of Exploration Geophysics at the 10th Geophysical Conference and Exhibition, Perth, WA, Feb, 1994, for the concept paper entitled "Sub-Audio Magnetics (SAM) - A High Resolution Technique for Simultaneously Mapping Electrical and Magnetic Properties" (Cattach *et al.*, 1993).

2. **Grahame Sands Award for Innovation in Applied Geoscience.** Presented by the Australian Society of Exploration Geophysics at the 11th Geophysical Conference and Exhibition, Adelaide, SA, Sept., 1995, in recognition of the Sub-Audio Magnetics Technique as "a significant practical development of benefit to Australian applied geoscience".


10th
GEOPHYSICAL
CONFERENCE
& EXHIBITION
1 9 9 4
10th
GEOPHYSICAL
CONFERENCE
& EXHIBITION
PERTH, WESTERN AUSTRALIA
20th to 24th FEBRUARY, 1994
Presented to
Malcolm Cattach
for the
Best Published Paper in
Exploration Geophysics
THE AUSTRALIAN SOCIETY OF EXPLORATION GEOPHYSICISTS
ACN 008 876 040



AUSTRALIAN SOCIETY OF EXPLORATION GEOPHYSICISTS

GRAHAME SANDS AWARD

FOR

INNOVATION IN APPLIED GEOSCIENCE

This award of $2,500 is made to

Malcolm K Cattach

for a significant practical development of benefit to Australian applied geoscience

ASEG *Eleventh* Geophysical Conference and Exhibition,

Adelaide, Australia *September* 19 *95*

[redacted]

Chairman
Honours and Awards Committee

[redacted]

ASEG President