

References

- Abe, M., Iriki, T., Tobe, N. & Shibui, H. (1981). Sequestration of holotrich protozoa in the reticulo-rumen of cattle. *Appl. Env. Microbiol.* 41(3):758-765.
- Ackermann, H. W., DuBow, M. S., Jarvis, A. W., Jones, L. A., Krylov, V. N., Maniloff, J., Rocourt, J., Safferan, R. S., Schneider, J., Seldin, L., Sozzi, T., Stewart, P. R., Werquin, M. & Wünsche, L. (1992). The species concept and its application to tailed phages. *Arch. Virol.* 124:69-82.
- Adam, J. C., Gazaway, Jr. J. A., Brailsford, M. D., Hartman, P. A. & Jacobson, N. L. (1966). Isolation of bacteriophages from the bovine rumen. *Experientia* 22:717-718.
- Akin, D. E., Gordon, G. L. R. & Hogan, J. P. (1983). Rumen bacterial and fungal degradation of *Digitaria pentzii* grown with or without sulfur. *Appl. Env. Microbiol.* 46(3):738-748.
- Al-Khalidi, U. A. S. & Chaglassian, T. H. (1965). The species distribution of xanthine oxidase. *Biochem. J.* 97:318-320.
- Al-Rabbat, M. F., Baldwin, R. L. & Weir, W. C. (1971). In vitro ¹⁵nitrogen-tracer technique for some kinetic measures of ruminal ammonia. *J. Dairy Sci.* 54(8):1150-1161.
- Allison, M. J. (1969). Biosynthesis of amino acids by ruminal microorganisms. *J. Anim. Sci.* 29:797-807.
- Allison, M. J. (1970). Nitrogen metabolism of ruminal microorganisms. In: *Physiology of Digestion and Metabolism in the Ruminant*. Phillison, A. T. Ed. Oriel Press, Newcastle-upon-Tyne, England. pp 456-473.
- Annisson, E. F. (1956). Nitrogen metabolism in the sheep : Protein digestion in the rumen. *Biochem. J.* 64:705-714.
- Antoniewicz, A. M., Heinemann, W. W. & Hanks, E. M. (1980). The effect of changes in the intestinal flow of nucleic acids on allantoin excretion in the urine of sheep. *J. Agric. Sci. Camb.* 95:395-400.
- Arambel, M. J., Bartley, E. E., Dufva, G. S., Nagaraja, T. G. & Dayton, A. D. (1982). Effect of diet on amino and nucleic acids of rumen bacteria and protozoa. *J. Dairy Sci.* 65:2095-2101.
- Argyle, J. L. & Baldwin, R. L. (1989). Effects of amino acids and peptides on rumen microbial growth yields. *J. Dairy Sci.* 72:2017-2027.
- Argyle, J. L. & Douglas, L. (1989). Chitin as a rumen fungal marker. In: *The Roles of Protozoa and Fungi in Ruminant Digestion*. Nolan, J. V., Leng, R. A. & Demeyer, D. I. Ed. Penambul Books, Armidale, NSW., Australia. pp 289-293.
- Argyle, J. L. & Forster, R. J. (1989). Effects of ciliate protozoa on rumen bacterial populations. In: *The Roles of Protozoa and Fungi in Ruminant Digestion*. Nolan, J. V., Leng, R. A. & Demeyer, D. I. Ed. Penambul Books, Armidale, NSW., Australia. pp 317-319.

- Armstead, I. P. & Ling J. R. (1983). Variations in the uptake and metabolism of peptides and amino acids by mixed ruminal bacteria in vitro. *Appl. Env. Microbiol.* 59(10):3360-3365.
- Armstrong, D. G. & Hutton, K. (1975). Fate of nitrogenous compounds entering the small intestine. In: *Digestion and Metabolism in The Ruminant*. McDonald, I. W. & Warner, A. C. I. Ed. The University of New England Publishing Unit, Armidale, Australia. pp. 432-447.
- Baker, S. K. & Car, N. G. (1992). Diurnal changes in chemical composition of rumen bacteria in vivo. *Proc Nutr. Soc. Aust.* 17:65.
- Balcells, J., Guada, J. A. & Peirc, J. M. (1992a). Simultaneous determination of allantoin and oxypurines in biological fluids by high-performance liquid chromatography. *J. Chromatog.* 575:153-157.
- Balcells, J., Guada, J. A., Castrillo, C. & Gasa, J. (1991). Urinary excretion of allantoin and allantoin precursors by sheep after different rates of purine infusion into the duodenum. *J. Agric. Sci. Camb.* 116:309-317
- Balcells, J., Guada, J. A., Castrillo, C. & Gasa, J. (1993). Rumen digestion and urinary excretion of purine derivatives in response to urea supplementation of sodium-treated straw fed to sheep. *Br. J. Nutr.* 69:721-732.
- Balcells, J., Parker, D. S. & Seal, C. J. (1992b). Purine metabolite concentrations in portal and peripheral blood of steers, sheep and rats. *Comp. Biochem. Physiol.* 101B(4):633-636.
- Baldwin, R. L. & Denham, S. C. (1979). Quantitative and dynamic aspects of nitrogen metabolism in the rumen: A modeling analysis. *J. Anim. Sci.* 49(6):1631-1639.
- Baldwin, R. L. (1970). Energy metabolism in anaerobes. *Amer. J. Clin. Nutr.* 23(11):1508-1513.
- Baldwin, R. L., Lucas, H. L. & Cabrera, R. (1970). Energetic relationships in the formation and utilization of fermentation end-products. In: *Physiology of Digestion and Metabolism in the Ruminant*. Phillipson, A. T. Ed. Oriel Press, Newcastle-upon-Tyne, England. pp 319-334.
- Barnard, E. A. (1969). Ribonucleases. *Annu. Rev. Biochem.* 38:677-732.
- Bates, D. B., Gillett, J. A., Barao S. A. & Bergen, W. G. (1985). The effect of specific growth rate and stage of growth on nucleic acid-protein values of pure cultures and mixed ruminal bacteria. *J. Anim. Sci.* 61(3):713-724.
- Bauchop, T. & Elsdon, S. R. (1960). The growth of microorganisms in relation to their energy supply. *J. Gen. Microbiol.* 23:457-469.
- Bauchop, T. & Mountfort, D. O. (1981). Cellulose fermentation by a rumen anaerobic fungus in both the absence and the presence of rumen methanogens. *Appl. Env. Microbiol.* 42(6):1103-1110.
- Bauchop, T. (1979). Rumen anaerobic fungi of cattle and sheep. *Appl. Env. Microbiol.* 38(1):148-158
- Bauchop, T. (1981). The anaerobic fungi in rumen fiber digestion. *Agric. Env.* 6:338-348.

- Bauchop, T. (1989). Colonization of plant fragments by protozoa and fungi. In: *The Roles of Protozoa and Fungi in Ruminant Digestion*. Nolan, J. V., Leng, R. A. & Demeyer, D. I. Ed. Penambul Books, Armadale, NSW., Australia. pp 83-96.
- Belasco, I. J. (1954). New nitrogen feed compounds for ruminants-A laboratory evaluation. *J. Anim. Sci.* 13:601-610.
- Bennink, M. R., Tyler, T. R., Ward, G. M. & Johnson, D. E. (1978). Ionic milieu of bovine and ovine rumen as affected by diet. *J. Dairy Sci.* 61:315-323.
- Bergen, W. G., Bates, D. B., Johnson, D. E., Waller, J. C. & Black, J. R. (1980). Ruminal microbial protein synthesis and efficiency. In: *Protein Requirements for Cattle*. Owens, F. N. Ed. Proceedings of an International Symposium, Oklahoma State University, Nov., 19-21, pp 99-112.
- Berlin, R. D. & Hawkins, R. A. (1968). Secretion of purines by the small intestine: general characteristics. *American J. Physiol.* 215(4):932-941.
- Bernalier, A., Fonty, G., Bonnenoy, F. & Gouet, P. (1993). Inhibition of the cellulolytic activity of *Neocallimastix frontalis* by *Ruminococcus flavefaciens*. *J. Gen. Microbiol.* 139:873-880.
- Bhat, S., Wallace, R. J. & Orskov, E. R. (1990). Adhesion of cellulolytic ruminal bacteria to barley straw. *Appl. Env. Microbiol.* 56(9):2698-2703.
- Bietz, J. A. (1974). Micro-Kjedahl analysis by an improved automated ammonia determination following manual digestion. *Anal. Chem.* 46(11):1617-1618.
- Bird, S. H. & Leng, R. A. (1984). Further studies on the effects of the presence or absence of protozoa in the rumen on live-weight gain and wool growth of sheep. *Br. J. Nutr.* 52:607-611.
- Bird, S. H. & Leng, R. A. (1985). Productivity responses to eliminating protozoa from the rumen of sheep. *Rev. Rural Sci.* 6:109-117.
- Bird, S. H., Hill, M. K. & Leng, R. A. (1979). The effects of defaunation of the rumen on the growth of lambs on low protein high energy diets. *Br. J. Nutr.* 42:81-87.
- Bird, S. H., Nolan, J. V. & Leng, R. A. (1990). The nutritional significance of rumen protozoa. In: *The Rumen Ecosystem; The Microbial Metabolism and Its Regulation*. Hoshino, S., Onodera, R., Minato, H. & Itabashi, H. Ed. Japan Scientific Societies Press, Tokyo. pp 151-160.
- Bird, S. H., Romulo, B. & Leng, R. A. (1994). Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets. *Anim. Feed Sci. Tech.* 45:119-129.
- Blackburn, T. H. & Hobson, P. N. (1962). Further studies on the isolation of proteolytic bacteria from the sheep rumen. *J. Gen. Microbiol.* 29:68-81.
- Boniface, A. N., Murray, R. M. & Hogan, J. P. (1986). Optimum level of ammonia in the rumen liquor of cattle fed tropical pasture hay. *Proc. Aust. Soc. Anim. Prod.* 16:151-154.

- Bray, A. C. & Till, A. R. (1975). metabolism of sulphur in the gastro-intestinal tract. In: *Digestion and Metabolism in the Ruminant*. McDonald, I. W. & Warner, A. C. I. Ed. The University of New England Publishing Unit, Armidale, NSW., Australia. pp 243-260.
- Breves, G., Hoeller, H. & Lessman, H. W. (1985). Turnover of microbial nitrogen in the rumen of phosphorus-depleted sheep. *Proc. Nutr. Soc.* 44:145A.
- Briggs, M. H., Heard, T. W., Whitcroft, A. & Hogg, M. L. (1964a). Studies on urea-fed cattle. 1. Chemical and microbiological properties of rumen fluid. *Life Sci.* 3:7-10.
- Briggs, M. H., Heard, T. W., Whitcroft, A. & Hogg, M. L. (1964b). Studies on urea-fed cattle: 2. Rumen levels of B vitamins and related coenzymes. *Life Sci.* 3:11-14.
- Brock, F. M., Forsberg, C. W. & Buchanan-Smith, J. G. (1982). Proteolytic activity of rumen microorganisms and effects of proteinase inhibitors. *Appl. Env. Microbiol.* 44(3):561-569.
- Broderick, G. A. & Wallace, R. . . (1988). Effects of dietary nitrogen source on concentrations of ammonia, free amino acids and fluorescamine-reaction peptides in the sheep rumen. *J. Anim. Sci.* 66:2233-2238.
- Broderick, G. A., Kang-Meznarich, J. H. & Craig, W. M. (1981). Total and individual amino acids in strained ruminal liquor from cows fed graded amounts of urea. *J. Dairy Sci.* 64(8):1731-1734.
- Bryant, M. P. & Robinson, I. M. (1961). An improved nonselective culture medium for ruminal bacteria and its use in determining diurnal variation in numbers of bacteria in the rumen. *J. Dairy Sci.* 44:1446-1456.
- Bryant, M. P. & Robinson, I. M. (1962). Some nutritional characteristics of predominant culturable ruminal bacteria. *J. Bacteriol.* 84:605-614.
- Bryant, M. P. (1959). Bacterial species of the rumen. *Bacteriol. Rev.* 23:125-153.
- Bryant, M. P. (1970). Normal flora-rumen bacteria. *American J. Clin. Nutr.* 23(11):1440-1450.
- Bryant, M. P. (1973). Nutritional requirements of the predominant rumen cellulolytic bacteria. *Fed. Proc.* 32(7):1809-1813.
- Cecava, M. J. & Parker, J. E. (1993). Intestinal supply of amino acids in steers fed ruminally degradable and undegradable crude protein sources alone and in combination. *J. Anim. Sci.* 71:1596-1605.
- Chalmers, M. I., Jaffray, A. E. & White, F. (1971). Movements of ammonia following intraruminal administration of urea or casein. *Proc. Nutr. Soc.* 30:7-17.
- Chalupa, W. (1976) Degradation of amino acids by the mixed rumen microbial population. *J. Anim. Sci.* 43(4):828-834.
- Chamberlain, D. G. & Thomas, P. C. (1979). Ruminal nitrogen metabolism and the passage of amino acids to the duodenum in sheep receiving diets containing hay and concentrates in various proportions. *J. Sci. Food Agric.* 30: 677-686.

- Chen, G., Russell, J. B. & Sniffen, C. J. (1987). A procedure for measuring peptides in rumen fluid and evidence that peptide uptake can be a rate-limiting step in ruminal protein degradation. *J. Dairy Sci.* 70:1211-1219.
- Chen, X. B. & Gomes, M. J. (1992). Estimation of microbial protein supply to sheep and cattle based on urinary excretion of purine derivatives: An overview of the technical details. International Feed Resources Unit, Rowett Research Institute, Backsburn, UK. *Occasional Publication*. 19 p.
- Chen, X. B., Chen, Y. K., Franklin, M. F., Orskov, E. R. & Shand, W. J. (1992a). The effect of feed intake and body weight on purine derivative excretion and microbial protein supply in sheep. *J. Anim. Sci.* 70:1534-1542.
- Chen, X. B., Gu, C. X., Zhang, W. X. & Orskov, E. R. (1992b). Rumen microbial protein supply to sheep given diets containing either urea or casein as the main N source. *BSAP Winter Meeting*. Paper No. 215.
- Chen, X. B., Hovell, F. D. DeB., Orskov, E. R. & Brown, D. S. (1990b). Excretion of purine derivatives by ruminants: effects of exogenous nucleic acid supply on purine derivative excretion by sheep. *Br. J. Nutr.* 63:131-142.
- Chen, X. B., Kyle, D. J., White, C. C., Hovell, F. D. DeB. & Orskov, E. R. (1989). Uric acid and allantoin in plasma and saliva of sheep. *Proc. Nutr. Soc.* 48:88A.
- Chen, X. B., Orskov, E. R. & Hovell, F. D. DeB. (1990a). Excretion of purine derivatives by ruminants: endogenous excretion, differences between cattle and sheep. *Br. J. Nutr.* 63:121-129.
- Cheng, K. J. & Costerton, J. W. (1980). Adherent rumen bacteria-their role in the digestion of plant material, urea and epithelial cells. In: *Digestive Physiology and Metabolism in Ruminants*. Ruckebusch, Y. & Thivend, P. Ed. Avi Publishing Company, INC. Westport, Connecticut, USA. pp 227-250.
- Cheng, K. J. & Wallace, R. J. (1979). The mechanism of passage of endogenous urea through the rumen wall and the role of ureolytic epithelial bacteria in the urea flux. *Br. J. Nutr.* 42:553-557.
- Cheng, K. J., Forsberg, C. W., Minato, H. & Costerton, J. W. (1991). Microbial ecology and physiology of feed degradation within the rumen. In: *Physiological Aspects of Digestion and Metabolism in Ruminants*. Tsuda, T., Sasaki, Y. & Kawashima, R. Ed. Academic Press, Inc. Harcourt Brace Jovanovich, Publishers, San Diego, California, USA. pp 596-624.
- Cheng, K. J., McAllister, T. A., Kudo, H. & Costerton, J. W. (1990). The importance of adhesion in the microbial digestion of plant materials. In: *The Rumen Ecosystem; The Microbial Metabolism and Its Regulation*. Hoshino, S., Onodera, R., Minato, H. & Itabashi, H. Ed. Japan Scientific Societies Press, Tokyo. pp 129-135.
- Ciszuk, P. & Eriksson, S. (1973). Ammonia formation in the rumen of sheep fed on grass, clover or lucerne preserved in various ways. *Swedish J. Agric. Res.* 3:13-20.
- Cohen, S. A., Meys, M. & Tarvin, T. L. (1989). *A manual of advanced techniques for amino acid analysis*. Waters Milipore Corp., USA. WM02, Rev. 1, 123 p.

- Coleman, G. S. (1967b). The metabolism of the amino acids of *Escherichia coli* and other bacteria by the rumen ciliate *Entodinium caudatum*. *J. Gen. Microbiol.* 47:449-464.
- Coleman, G. S. & Laurie, J. I. (1974). The utilization of *Bacillus megaterium* and the release of a lytic enzyme by three *Epidinium* spp. isolated from the rumen. *J. Gen. Microbiol.* 85:257-264
- Coleman, G. S. (1967a). The metabolism of free amino acids by washed suspensions of the rumen ciliate *Entodinium caudatum*. *J. Gen. Microbiol.* 47:433-447.
- Coleman, G. S. (1975). The inter-relationship between rumen ciliate protozoa and bacteria. In: *Digestion and Metabolism in the Ruminant*. McDonald, I. W. & Warner, A. C. I. Ed. The University of New England Publishing Unit, Armidale, NSW., Australia. pp 149-164.
- Coleman, G. S. (1979a). Rumen ciliate protozoa. In: *Biochemistry and Physiology of protozoa*. Levandowsky, M. & Hutner, S. H. Ed. Academic Press, Inc. New York, USA. pp 381-408.
- Coleman, G. S. (1979b). The role of rumen protozoa in the metabolism of ruminants given tropical feeds. *Trop. Anim. Prod.* 4:199-213.
- Coleman, G. S. (1985). The cellulase content of 15 species of entodiniomorphid protozoa, mixed bacteria and plant debris isolated from the ovine rumen. *J. Agric. Sci. Camb.* 104:349-360.
- Coleman, G. S. (1986). The distribution of carboxymethylcellulase between fractions taken from the rumen of sheep containing no protozoa or one of five different protozoal populations. *J. Agric. Sci. Camb.* 106:121-127.
- Coleman, G. S. (1989). Protozoal-bacterial interaction in the rumen. In: *The Roles of Protozoa and Fungi in Ruminant Digestion*. Nolan, J. V., Leng, R. A. & Demeyer, D. I. Ed. Penambul Books, Armadale, NSW., Australia. pp 13-27.
- Colucci, P. E., Chase, L. E. & Van Soest, P. J. (1982). Feed intake, apparent diet digestibility, and rate of particulate passage in dairy cattle. *J. Dairy Sci.* 65:1445-1456.
- Condon, R. J., Hall, G. & Hatfield E. E. (1970). Metabolism of abomasally infused ¹⁴C labelled ribonucleic acid, adenine, uracil and glycine. *J. Anim. Sci.* 31:1037-1038 Suppl.
- Coomer, J. C., Amos, H. E., Froetschel, M. A., Ragland, K. K. & Williams, C. C. (1993). Effects of supplemental protein source on ruminal fermentation, protein degradation, and amino acid absorption in steers and on growth and feed efficiency in steers and heifers. *J. Anim. Sci.* 71:3078-3086.
- Cotta, M. A. & Hespell, R. B. (1984). Protein and amino acid metabolism of rumen bacteria. In: *Control of Digestion and Metabolism in Ruminants*. Milligan, L. P., Grovum, W. L. & Dobson, A. Ed. A Reston Book, Prentice-Hall Englewood Cliffs, New Jersey. pp 122-136.
- Cotta, M. A. & Hespell, R. B. (1986). Proteolytic activity of the ruminal bacterium *Butyrivibrio fibrisolvens*. *Appl. Env. Microbiol.* 52(1):51-58.

- Cotta, M. A. & Russell, J. B. (1982). Effect of peptides and amino acids on efficiency of rumen bacterial protein synthesis in continuous culture. *J. Dairy Sci.* 65:226-234.
- Cottle, D. J., Nolan, J. V. & Leng, R. A. (1978). Turnover of protozoa and bacteria in the rumen of sheep. *Proc. Aust. Soc. Anim. Prod.* 12:138.
- Craig, W. M., Brown, D. R., Broderick, G. A. & Ricker, D. B. (1987). Post-prandial compositional changes of fluid- and particle-associated ruminal microorganisms. *J. Anim. Sci.* 65:1042-1048.
- Crooke, W. M. & Simpson, W. E. (1971). Determination of ammonium in Kjeldahl digests of crops by an automated procedure. *J. Sci. Food Agric.* 22:9-10.
- Cruz Solo, R., Samirah, A., Muhammed, S. A., Newbold, C. J., Stewart, C. S. & Wallace, R. J. (1994). Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro. *Anim. Feed Sci. Tech.* 49:151-161.
- Czerkawski, J. W. & Cheng, K. J. (1988). Compartmentation in the rumen. In: *The Rumen Microbial Ecosystem*. Hobson, P. N. Ed. Elsevier Science Ltd., Essex, England. pp 361-385.
- Czerkawski, J. W. (1976). Chemical composition of microbial matter in the rumen. *J. Sci. Food Agric.* 27:621-632.
- Czerkawski, J. W. (1986). *An Introduction to Rumen Studies*. Pergamon Press Ltd., Headington Hill Hall, Oxford, England. 236 p.
- Davies, D. R., Theodorou, M. K., Ebrooks, A. E. & Trinci, A. P. J. (1993a). Influence of drying on the survival of anaerobic fungi in rumen digesta and faeces of cattle. *FEMS Microbiol. Lett.* 106:59-64.
- Davies, D. R., Theodorou, M. K., Lawrence, M. I. G. & Trinci, A. P. J. (1993b). Distribution of anaerobic fungi in the digestive tract of cattle and their survival in faeces. *J. Gen. Microbiol.* 139:1395-1400.
- de Vries, W., Kapteijn, W. M. C., van der Beek, E. G. & Stouthamer, A. H. (1970). Molar growth yields and fermentation balances of *Lactobacillus casei* L3 in batch cultures and in continuous cultures. *J. Gen. Microbiol.* 61:333-345.
- Demeyer, D. & Van Nevel, C. (1979a). Protein fermentation and growth by rumen microbes. *Annales de Recherches Veterinaires.* 10:277-279.
- Demeyer, D. I. & Van Nevel, C. J. (1979b). Effects of defaunation on the metabolism of rumen micro-organisms. *Br. J. Nutr.* 42:515-524.
- Demeyer, D. I. (1989). Effect of defaunation on rumen fibre digestion and digesta kinetics. In: *The Roles of Protozoa and Fungi in Ruminant Digestion*. Nolan, J. V., Leng, R. A. & Demeyer, D. I. Ed. Penambul Books, Armadale, NSW., Australia. pp 171-179.
- Dewhurst, R. J. & Webster, A. J. F. (1992). Effects of diet, level of intake, sodium bicarbonate and monensin on urinary allantoin excretion in sheep. *Br. J. Nutr.* 67:245-353.

- Djouvinov, D. S. & Todorov, N. A. (1994). Influence of dry matter intake and passage rate on microbial protein synthesis in the rumen of sheep and its estimation by cannulation and non-invasive method. *Anim. Feed Sci. Tech.* 48:289-304.
- Dohner, P. M. & Cardon, B. P. (1954). Anaerobic fermentation of lysine. *J. Bacteriol.* 67:608-611.
- Downes, A. M. & McDonald, I. W. (1964). The chromium-51 complex of ethylenediamine tetraacetic acid as a soluble rumen marker. *Br. J. Nutr.* 18:153-162.
- Drennan, M. J., Holmes, J. H. G. & Garrett, W. N. (1970). A comparison of markers for estimating magnitude of rumen digestion. *Br. J. Nutr.* 24:961-970.
- Duncan, P. A., White, B. A. & Mackie, R. I. (1992). Purification and properties of NADP-dependent glutamate dehydrogenase from *Ruminococcus flavefaciens* FD-1. *Appl. Env. Microbiol.* 58(12):4032-4037.
- Durand, M. & Kawashima, R. (1980). Influence of minerals in rumen microbial digestion. In: *Digestive Physiology and Metabolism in Ruminants*. Ruckebusch, Y. & Thivend, P. Ed. Avi Publishing Company, Inc., Westport, Connecticut, USA. pp 375-408.
- Durand, M. & Komisarczuk, S. (1988). Influence of major minerals on rumen microbiota. *J. Nutr.* 118:249-260.
- Eadie, J. M. & Gill, J. C. (1971). The effect of the absence of rumen ciliate protozoa on growing lambs fed on a roughage-concentrate diet. *Br. J. Nutr.* 26:115-167.
- Elliott, R. & Armstrong, D. G. (1982). The effect of urea and urea plus sodium sulphate on microbial protein production in the rumen of sheep given diets high in alkali-treated barley straw. *J. Agric. Sci. Camb.* 99:51-60.
- Erfle, J. D., Sauer, F. D. & Mahadevan, S. (1976). Effect of ammonia concentration on activity of enzymes of ammonia assimilation and on synthesis of amino acids by mixed rumen bacteria in continuous culture. *J. Dairy Sci.* 60(7):1064-1072.
- Erwin, E. S., Macro, G. J. & Emesy, E. M. (1961). Volatile fatty acid analysis of blood and rumen fluid by gas chromatography. *J. Dairy Sci.* 44:1768-1771.
- Firkins, J. L., Berger, L. L., Merchen, N. R., Fahey, JR., G. C. & Mulvaney, P. L. (1987a). Ruminant nitrogen metabolism in steers as affected by feed intake and dietary urea concentration. *J. Dairy Sci.* 70(11):2302-2311.
- Firkins, J. L., Lewis, S. M., Montgomery, L., Berger, L. L., Merchen, N. R. & Fahey, JR. G. C. (1987b). Effects of feed intake and dietary urea concentration on ruminal dilution rate and efficiency of bacterial growth in steers. *J. Dairy Sci.* 70:2312-2321.
- Firkins, J. L., Weiss, W. P. & Piwonka, E. J. (1992). Quantification of intraruminal recycling of microbial nitrogen using nitrogen-15. *J. Anim. Sci.* 70:3223-3233.
- Forster, R. J. (1989). The effects of manipulation of rumen protozoa on rumen fermentation and productivity of sheep. *Ph.D Thesis*. University of New England, Armidale, Australia.

- Fujihara, T., Orskov, E. R., Reeds, P. J. & Kyle, D. J. (1987). The effect of protein infusion on urinary excretion of purine derivatives in ruminants nourished by intragastric nutrition. *J. Agric. Sci. Camb.* 109:7-12.
- Fujimaki, T., Kobayashi, Y., Wakita, M. & Hoshino, S. (1994). Influence of amino acid supplements to a straw-maize-based urea diet on duodenal digesta flow and digestion in sheep. *Asian-Australasian J. Anim. Sci.* 7(1):137-145.
- Geissler, C., Hoffman, M. & Hickel, B. (1976). Ein Beitrag zur gas chromatographischen Bestimmung flüchtiger Fettsäuren. *Arch. Tierernährung* 26:123-129.
- Giescke, D., Stangassinger, M. & Tiemeyer, W. (1984). Nucleic acid digestion and urinary purine metabolites in sheep nourished by intragastric infusions. *Can. J. Anim. Sci.* 64, (suppl.): *Vith International Symposium on Ruminant Physiology*, Banff, Alberta, September 1984, pp. 144-145.
- Gill, S. S., Conrad, H. R. & Hibbs J. W. (1969). Relative rate of in vitro cellulose disappearance as a possible estimator of digestible dry matter intake. *J. Dairy Sci.* 52(10):1687-1690.
- Goering, H. K. & Van Soest, P. J. (1970). Forage fibre analysis. *Agricultural Handbook No. 379*. Washington, D.C.
- Grummer, R. R. & Clark, J. H. (1982). Effect of dietary nitrogen solubility on lactation performance and protein and dry matter degradation in situ. *J. Dairy Sci.* 65:1432-1444.
- Gulati, S. K., Ashes, J. R., Gordon, G. L. R., Connell, P. J. & Rogers, P. L. (1989). Nutritional availability of amino acids from the rumen anaerobic fungus *Neocallimastix* sp. LM1 in sheep. *J. Agric. Sci. Camb.* 113:383-387.
- Gunn, K. J. & Ternouth, J. H. (1994a). The urinary excretion of purine derivatives in sheep offered nitrogen and phosphorus deficient diets. *Proc. Aust. Soc. Anim. Prod.* 20:444.
- Gunn, K. J. & Ternouth, J. H. (1994b). The effect of phosphorus deficiency upon ruminal microbial activity and nitrogen balance in lambs. *Proc. Aust. Soc. Anim. Prod.* 20:445.
- Gurr, E. (1965). *The Rational Use of Dyes in Biology and General Staining Methods*. J. W. Arrowsmith Ltd. Great Britain. 422 p.
- Halliwell, G. & Bryant, M. P. (1963). The cellulolytic activity of pure strains of bacteria from the rumen of cattle. *J. Gen. Microbiol.* 32:441-448.
- Harrison, D. G. & McAllan, A. B. (1980). Factors affecting microbial growth yields in the reticulo-rumen. In: *Digestive Physiology and Metabolism in Ruminants*. Ruckebusch, Y. & Thivend, P. Ed. Avi Publishing Company, Inc., Westport, Connecticut, USA. pp 205-226.
- Harrison, D. G., Beever, D. E., Thomson, D. J. & Osbourn, D. F. (1975). Manipulation of rumen fermentation in sheep by increasing the rate of flow of water from the rumen. *J. Agric. Sci. Camb.* 85:93-101.
- Harrison, D. G., Beever, D. E., Thomson, D. J. & Osbourn, D. F. (1976). Manipulation of fermentation in the rumen. *J. Sci. Food Agric.* 27:617-620.

- Heath, I. B., Bauchop, T. & Skipp, R. A. (1983). Assignment of the rumen anaerobe *Neocallimastix frontalis* to the Spizellomycetales (Chytridiomycetes) on the basis of its polyflagellate zoospore ultrastructure. *Can. J. Bot.* 61:295-307.
- Hegarty, R. S. (1989). Effects of protozoa on sulphur and nitrogen availability and the composition of bacteria in the rumen of sheep. *Ph.D. Thesis*. University of New England, Armidale, NSW., Australia.
- Hespell, R. B. & Bryant, M. P. (1979). Efficiency of rumen microbial growth: Influence of some theoretical and experimental factors on Y_{ATP} . *J. Anim. Sci.* 49(6):1640-1659.
- Hespell, R. B. (1979). Efficiency of growth by ruminal bacteria. *Fed. Proc.* 38(13):2707-2712.
- Hespell, R. B. (1984). Influence of ammonia assimilation pathways and survival strategy on ruminal microbial growth. In: *Herbivore Nutrition in the Subtropics and Tropics*. Gilchrist, F. M. C. & Mackie, R. I. Ed. The Science Press (Pty) Ltd., Craighall, South Africa. pp 346-358.
- Hino, T. & Kametaka, M. (1973). The cultivation of rumen oligotrich protozoa. I. Factors influencing the life of Entodinia. *J. Gen. Appl. Microbiol.* 19:305-315.
- Hino, T. & Russell, J. B. (1987). Relative contributions of ruminal bacteria and protozoa to the degradation of protein in vitro. *J. Anim. Sci.* 64:261-270.
- Hobson, P. N. & Wallace, R. J. (1982a). Microbial ecology and activities in the rumen: part I. In: *CRC Crit. Rev. in Microbiol.* pp 165-225.
- Hobson, P. N. & Wallace, R. J. (1982b). Microbial ecology and activities in the rumen: part II. In: *CRC Crit. Rev. in Microbiol.* pp 253-320.
- Hoogenraad, N. J., Hird, F. J. R., White, R. G. & Leng, R. A. (1970). Utilization of ^{14}C -labelled *Bacillus subtilis* and *Escherichia coli* by sheep. *Br. J. Nutr.* 24:129-144.
- Hoover, W. H. & Strokes, S. R. (1991). Balancing carbohydrates and proteins for optimum rumen microbial yield. *J. Dairy Sci.* 74:3630-3644.
- Hoover, W. H. (1986). Chemical factors involved in ruminal fiber digestion. *J. Dairy Sci.* 69:2755-2766.
- Huhtanen, P. & Khalili, H. (1992). The effect of sucrose supplements on particle-associated carboxymethylcellulase (EC 3.2.1.4) and xylanase (EC 3.2.1.8) activities in cattle given grass-silage-based diet. *Br. J. Nutr.* 67:245-255.
- Hume, I. D. (1970a). Synthesis of microbial protein in the rumen II. A response to higher volatile fatty acids. *Aust. J. Agric. Res.* 21:297-304.
- Hume, I. D. (1970b). Synthesis of microbial protein in the rumen III. The effect of dietary protein. *Aust. J. Agric. Res.* 21:305-314.
- Hume, I. D., Moir, R. J. & Somers, M. (1970). Synthesis of microbial protein in the rumen. I. Influence of the level of nitrogen intake. *Aust. J. Agric. Res.* 21:283-296.
- Hungate, R. E. (1950). The anaerobic mesophilic cellulolytic bacteria. *Bacteriol. Rev.* 14:1-49.

- Hungate, R. E. (1966). *The Rumen and Its Microbes*. Academic Press, New York, USA. 533 P.
- Isaacson, H. R., Hinds, F. C., Bryant, M. P. & Owens, F. N. (1975). Efficiency of energy utilization by mixed rumen bacteria in continuous culture. *J. Dairy Sci.* 58(11):1645-1659.
- Itabashi, H., Kobayashi, T., Takenaka, A. & Matsumoto, M. (1990). Effect of protozoa on nutritional characteristics of ruminant. In: *The Rumen Ecosystem; The Microbial Metabolism and Its Regulation*, S., Onodera, R., Minato, H. & Itabashi, H. Ed. Japan Scientific Societies Press, Tokyo. pp 169-176.
- Jackson, P., Rook, J. A. F. & Towers, K. G. (1971). Influence of the physical form of barley grain and barley straw diet on nitrogen metabolism in sheep. *J. Dairy Res.* 38:33-42.
- Jaffe, J. J. & Gutteridge, W. E. (1974). Purine and pyrimidine metabolism in protozoa. *Actual. Protozool.* 1:23-35.
- Javis, D. W. (1968). Lysis of viable rumen bacteria in bovine rumen fluid. *Appl. Microbiol.* 16(25):714-723.
- Joblin, K. N. & Lee, J. (1990). Movement of nutrient and non-nutrient elements in the liquid phase in sheep rumen. *J. Anim. Sci.* 68:2067-2074.
- John, A. (1984). Effects of feeding frequency and level of feed intake on chemical composition of rumen bacteria. *J. Agric. Sci. Camb.* 102:45-57.
- Jouany, J. P. (1989). Effects of diet on populations of rumen protozoa in relation to fibre digestion. In: *The Role of Protozoa and Fungi in Ruminant Digestion*. Nolan, J. V., Leng, R. A. & Demeyer, D. I. Ed. Penambul Books, Armadale, NSW., Australia. pp 59-74.
- Jurtshuk, P. Jr., Doetsch, R. N. & Shaw, J. C. (1958). Anaerobic purine dissimilation by washed suspensions of bovine rumen bacteria. *J. Dairy Sci.* 41:190-202.
- Kahn, (1993). Unpublished observation.
- Kandylis, K. & Bray, A. C. (1937). Effects of variation of dietary sulphur on movement of sulfur in sheep rumen. *J. Dairy Sci.* 70:40-49.
- Keery, C. M., Amos, H. E. & Froetschel, M. A. (1993). Effects of supplemental protein source on intraruminal fermentation, protein degradation, and amino acids absorption. *J. Dairy Sci.* 76:514-524.
- Kennedy, P. M. & Milligan, L. P. (1978). Effects of cold exposure on digestion, microbial synthesis and nitrogen transformations in sheep. *Br. J. Nutr.* 39:105-117.
- Klieve, A. V. & Bauchop, T. (1988). Morphological diversity of ruminal bacteriophages from sheep and cattle. *Appl. Env. Microbiol.* 54(6):1637-1641.
- Klieve, A. V. & Swain, R. A. (1993). Estimation of ruminal bacteriophage numbers by pulsed-field gel electrophoresis and laser densitometry. *Appl. Env. Microbiol.* 59(7):2299-2303.
- Klieve, A. V. (1988). Bacteriophages of rumen bacteria. *Ph.D. Thesis*. University of New England, Armidale, NSW., Australia.

- Klusmeyer, T. H., Ohl, M. W. & Clark, J. H. (1991). Effects of using particle-associated (PAB), fluid-associated (FAB) or mixed rumen bacteria (MB) for calculating nutrient flow to the duodenum of dairy cows. *J. Dairy Sci.* 74:248. (suppl. 1).
- Kobayashi, Y., Wakita, M. & Hoshino, S. (1993). Intracellular amino acid profile of rumen bacteria as influenced by urea feeding and its duration. *Asian-Australasian J. Anim. Sci.* 6(4):619-622.
- Koch, A. L. (1970). Overall controls on the biosynthesis of ribosomes in growing bacteria. *J. Theor. Biol.* 28:203-231.
- Komisarczuk, S., Durand, M., Beaumatin, Ph. & Hannequart, G. (1987a). Effects of phosphorus deficiency on rumen microbial activity associated with the solid and liquid phase of a fermentor (Rusitec). *Reprod. Nutr. Dev.* 27:907-919.
- Komisarczuk, S., Merry, R. J. & Mc Allan, A. B. (1987b). Effects of different levels of phosphorus on rumen microbial fermentation and synthesis determined using a continuous culture technique. *Br. J. Nutr.* 57:279-290.
- Kudo, H., Jakober, K. D., Phillippe, R. C. & Cheng, K. J. (1990). Isolation and characterization of cellulolytic anaerobic fungi and associated mycoplasmas from the rumen of a steer fed a roughage diet. *Can. J. Microbiol.* 36:513-517.
- Kurihara, Y., Eadie, J. M., Hobson, P. N. & Mann, S. O. (1968). Relationship between bacteria and ciliate protozoa in the sheep rumen. *J. Gen. Microbiol.* 51:267-288.
- Kurihara, Y., Takechi, T. & Shibata, F. (1978). Relationship between bacteria and protozoa in the rumen of sheep fed on a purified diet. *J. Agric. Sci. Camb.* 90:373-381.
- Leedle, J. A. Z., Bryant, M. P. & Hespell, R. B. (1982). Diurnal variations in bacterial numbers and fluid parameters in ruminal contents of animals fed low- or high-forage diets. *Appl. Env. Microbiol.* 44(2):402-412.
- Legay-Carmier, F. & Bauchart, D. (1989). Distribution of bacteria in the rumen contents of dairy cows given a diet supplemented with soya-bean oil. *Br. J. Nutr.* 61:725-740.
- Leibholz, J. (1980). Urea and meat meal in the diets of ruminant calves-the sites of digestion and nitrogen requirements for microbial protein synthesis. *Aust. J. Agric. Res.* 13:163-177.
- Leng, R. A. & Leonard, G. J. (1965). Measurement of the rates of production of acetic, propionic and butyric acids in the rumen of sheep. *Br. J. Nutr.* 19:469-484.
- Leng, R. A. & Nolan, J. V. (1984). Nitrogen metabolism in the rumen. *J. dairy Sci.* 67(5):1072-1089.
- Leng, R. A. (1970). Formation and production of volatile fatty acids in the rumen. In: *Physiology of Digestion and Metabolism in the Ruminant*. Phillipson, A. T. Ed. Oriel Press, Newcastle-upon-Tyne, England. pp 406-421.
- Leng, R. A. (1982a). Dynamics of protozoa in the rumen of sheep. *Br. J. Nutr.* 48:399-415.

- Leng, R. A. (1982b). Modification of rumen fermentation. In: *Nutritional Limits to Animal Production from Pastures*. Hacker, J. B. Ed. CAB, Farnham Royal, UK pp 427-453.
- Leng, R. A. (1989). Dynamics of protozoa in the rumen. In: *The Roles of Protozoa and Fungi in Ruminant Digestion*. Nolan, J. V., Leng, R. A. & Demeyer, D. I. Ed. Penambul Books, Armadale, NSW., Australia. pp 51-58.
- Leng, R. A. (1990). Factors affecting the utilization of 'poor-quality' forages by ruminants particularly under tropical conditions. *Nutr. Res. Rev.* 3:277-303.
- Leng, R. A., Jessop, N. & Kanjanapruthipong, J. (1993). Control of feed intake and the efficiency of utilization of feed by ruminants. In: *Recent Advances in Animal Nutrition in Australia*. Farrell, D. J. Ed. University of New England, Armadale, NSW., Australia. pp 70-88.
- Lindberg, J. E. (1989). Nitrogen metabolism and urinary excretion of purines in goat kids. *Br. J. Nutr.* 61:309-321.
- Lindsay, J. R. & Hogan, J. A. (1972). Digestion of two legumes and rumen bacterial growth in defaunated sheep. *Aust. J. Agric. Res.* 23:321-330.
- Ling, J. R. & Buttery, P. J. (1978). The simultaneous use of ribonucleic acid, ³⁵S, 2,6-diaminopimelic acid and 2-aminoethylphosphonic acid as markers of microbial nitrogen entering the duodenum of sheep. *Br. J. Nutr.* 39:165-179.
- Lyttleton, J. W. & Ts'o, P. O. P. (1958). The localization of fraction I protein of green leaves in the chloroplasts. *Arch. Biochem. Biophys.* 73:120-126.
- Mackie, R. I. & Therion, J. J. (1984). Influence of mineral interactions on growth efficiency of rumen bacteria. In: *Herbivore Nutrition in the Subtropics and Tropics*. Gilchrist, F. M. C. & Mackie, R. I. Ed. The Science Press (Pty) Ltd., Craighall, South Africa. pp 455-477.
- Maeng, W. J. & Baldwin, R. L. (1976a). Factors influencing rumen microbial growth rates and yields: Effects of urea and amino acids over time. *J. Dairy Sci.* 59(4):643-647.
- Maeng, W. J. & Baldwin, R. L. (1976b). Factors influencing rumen microbial growth rates and yields: Effects of amino acids additions to a purified diet with nitrogen from urea. *J. Dairy Sci.* 59(4):648-655.
- Maeng, W. J., Van Nevel, C. J., Baldwin, R. L. & Morris, J. G. (1976). Rumen microbial growth rates and yields: Effect of amino acids and protein. *J. Dairy Sci.* 59(1):68-79.
- Males, J. R. & Purser, D. B. (1970). Relationship between rumen ammonia levels and the microbial population and volatile fatty acid proportions in faunated and defaunated sheep. *Appl. Microbiol.* 19(3):485-490.
- Mangan, J. L. & West, J. (1977). Ruminant digestion of chloroplasts and the protection of protein by glutaraldehyde treatment. *J. Agric. Sci. Camb.* 89:3-15.
- Marsh, W. H., Fingerhut, B. & Miller, H. (1965). Automated and manual direct methods for the determination of blood urea. *J. Clin. Chem.* 11:624-627.

- Mathers, J. C. & Miller, E. L. (1981). Quantitative studies of food protein degradation and the energetic efficiency of microbial synthesis in the rumen of sheep given chopped lucerne and rolled barley. *Br. J. Nutr.* 45:587-604.
- Mathews, C. K. & van Holde, K. E. (1990). *Biochemistry*. The Benjamin/Cummings Publishing Company, Inc. Redwood City, CA., USA. 1129 p.
- Mathison, G. W. & Milligan, L. P. (1971). Nitrogen metabolism in sheep. *Br. J. Nutr.* 25:351-366.
- May, T., Kerley, M. S. & Williams, J. E. (1993). Supplemental protein influences on carbohydrate degradation and bacterial 16S ribosomal ribonucleic acid. *J. Dairy Sci.* 76:3479-3489.
- McAllan, A. B. & Smith, R. H. (1973). Degradation of nucleic acids in the rumen. *Br. J. Nutr.* 29:331-345.
- McAllan, A. B. & Smith, R. H. (1983). Factors influencing the digestion of dietary carbohydrates between the mouth and abomasum of steers. *Br. J. Nutr.* 50:445-454.
- McAllan, A. B. (1980). The degradation of nucleic acids in, and the removal of breakdown products from the small intestines of steers. *Br. J. Nutr.* 44:99-112.
- McAllan, A. B. (1982). The fate of nucleic acids in ruminants. *Proc. Nutr. Soc.* 41:309-317.
- McDougall, E. I. (1948). Studies on ruminant saliva 1. The composition and output of sheep's saliva. *Biochem. J.* 43(1):99-109.
- McMeniman, N. P., Ben-Ghedalia D. & Elliott, R. (1976). Sulphur and cystine incorporation into rumen microbial protein. *Br. J. Nutr.* 36:571-574.
- Mehrez, A. Z., Orskov, E. R. & McDonald, I. (1977). Rates of rumen fermentation in relation to ammonia concentration. *Br. J. Nutr.* 38:437-443.
- Menahan, L. A. & Schultz, L. H. (1964). Metabolism of leucine and valine within the rumen. *J. Dairy Sci.* 47:1080-1085.
- Merry, R. J. & McAllan, A. B. (1973). A comparison of the chemical composition of mixed bacteria harvested from the liquid and solid fractions of rumen digesta. *Br. J. Nutr.* 50:701-709.
- Meyer, J. H. F., Van der Walt, S. I. & Schwartz, H. M. (1986). The influence of diet and protozoal numbers on the breakdown and synthesis of protein in the rumen of sheep. *J. Anim. Sci.* 62:509-520.
- Michalowski, T. (1989). Importance of protein solubility and nature of dietary nitrogen for the growth of rumen ciliates *in vitro*. In: *The Roles of Protozoa and Fungi in Ruminant Digestion*. Nolan, J. V., Leng, R. A. & Demeyer, D. I. Ed. Penambul Books, Armidale, NSW Australia, pp 223-231.
- Miller, E. L. (1973). Evaluation of foods as sources of nitrogen and amino acids. *Proc. Nutr. Soc.* 32:79-84.
- Minson, D. J. (1982). Effects of chemical and physical composition of herbage eaten upon intake. In: *Nutritional Limits to Animal Production from Pastures*. Hacker, J. B. Ed. CAB, Farnham Royal, UK pp 167-182.

- Miron, J., Duncan, S. H. & Stewart, C. S. (1994). Interactions between rumen bacterial strains during the degradation and utilization of the monosaccharides of barley straw cell-walls. *J. Appl. Bacteriol.* 76:282-287.
- Moir, R. J. (1970). Implications of the N:S ratio and differential recycling. In: Sulphur in nutrition. Muth, D. V. M. & Oldfield, J. L. Ed. The AVI Publishing Company, INC., Westport, Connecticut, USA. pp 165-181.
- Mooney, P. & O'Donovan, D. J. (1970). The permeability of the rumen to simple nitrogenous compounds. *Biochem. J.* 119:18p-19p.
- Morgavi, D. P., Sakurada, M., Tomita, Y. & Onodera, R. (1994). Presence in rumen bacterial and protozoal populations of enzymes capable of degrading fungal cell walls. *Microbiol.* 140:631-636.
- Mould, F., Orskov, E. R. & Mann, S. O. (1983/84). Associative effects of mixed feeds. I. Effects of type and level of supplementation and the influence of the rumen fluid pH on cellulolysis *in vivo* and dry matter digestion of various roughages. *Anim. Feed Sci. Tech.* 10:15-30.
- Mountfort, D. O., Asher, R. A. & Bauchop, T. (1982). Fermentation of cellulose to methane and carbon dioxide by a rumen anaerobic fungus in a triculture with *Methanobrevibacter* sp. strain RA1 and *Methanosarcina barkeri*. *Appl. Env. Microbiol.* 44(1): 128-134.
- Munn, E. A., Orpin, C. G. & Greenwood, C. A. (1988). The ultrastructure and possible relationships of four obligate anaerobic chytridiomycete fungi from the rumen of sheep. *BioSystems* 22:67-81.
- Munn, E. A., Orpin, C. G. & Hall, F. J. (1981). Ultrastructural studies of the free zoospore of the rumen chycomycete *Neocallimastix frontalis*. *J. Gen. Microbiol.* 125:311-323.
- Murray, A. W. (1971). The biological significance of purine salvage. *Annu. Rev. Biochem.* 40:811-826.
- Nader, C. J. & Walker, D. J. (1970). Metabolic fate of cysteine and methionine in rumen digesta. *Appl. Microbiol.* 20(5):677-681.
- Neutze, S. A. (1985). Kinetics of nitrogen transfer across the rumen wall of sheep. *MSc(Agr.) Thesis*, The University of Sydney, Australia.
- Newbold, C. J. & Hillman, K. (1990). The effect of protozoa on the turnover of bacterial and fungal protein in the rumen of sheep. *Let. Appl. Microbiol.* 11:100-102.
- Newbold, C. J., Griffin, P. W. & Wallace, R. J. (1989). Interactions between rumen bacteria and ciliate protozoa in their attachment to barley straw. *Let. Appl. Microbiol.* 8:63-66.
- Nisbet, T. M. & Payne, J. W. (1979). Peptide uptake in *Saccharomyces cerevisiae*: Characteristic of transport system shared by di- and tripeptides. *J. Gen. Microbiol.* 115:127-133.
- Nocek, J. E. & Russell, J. B. (1988). Protein and energy as an integrated system. Relationship of ruminal protein and carbohydrate availability to microbial synthesis and milk production. *J. Dairy Sci.* 71:2070-2107.

- Nolan, J. V. & Leng, R. A. (1972). Dynamic aspects of ammonia and urea metabolism in sheep. *Br. J. Nutr.* 27:177-194.
- Nolan, J. V. & Leng, R. A. (1989). Manipulation of the rumen to increase ruminant production. In: *Feeding Strategies for Improving Productivity of Ruminant Livestock in Developing Countries*. International Atomic Energy Agency, Vienna. pp 149-166.
- Nolan, J. V. & Stachiw, S. (1979). Fermentation and nitrogen dynamics in Merino sheep given a low-quality- roughage diet. *Br. J. Nutr.* 42:63-80.
- Nolan, J. V. (1993). Nitrogen kinetics. In: *Quantitative Aspects of Ruminant Digestion and Metabolism*. Forbes, J. M. and France, J. Ed. The University Press, Cambridge, UK. pp 123-143
- Norton, B. W., Janes, A. N. & Armstrong, D. G. (1982). The effects of intraruminal infusions of sodium bicarbonate, ammonium chloride and sodium butyrate on urea metabolism in sheep. *Br. J. Nutr.* 48:265-274.
- Nour, A. M., Abou Akkada, A. R., el-Shazly, K., Naga, M. A., Borhami. B. E. & Abaza, M. A. (1979). Effect of increased levels of urea in the diet on ruminal protozoal counts in four ruminant species. *J. Anim. Sci.* 49(5):1300-1305.
- Nugent, H. A. & Mangan, J. L. (1981). Characteristics of rumen proteolysis of fraction I (18S) leaf protein from lucerne (*Medicago sativa* L). *Br. J. Nutr.* 46:39-59.
- Odle, J. & Schaefer, D. M. (1987). Influence of rumen ammonia concentration on the rumen degradation rates of barley and maize. *Br. J. Nutr.* 57:127-138.
- Offer, N. W., Axford, R. F. E. & Evans, R. A. (1978). The effect of dietary energy source on nitrogen metabolism in the rumen of sheep. *Br. J. Nutr.* 40:35-44.
- Oldham, J. D. (1984). Protein-energy interrelationships in dairy cows. *J. Dairy Sci.* 67:1090-1114.
- Oldham, J. D., Buttery, P. J., Swan, H. & Lewis, D. (1977). Interactions between dietary carbohydrate and nitrogen and digestion in sheep. *J. Agric. Sci. Camb.* 89:467-479.
- Onodera, R. (1990). Amino acid and protein metabolism by rumen ciliate protozoa. In: *The Rumen Ecosystem ; The Microbial Metabolism and Its Regulation*. Hoshino, S., Onodera, R., Minato, H. & Itabashi, H. Ed. Japan Scientific Societies Press, Tokyo. pp 33-42.
- Onodera, R., Yamaguchi, Y. & Morimoto, S. (1983). Metabolism of arginine, citrulline, ornithine and proline by starved rumen ciliate protozoa. *Agric. Biol. Chem.* 47(4):821-828.
- Onodera, R., Yamaguchi, Y. & Kandatsu, M. (1977). Ureolytic activity of the washed cell suspension of rumen ciliate protozoa. *Agric. Biol. Chem.* 41(11):2177-2182.
- Orpin, C. G. & Bountiff, L. (1978) Zoospore chemotaxis in the rumen phycomycete *Neocallimastix frontalis*. *J. Gen. Microbiol.* 104:113-122.

- Orpin, C. G. & Greenwood, Y. (1986). Nutritional and germination requirements of the rumen chytridiomycete *Neocallimastix patriciarum*. *Tran. Br. Mycol. Soc.* 1:103-109.
- Orpin, C. G. & Joblin, K. N. (1938). The rumen anaerobic fungi. In: *The Rumen Microbial Ecosystem*. Hobson, P. N. Ed. Elsevier Science Ltd., Essex, England. pp 129-150.
- Orpin, C. G. & Letcher, A. J. (1983/84). Effect of absence of ciliate protozoa on rumen fluid volume, Flow rate and bacterial populations in sheep. *Anim. Feed Sci. Tech.* 10:145-153.
- Orpin, C. G. (1975). Studies on the rumen flagellate *Neocallimastix frontalis*. *J. of Gen. Microbiol.* 91:249-262.
- Orpin, C. G. (1976). *Piromonas communis*: a third species of rumen phycomycete. *J. Appl. Bacteriol.* 41:xxvii.
- Orpin, C. G. (1977). The rumen flagellate *Piromonas communis*: Its life-history and invasion of plant material in the rumen. *J. Gen. Microbiol.* 99:107-117.
- Orpin, C. G. (1981). Isolation of cellulolytic phycomycete fungi from the caecum of the horse. *J. Gen. Microbiol.* 123:287-296.
- Orpin, C. G. (1983/84). The role of ciliate protozoa and fungi in the rumen digestion of plant cell walls. *Anim. Feed Sci. Tech.* 10:121-143.
- Orpin, C. G. (1989). Ecology of rumen anaerobic fungi in relation to the nutrition of the host animal. In: *The Roles of Protozoa and Fungi in Ruminant Digestion*. Nolan, J. V., Leng, R. A. & Demeyer, D. I. Ed. Penambul Books, Armidale, NSW., Australia. pp 29-38.
- Orskov, E. R., Hovel, F. D. & Mould, F. (1980). The use of nylon bag technique for the evaluation of feedstuffs. *Trop. Anim. Prod.* 5:195-213.
- Owens, F. N. & Goetsch, A. L. (1986). Digesta passage and microbial protein synthesis. In: *Control of Digestion and Metabolism in Ruminants*. Milligan, L. P., Grovum, W. L. & Dobson, A. Ed. A Reston Book, Prentice-Hall Englewood Cliffs, New Jersey. pp 196-223.
- Owens, F. N., Weakley, D. C. & Goetsch, A. L. (1984). Modification of rumen fermentation to increase efficiency of fermentation and digestion in the rumen. In: *Herbivore Nutrition in the Subtropics and Tropics*. Gilchrist, F. M. C. & Mackie, R. I. Ed. The Science Press (Pty) Ltd., Craighall, South Africa. pp 435-454.
- Paster, B. J., Russell, J. B., Yang, C. M. J., Chow, J. M., Woese, C. R. & Tanner, R. (1993). Phylogeny of the ammonia-producing ruminal bacteria *Peptostreptococcus anaerobius*, *Clostridium sticklandii*, and *Clostridium aminophilum* sp. nov. *Int. J. Sys. Bacteriol.* 43(1):107-110.
- Patterson, J. A. & Hespell, R. B. (1985). Glutamine synthetase activity in the ruminal bacterium *Succinivibrio dextrinosovens*. *Appl. Env. Microbiol.* 50(4):1014-1020.

- Payne, J. W. (1980). Transport and utilization of peptides by bacteria. In: *Microorganisms and Nitrogen Sources*. Payne, J. W. Ed. A Wiley-Interscience Publication, John Wiley & Sons Ltd. pp 211-256.
- Paynter, M. J. B., Ewert, D. L. & Chalupa, W. (1969). Some morphological types of bacteriophages in bovine rumen contents. *Appl. Microbiol.* 18(5):942-943.
- Perdok, H. B. & Leng, R. A. (1990). Effect of supplementation with protein meal on the growth of cattle given a basal diet of untreated or ammoniated rice straw. *Asian-Australasian J. Anim. Sci.* 3(4):269-279.
- Perdok, H. B., Leng, R. A., Bird, S. H., Habib, G. & Van Houtert, M. F. J. (1988). Improving livestock production from straw-based diets. In: *Increasing Small Ruminant Productivity in Semi-arid Areas*. Thomson, E. F. & Thomson, F. S. Ed. Kluwer Academic Publishers, Dordrecht, Boston, London. pp 81-91.
- Perrett, D., Webb, J. P. W., Silk, B. A. & Clark, M. L. (1975). The assay of dipeptides using fluorescamine and its application to determining dipeptidase activity. *Anal. Biochem.* 68:161-166.
- Petri, A., Müschen, H., Breves, G., Richter, O. & Pfeffer, E. (1988). Response of lactating goats to low phosphorus intake: 2. Nitrogen transfer from rumen ammonia to rumen microbes and proportion of milk protein derived from microbial amino acids. *J. Agric. Sci. Camb.* 111:265-271.
- Pilgrim, A. F., Gray, F. V., Weller, R. A. & Belling, C. B. (1970). Synthesis of microbial protein from ammonia in the sheep's rumen and the proportion of dietary nitrogen converted into microbial nitrogen. *Br. J. Nutr.* 24:589-598.
- Pirt, S. J. (1965). The maintenance energy of bacteria growing in cultures. *Proc. Roy. Soc. London. Ser. B* 163:224-231.
- Pisulewski, P. M., Okorie, A. U., Buttery, P. J., Haresign, W. & Lewis, D. (1981). Ammonia concentration and protein synthesis in the rumen. *J. Sci. Food Agric.* 32:759-766.
- Pittman, K. A., Lakshkanan, S. & Bryant, M. P. (1967). Oligopeptide uptake by *Bacteroides ruminicola*. *J. Bacteriol.* 93(5):1499-1508.
- Potter, B. J., Walker, D. J. & Forrest, W. W. (1972). Changes in intraruminal function of sheep when drinking saline water. *Br. J. Nutr.* 27:75-83.
- Pounden, W. D. & Hibbs, J. W. (1950). The development of calves raised without protozoa and certain other characteristic rumen microorganisms. *J. Dairy Sci.* 33:639-644.
- Preston, T. R. & Leng, R. A. (1987). *Matching Ruminant Production Systems with Available Resources in the Tropics and Sub-tropics*. Penambul Books, Armidale, NSW., Australia. 245 p.
- Puchala, R. & Kulasek, G. W. (1992). Estimation of microbial protein flow from the rumen of sheep using microbial nucleic acid and urinary excretion of purine derivatives. *Can. J. Anim. Sci.* 72:821-830.

- Punia, B. S., Leibholz, J. & Faichne, G. J. (1992). Rate of production of protozoa in the rumen and the flow of protozoal nitrogen to the duodenum in sheep and cattle given a pelleted diet of lucerne hay and barley. *J. Agric. Sci. Camb.* 118:229-236.
- Purser, D. B. & Moir, R. J. (1966). Dietary effects upon concentrations of protozoa in the rumen. *J. Anim. Sci.* 25:668-674.
- Purser, D. B. (1970). Nitrogen metabolism in the rumen: micro-organisms as a source of protein for the ruminant animal. *J. Anim. Sci.* 30:988-1001.
- Razzaque, M. A. & Topps, J. H. (1972). Utilisation of dietary nucleic acids by sheep. *Proc. Nutr. Soc.* 31:105A.
- Razzaque, M. A., Topps, J. H., Kay R. N. B. & Brockway, J. M. (1981). Metabolism of the nucleic acids of rumen bacteria by preruminant and ruminant lambs. *Br. J. Nutr.* 45:517-527.
- Redman, R. G., Kellaway, R. C. & Leibholz, J. (1980). Utilization of low quality roughages: effects of urea and protein supplements of differing solubility on digesta flows, intake and growth rate of cattle eating oaten chaff. *Br. J. Nutr.* 44:343-354.
- Riddell, D. O., Bartley, E. E. & Dayton, A. D. (1980). Effect of nicotinic acid on rumen fermentation in vitro and in vivo. *J. Dairy Sci.* 63(9):1429-1436.
- Rihani, N., Garrett, W. N. & Zinn, R. A. (1993). Influence of level of urea and method of supplementation on characteristics of digestion of high-fibre diets by sheep. *J. Anim. Sci.* 71:1657-1665.
- Ritchie, A. E., Robinson, I. M. & Allison, M. J. (1970). Rumen bacteriophage: Survey of morphological types. In: *Microscopie électronique*. vol. 3. Favard, P. Ed. Société Française de Microscopie Électronique, Paris. pp 333-334.
- Robinson, I. M. (1984). Anaeroplasmata. In: *Bergey's Manual of Systematic Bacteriology*. vol. 1, Krieg, N. R. & Holt, J. G. Ed. Williams & Williams, Baltimore. pp 787-790.
- Robinson, J. P. & Hungate, R. E. (1973). *Acholeplasma bactoclasticum* sp. nov., an anaerobic mycoplasma from the bovine rumen. *Int. J. Syst. Bacteriol.* 23:171-181.
- Robinson, P. H. & McQueen, R. E. (1994). Influence of supplemental protein source and feeding frequency on rumen fermentation and performance in dairy cows. *J. Dairy Sci.* 77:1340-1353.
- Robinson, P. H., Sniffen, C. J. & Van Soest, P. J. (1985). Influence of level of feed intake on digestion and bacterial yield in the forestomachs of dairy cattle. *Can. J. Anim. Sci.* 65:437-444.
- Romulo, B. (1986). Studies on the role of supplementation and of manipulation in the rumen on productivity of sheep given straw based diets. *Ph.D Thesis*. University of New England, Armidale, Australia.

- Romulo, B., Bird, S. H. & Leng, R. A. (1989). Effects of defaunation and protein supplementation on intake, digestibility, N retention and fungal numbers in sheep fed straw-based diets. In: *The Roles of Protozoa and Fungi in Ruminant Digestion*. Nolan, J. V., Leng, R. A. & Demeyer, D. I. Ed. Penambul Books, Armidale, NSW., Australia. pp 285-288.
- Rowe, J. B., Davies, A. & Broome, A. W. J. (1985). Quantitative effects of defaunation on rumen fermentation and digestion in sheep. *Br. J. Nutr.* 54:105-119.
- Russell, J. B. & Hespell, R. B. (1981). Microbial rumen fermentation. *J. Dairy Sci.* 64:1153-1169.
- Russell, J. B. & Sniffen, C. J. (1984) Effect of carbon-4 and carbon-5 volatile fatty acids on growth of mixed rumen bacteria *in vitro*. *J. Dairy Sci.* 67(5):987-994.
- Russell, J. B. & Strobel, H. J. (1987). Concentration of ammonia across cell membranes of mixed rumen bacteria. *J. Dairy Sci.* 70:970-976.
- Russell, J. B. (1983). fermentation of peptides by *Bacteroides rumenicola* B₁₄. *Appl. Env. Microbiol.* 45(5):1566-1574.
- Russell, J. B. (1984). Factors influencing competition and composition of the rumen bacterial flora. In: *Herbivore Nutrition in the Subtropics and Tropics*. Gilchrist, F. M. C. & Mackie, R. I. Ed. The Science Press (Pty) Ltd., Craighall, South Africa. pp 313-345.
- Russell, J. B. (1985). Fermentation of cellodextrins by cellulolytic and noncellulolytic rumen bacteria. *Appl. Env. Microbiol.* 49(3):572-576.
- Russell, J. B. (1986). Heat production by ruminal bacteria in continuous culture and its relationship to maintenance energy. *J. Bacteriol.* 168(2):694-701.
- Russell, J. B., Onodera, R. & Hino, T. (1991). Ruminal protein fermentation: New perspectives on previous contradictions. In: *Physiological Aspects of Digestion and Metabolism in Ruminants*. Tsuda, T., Sasaki, Y. and Kawashima, R. Ed. Academic Press Inc. Harcourt Bruce Jovanovich, Publisher, San Diego, California, USA. pp 681-697.
- Sadik, M. S., Huber, J. T., King, K., Wanderley, R., DeYoung, D., Al-Dehneh, A. & Dudas, C. (1990). Comparison of nitrogen-15 and diaminopimelic acid for estimating bacterial protein synthesis of lactating cows fed diets of varying protein degradability. *J. Dairy Sci.* 73:694-702.
- Salter, D. N., Dansshvar, K. & Smith R. H. (1979). The origin of nitrogen incorporated into compounds in the rumen bacteria of steers given protein- and urea-containing diets. *Br. J. Nutr.* 41:197-209.
- SAS (1989). *SAS/STAT[®] User's Guide*, Version 6, 4th Ed, Vol 2, Cary, NC., USA.
- Satter, L. D. & Slyter, L. L. (1974). Effect of ammonia concentration on rumen microbial protein production *in vitro*. *Br. J. Nutr.* 32:199-208.
- Scheifinger, C., Russell, N. & Chatupa, W. (1976). Degradation of amino acids by pure cultures of rumen bacteria. *J. Anim. Sci.* 43(4):821-827.

- Schwartz, H. M. & Gilchrist, F. M. C. (1975). Microbial interactions with the diet and the host animal. In: *Digestion and Metabolism in the Ruminant*. McDonald, I. W. & Warner, A. C. I. Ed. The University of New England Publishing Unit, Armidale, NSW., Australia. pp 165-179.
- Setälä, J. & Syrjälä, L. (1980). The effect of formaldehyde treatment on urea utilization. *European Association for Animal Production Publication No. 27(2)*. pp 582-589.
- Shriver, B. J., Hoover, W. H., Sargent, J. P., Crawford, Jr. R. J. & Thayne, W. V. (1986). Fermentation of a high concentrate diet as affected by ruminal pH and digesta flow. *J. Dairy Sci.* 69:413-419.
- Shultz, T. A. & Shultz, E. (1969). Estimation of rumen microbial nitrogen by three analytical methods. *J. Dairy Sci.* 53(6): 781-784.
- Singh, G. P. & Leng, R. A. (1987). Effect of altering the rumen fluid outflow on the protozoal population and production rate in sheep. *Indian J. Anim. Sci.* 4(3):155-160.
- Smith, C. J., Hespell, R. B. & Bryant, M. P. (1980). Ammonia assimilation and glutamate formation in the anaerobe *Selenomonas ruminantium*. *J. Bacteriol.* 141(2):593-602.
- Smith, C. J., Hespell, R. B. & Bryant, M. P. (1981). Regulation of urease and ammonia assimilatory enzymes in *Selenomonas ruminantium*. *Appl. Env. Microbiol.* 42(1):89-96.
- Smith, L. W., Goering, H. K., Waldo, D. R. & Gordon, C. H. (1971). In vitro digestion rate of forage cell wall components. *J. Dairy Sci.* 54(1):71-76.
- Smith, R. C. & Mathur, C. F. (1973). Incorporation of adenine and uracil into the nucleic acids of *Streptococcus bovis*. *Can. J. Microbiol.* 19:591-595.
- Smith, R. C., Moussa, N. M. & Hawkins, G. E. (1974). Utilization of the nucleic acids of *Escherichia coli* and rumen bacteria by sheep. *Br. J. Nutr.* 32:529-537.
- Smith, R. H. & McAllan, A. B. (1970). Nucleic acid metabolism in the ruminant. 2. Formation of microbial nucleic acids in the rumen in relation to the digestion of food nitrogen, and the fate of dietary nucleic acids. *Br. J. Nutr.* 24:545-556.
- Smith, R. H. & McAllan, A. B. (1971). Nucleic acid metabolism in the ruminant: 3. Amounts of nucleic acids and total and ammonia nitrogen in digesta from the rumen, duodenum and ileum of calves. *Br. J. Nutr.* 25:181-190.
- Smith, R. H. & McAllan, A. B. (1974). Some factors influencing the chemical composition of mixed rumen bacteria. *Br. J. Nutr.* 31:27-34.
- Smith, R. H. (1979). Synthesis of microbial nitrogen compounds in the rumen and their subsequent digestion. *J. Anim. Sci.* 49(6):1604-1614.
- Sniffen, C. J. & Robinson, P. H. (1987). Microbial growth and flow as influenced by dietary manipulations. *J. Dairy Sci.* 70:425-441.
- Song, M. K. & Kennelly, J. J. (1990). Ruminal fermentation pattern, bacterial population and rumen degradation of feed ingredients as influenced by ruminal ammonia concentration. *J. Anim. Sci.* 68:1110-1120.

- Staples, C. R., Fernando, R. L., Fahey, Jr. G. C., Bergen, L. L. & Jaster, E. H. (1984). Effects of intake of a mixed diet by dairy steers on digestion events. *J. Dairy Sci.* 67:995-1006.
- Steele, R. G. D. & Torrie, J. H. (1980). *Principles and Procedure of Statistics*. 2nd Edition. McGraw-Hill Kogakusha Ltd., Tokyo.
- Stern, M. D. & Hoover, W. H. (1979). Methods for determining and factors affecting rumen microbial protein synthesis: A review. *J. Anim. Sci.* 49(6):1590-1603.
- Stern, M. D., Hoover, H., Sniffen, C. J., Crooker, B. A. & Knowlton, P. H. (1978). Effects of nonstructural carbohydrate, urea and soluble protein levels on microbial protein synthesis in continuous culture of rumen contents. *J. Anim. Sci.* 47(4):944-956.
- Stewart, C. S. & Bryant, M. P. (1988). The rumen bacteria. In: *The Rumen Microbial Ecosystem*. Hobson, P. N. Ed. Elsevier Science Ltd., Essex, England. pp 21-75.
- Stewart, C. S. (1977). Factors affecting the cellulolytic activity of rumen contents. *Appl. Env. Microbiol.* 33(3):497-502.
- Storm, E. & Orskov, E. R. (1983). The nutritive value of rumen micro-organisms in ruminants: 1. Large-scale isolation and chemical composition of rumen micro-organisms. *Br. J. Nutr.* 50:463-470.
- Storm, E., Orskov, E. R. & Smart R. (1983). The nutritive value of rumen micro-organisms in ruminants: 3. the digestion of microbial amino and nucleic acids in, and losses of endogenous nitrogen from, the small intestine of sheep. *Br. J. Nutr.* 50:479-485.
- Stouthamer, A. H. & Bettenhauser, C. (1973). Utilization of energy for growth and maintenance in continuous and batch cultures of microorganisms. *Biochimica et Biophysica Acta* 301:53-70.
- Stouthamer, A. H. (1979). The search for correlation between theoretical and experimental growth yields. In: *International Review of Biochemistry. Microbial Biochemistry*, Quayle, J. R. Ed. University Park Press, Baltimore. vol. 21:1-47.
- Sultan, J. I., Fluharty, F. L., Firkins, J. L. & Loerch, S. C. (1992). Effects of supplemental protein source and alkaline hydrogen peroxide treatment of wheat straw on site of nutrient digestion and flow of nitrogenous compounds to the duodenum of steers. *J. Anim. Sci.* 70:3909-3915.
- Susmel, P., Plazzotta, E., Mills, C. R. & Stefanon, B. (1993). Determination of RNA and ATP in the rumen liquid of cows fed with diets differing in forage to concentrate ratio. *J. Sci. Food Agric.* 63:39-45.
- Susmel, P., Stefanon, B., Plazzotta, E., Spanghero, M. & Mills, C. R. (1994). The effect of energy and protein intake on the excretion of purine derivatives. *J. Agric. Sci. Camb.* 123:257-255.
- Tamminga, S. (1983). Recent advances in our knowledge on protein digestion and absorption in ruminants. In: *4th International Symposium Protein Metabolism and Nutrition*, Clermond-Ferrand, Sept. pp 1-25.

- Teather, R. M., Erfle, L. D., Boila, R. J. & Sauer, F. D. (1980). Effect of dietary nitrogen on the rumen microbial population in lactating dairy cattle. *J. Appl. Bacteriol.* 49:231-238.
- Teather, R. M., Mahadevan, S., Erfle, J. D. & Sauer, F. D. (1984). Negative correlation between protozoal and bacterial levels in rumen samples and its relation to the determination of dietary effects on the rumen microbial population. *Appl. Env. Microbiol.* 47(3):566-570.
- Tempest, D. W. & Neijssel, O. M. (1984). The status of Y_{ATP} and maintenance energy as biologically interpretable phenomena. *Ann. Rev. Microbiol.* 38:459-486.
- Thomson, D. J., Beaver, D. E., Coelho Da Silva, J. F. & Armstrong, D. G. (1972). The effect in sheep of physical form on the sites of digestion of a dried lucerne diet. *Br. J. Nutr.* 28:31-41.
- Topps, J. H. & Elliott, R. C. (1965). Relationship between concentrations of ruminal nucleic acids and excretion of purine derivatives by sheep. *Nature* 205:498-499.
- Topps, J. H., Kay, R. N. B., Goodill, E. D., Whitelaw, F. G. & Reid, R. S. (1968). Digestion of concentrate and of hay diets in the stomach and intestines of ruminants 2. Young steers. *Br. J. Nutr.* 22:281-290.
- Trinci, A. P. J., Davies, D. R., Gull, K., Lawrence, M. I., Nielsen, B. B., Rickers, A. & Theodorou, M. K. (1994). Anaerobic fungi in herbivorous animals. *Mycol. Res.* 98(2):129-152.
- Tyler, B. (1978). Regulation of the assimilation of nitrogen compounds. *Ann. Rev. Biochem.* 47:1127-1162.
- Umbarger, H. E. (1969). Regulation of amino acid metabolism. *Annu. Rev. Biochem.* 38:323-370.
- Ushida, K. & Kojima, Y. (1991). Effect of defaunation and refaunation of the rumen on cellulolytic activity *in vitro* with or without ammonia supplementation. *Can. J. Anim. Sci.* 71:913-917.
- Ushida, K., Jouany, J. P. & Demeyer, D. I. (1991). Effects of presence or absence of rumen protozoa on the efficiency of utilisation of concentrate and fibrous feeds. In: *Physiological Aspects of Digestion and Metabolism in Ruminants*. Tsuda, T., Sasaki, Y. & Kawashima, R. Ed. Academic Press, Inc. Harcourt Brace Jovanovich, Publisher, San Diego, California, USA. pp 625-654.
- Ushida, K., Tanaka, H. & Kojima, Y. (1989). A simple *in situ* method for estimating fungal population size in the rumen. *Let Appl. Microbiol.* 9:109-111.
- Van Den Hende, C., Oyaert, W. & Bouckaert, J. H. (1963). Metabolism of glycine, alanine, valine, leucine and isoleucine by rumen bacteria. *Res. Vet. Sci.* 4:382-389.
- Van Gylswyk, N. O. (1970). The effect of supplementing a low-protein hay on the cellulolytic bacteria in the rumen of sheep and on the digestibility of cellulose and hemicellulose. *J. Agric. Sci. Camb.* 74:169-180.

- Van Gylswyk, N. O., Wejdemar, K. & Kulander, K. (1992). Comparative growth rates of various rumen bacteria in clarified rumen fluid from cows and sheep fed different diets. *Appl. Env. Microbiol.* 58(1):99-105.
- Van Nevel, C. J. & Demeyer, D. I. (1977). Determination of rumen microbial growth in vitro from ³²P-labelled phosphate incorporation. *Br. J. Nutr.* 38:101-114.
- Veira, D. M. (1986). The role of ciliate protozoa in nutrition of ruminant. *J. Anim. Sci.* 63:1547-1560.
- Verbic, J., Chen, X. B., Macleod, N. A. & Orskov, E. R. (1990). Excretion of purine derivatives by ruminants: Effects of microbial nucleic acid infusion on purine derivative excretion by steer. *J. Agric. Sci. Camb.* 114:243-248.
- Vercoe, J. E. (1976). Urinary allantoin excretion and digestible dry-matter intake in cattle and buffalo. *J. Agric. Sci. Camb.* 86:613-615.
- Veresegyhazy, T., Fekete, S. & Hagedus, M. (1993). Factors influencing ruminal bacterial activity I. Effect of endproduct concentration on proteolytic activity. *J. Anim. Physiol. Anim. Nutr.* 70:1-5.
- Virtanen, A. I. (1966). Milk production of cows on protein-free feed. *Science.* 153:1603-1614.
- Walker, D. J., Egan, A. R., Nader, C. J., Ulyatt, J. M. & Storer, G. B. (1975). Rumen microbial protein synthesis and proportions of microbial and non-microbial nitrogen flowing to the intestines of sheep. *Aust. J. Agric. Res.* 26:699-708.
- Wallace, R. J. & Mckain, N. (1989). Analysis of peptide metabolism by ruminal microorganisms. *Appl. Env. Microbiol.* 55(9):2372-2376.
- Wallace, R. J. & McPherson, C. A. (1987). Factors affecting the rate of breakdown of bacterial protein in rumen fluid. *Br. J. Nutr.* 58:313-323.
- Wallace, R. J. & Munro, C. A. (1986). Influence of rumen anaerobic fungus *Neocallimastix frontalis* on the proteolytic activity of a defined mixture of rumen bacteria growing on a solid substrate. *Let. Appl. Microbiol.* 3:23-26.
- Wallace, R. J. (1979). Effect of ammonia concentration on the composition, hydrolytic activity and nitrogen metabolism of the microbial flora of the rumen. *J. Appl. Bacteriol.* 47:443-455.
- Wallace, R. J., Broderick, G. A. & Brammall, M. (1987). Microbial protein and peptides metabolism in rumen fluid from faunated and ciliate-free sheep. *Br. J. Nutr.* 58:87-93.
- Warner, A. C. I. (1962). Some factors influencing the rumen microbial population. *J. Gen. Microbiol.* 28:129-146.
- Weller, R. A. & Pilgrim, A. F. (1974). Passage of protozoa and volatile fatty acids from the rumen of the sheep and from a continuous in vitro fermentation system. *Br. J. Nutr.* 32:341-351.
- Widyastuti, Y., Newbold, C. J., Stewart, C. S. & Orskov, E. R. (1995). Interactions between rumen anaerobic fungi and ciliate protozoa in the degradation of rice straw cell walls. *Let. Appl. Microbiol.* 20:61-64.

- Williams, A. G. & Coleman, G. S. (1988). The rumen protozoa. In: *The Rumen Microbial Ecosystem*. Hobson, P. N. Ed. Elsevier Applied Science, London and New York. pp 77-128.
- Williams, A. G., Withers, S. E. & Joblin, K. N. (1991). Xylanolysis by cocultures of the rumen fungus *Neocallimastix frontalis* and ruminal bacteria. *Let. Appl. Microbiol.* 12:232-235.
- Williams, A. G., Withers, S. E. & Orpin, C. G. (1994a). Effect of the carbohydrate growth substrate on polysaccharolytic enzyme formation by anaerobic fungi isolated from the foregut and hindgut of nonruminant herbivores and the forestomach of ruminants. *Let. Appl. Microbiol.* 18:147-151.
- Williams, A. G., Withers, S. E., Naylor, G. E. & Joblin, K. N. (1994b). Effect of heterotrophic ruminal bacteria on xylan metabolism by the anaerobic fungus *Piromyces communis*. *Let. Appl. Microbiol.* 19:105-109.
- Wohlt, J. E., Sniffen, C. J., Hoover, W. H., Johnson, L. L. & Walker, C. K. (1976). Nitrogen metabolism in wethers as affected by dietary protein solubility and amino acid profile. *J. Anim. Sci.* 42(5):1280-1289.
- Wolin, M. J. (1975). Interactions between the bacterial species of the rumen. In: *Digestion and Metabolism in the Ruminant*. McDonald, I. W. & Warner, A. C. I. Ed. The University of New England Publishing Unit, Armidale, NSW., Australia. pp 134-148.
- Wright, D. E. & Hungate, R. E. (1967a). Amino acids concentrations in rumen fluid. *Appl. Microbiol.* 15:148-151.
- Wright, D. E. & Hungate, R. E. (1967b). Metabolism of glycine by rumen microorganisms. *Appl. Microbiol.* 15:152-157.
- Wright, D. E. (1967). Metabolism of peptides by rumen microorganisms. *Appl. Microbiol.* 15(3):547-550.
- Wubah, D. A., Akin, D. E. & Borneman, W. S. (1993). Biology, fiber-degradation, and enzymology of anaerobic zoospore fungi. *Crit. Rev. Microbiol.* 19(2):99-115.
- Yarlett, N., Orpin, C. G., Munn, E. A., Yarlett, N. C. & Greenwood, C. A. (1986). Hydrogenosomes in the rumen fungus *Neocallimastix patriciarum*. *Biochem. J.* 236:729-739.
- Zöllner, N. (1982). Purine and pyrimidine metabolism. *Proc. Nutr. Soc.* 41:329-342.
- Zinn, R. A. & Owens, F. N. (1983). Influence of feed intake level on site of digestion in steers fed a high concentrate diet. *J. Anim. Sci.* 56:471-475.
- Zinn, R. A. & Owens, F. N. (1986). A rapid procedure for purine measurement and its use for estimating net ruminal protein synthesis. *Can. J. Anim. Sci.* 66:157-166.