

## REFERENCES

---

- Angkanaporn, K., Choct, M., Bryden, W. L. and E. F. Annison.** 1994. Effects of wheat pentosans on endogenous amino acid losses in chickens. *J. Sci. Food Agric.* **66:** 399 - 404.
- Annison, G.** 1990. Polysaccharide composition of Australian wheats and the digestibility of their starches in broiler chicken diets. *Aust. J. Exp. Agric.* **30:** 183 - 186.
- Annison, G.** 1991. Relationship between the levels of soluble nonstarch polysaccharides and the apparent metabolisable energy of wheats assayed in broiler chickens. *J. Agric. Food Chem.* **39:** 1252 - 1256.
- Annison, G.** 1992. Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens. *Anim. Feed Sci. Tech.* **38:** 105 - 121.
- Annison, E. F. and R. R. White.** 1961. Glucose utilisation in sheep. *Biochem.* **80:** 162 - 169.
- Annison, G., Choct, M. and N. W. Cheetham.** 1992. Analysis of wheat arabinoxylans from a large scale isolation. *Carbohydr Polym.* **19:** 151 - 159.
- Annison, G., Choct, M. and R. J. Hughes.** 1994. Apparent metabolisable energy determination and its application to lipins. In: *Australian Poultry Science Symp. Volume No. 6.* The World's Poultry Science Association. Australia. pp. 92 - 96.

- Annison, E. F., Hill, K. J. and R. Kenworthy.** 1968. Volatile fatty acids in the digestive tract of the fowl. *Br. J. Nutr.* **22**: 207-216.
- Annison, G., Hughes, R. J. and M. Choct.** 1996. Effects of enzyme supplementation on the nutritive value of dehulled lupins. *Br. Poult. Sci.* **37**: 157 - 171.
- Annison, G., Moughan, P. J., Hendriks, W. H. and S. Bourne.** 1997. The non-starch polysaccharide component of wheat milling by-products. In: *Proc. Aust. Poult. Sci. Symp. (1997)* 9. University of Sydney, Australia. p.244.
- Antoniou, T., Marquardt, R. R. and P. E. Cansfield.** 1981. Isolation, partial characterisation and antinutritional activity of a factor (pentosans) in rye grain. *J. Agric. Food Chem.* **28**: 1240 - 1247.
- Baldini, J. T.** 1961. The effect of dietary deficiency on the energy metabolism of the chick. *Poult Sci.* **40**: 1177 – 1183.
- Batterham, E. S.** 1990. Prediction of the dietary energy value of diets and raw materials for pigs. In: *Feedstuff Evaluation*. Wiseman, J. and D.J.A. Cole (Eds.) Butterworths, England. pp. 267 - 281.
- Bayley, H. S., Summers, J. D. and S. J. Singer.** 1968. The effect of steam pelleting feed ingredients on chick performance: effect on Phosphorus availability, metabolisable energy value and carcass composition. *Poult. Sci.* **47**: 1140 - 1148.
- Bedford, M. R.** 1994. Xylanase source, activity and influence on the response of broilers when fed wheat based diets. In: *Proc. Aust. Poult. Sci. Symp. (1994)* 6. University of Sydney, Australia. pp. 79 – 82.

- Bedford, M. R.** 1996. Ingredient variability. In: *1996 Finnfeeds Distributors Conference*. Finnfeeds, Netherlands.
- Bedford, M.R.** 1997. Reduced viscosity of intestinal digesta and enhanced nutrient digestibility in chickens given exogenous enzymes. In: *Proc. Chinese Symp. on Feed Enzymes*. pp. 19 – 28.
- Bedford, M. and A. J. Morgan.** 1996. The use of enzymes in poultry diets. *Wld's Poult. Sci. J.* **52**: 61 – 68.
- Bedford, M. R., Classen, H. L. and G. L. Campbell.** 1991. The effect of pelleting, salt and pentosanase on the viscosity of intestinal contents and the performance of broilers fed rye. *Poult. Sci.* **70**:1571 - 1577.
- Begin, J. J.** 1969. The relationship of breed and sex of chicken with the utilisation of energy from a medium energy diet. *Poult. Sci.* **46**: 379 - 383.
- Berndtson, W. E.** 1991. A simple, rapid and reliable method for selecting or assessing the number of replicates for animal experiments. *J. Anim. Sci.* **69**: 67-76.
- Bickel, H.** 1988. Feed evaluation and nutritional requirements. In: *Livestock Feed Resources and Feed Evaluation in Europe*. De Boer, F. and H. Bickel (Eds). Elsevier, Netherlands. pp. 211-216.
- Bird, J. N.** 1997. Performance improvements following enzyme supplementation of wheat and barley-based poultry diets. In: *Proc. Chinese Symp. on Feed Enzymes*. pp. 63 – 84.

- Bourdillon, A., Carre, B., Conan, L., Duperray, J., Huyghebaert, G., Leclercq, B., Lessire, M., McNab, J. and J. Wiseman.** 1990a. European reference method for *in vivo* determination of metabolisable energy with adult cockerels: reproducibility, effect of food intake and comparison with individual laboratory methods. *Br. Poult. Sci.* **31**: 557 – 565.
- Bourdillon, A., Carre, B., Conan, L., Francesch, M., Fuentes, M., Huyghebaert, G., Jansen, W. M. M., Leclercq, B., Lessire, M., McNab, J., Rigoni, M. and J. Wiseman.** 1990b. European reference method of *in vivo* determination of metabolisable energy in poultry: reproducibility, effect of age and comparison with predicted volumes. *Br. Poult. Sci.* **31**: 567 - 576.
- Brenes, A., Marquardt, R. R., Guenter, W. and B. A. Rotter.** 1993. Effect of enzyme supplementation on the nutritional value of raw, autoclaved and dehulled lupins (*Lupinus albus*) in chicken diets. *Poult. Sci.* **72**: 2281 – 2293.
- Bryden, W. L., Gill, R. J. and D. Balnave.** 1994. Feed enzyme supplementation improves the apparent metabolisable energy of lupins for broiler chickens. In: *Proc. Aust. Poult. Sci. Symp. (1994) 6* University of Sydney, Australia. p. 114.
- Campbell, G. L., Rossnagel, B. G., Classen, H. L. and P. A. Thacker.** 1989. Genotypic and environmental differences in extract viscosity of barley and their relationship to its nutritive value for broiler chickens. *Anim. Feed Sci. Tech.* **26**: 221 - 228.
- Carew, L. B., Nesheim, M. C. and F. W. Hill.** 1963. The relationship of dietary energy level and density to the growth response of chicks to fats. *Poult. Sci.* **42**: 710 - 718.

- Cave, N. A. A., Singer, S. J., Summers, J. D. and G. C. Ashton.** 1965. The nutritional value of wheat milling by-products for the growing chick. *Cereal Chem.* **42:** 523 - 532.
- Cheeke, P. R** 1979. Nutritional and physiological properties of saponins. *Nutr. Rep. Int.* **13:** 315 - 324.
- Choct, M.** 1992. Relationship between soluble arabinoxylan and the nutritive value of wheat for broiler chickens. *Proc. 13th Western Nutrition Conf., Canada.* pp. 41- 45.
- Choct, M.** 1995. *Chicken Meat Research and Development Council – Final Report.* Project CSN 2CM. CSIRO Division of Human Nutrition, Australia.
- Choct, M.** 1997. Enzymes in animal nutrition: the unseen benefits. In: *Proc. Chinese Symp. on Feed Enzymes.* pp. 45– 51.
- Choct, M. and G. Annison.** 1990. Antinutritive activity of wheat pentosans in broiler diets. *Br. Poult. Sci.* **30:** 811 - 821.
- Choct, M. and G. Annison.** 1992a. The inhibition of nutrient digestion by wheat pentosans. *Br. J. Nutr.* **67:** 123 - 132.
- Choct, M. and G. Annison.** 1992b. Antinutritive effect of wheat pentosans in broiler chickens: roles of viscosity and gut microflora. *Br. Poult. Sci.* **33:** 821 - 834.
- Choct, M. and R. J. Hughes.** 1996. A long-chain hydrocarbon marker for digestibility studies in poultry. In: *Proc. Aust. Poult. Sci. Symp. 1996 (8).* University of Sydney, Australia. pp. 186 – 189.

- Choct, M., Hughes, G Annison, and R. P. Trimble.** 1992. Soluble wheat pentosans exhibit different anti-nutritive activities in intact and cecectomised broiler chickens. *J. Nutr.* **122**: 2457 – 2465.
- Choct, M., Hughes, R. J., Trimble, R. P. and G. Annison.** 1994. Use of enzymes in low-ME wheat broiler diets: effects on bird performance and gut viscosity. In: *Proc. Aust. Poult. Sci. Symp. (1994)* 6. University of Sydney, Australia. pp. 83 – 87.
- Choct, M., Hughes, R. J., Trimble, R. P., Ankanaporn, K. and G. Annison.** 1995. Non-starch polysaccharide-degrading enzymes increase the performance of broiler chickens fed wheat of low apparent metabolisable energy. *J. Nutr.* **125**: 485 - 492.
- Choct, M., Hughes, R. J., Wang, J., Bedford, M. R., Morgan, A. J. and G. Annison.** 1996. Increased small intestinal fermentation is partly responsible for the antinutritive activity of non-starch polysaccharides in chickens. *Br. Poult. Sci.* **37**: 633 - 645.
- Classen, H. L. and M. R. Bedford.** 1991. The use of enzymes to improve the nutritive value of poultry feeds. In: *Recent Advances in Animal Nutrition. 1991*. Haresign, W. and D. J. A. Cole (Eds). Butterworths, England. pp. 95 – 116.
- Classen, H. L. and G. L. Campbell.** 1990. Improvement of feed utilisation through the use of enzyme products. In: *Proc. Aust. Poult. Sci. Symp. (1990)*. University of Sydney, Australia. pp.1 – 8.
- Classen, H. L., Campbell, G. L., Rossnagel, B. G., Bhatty, R. S. and R. D. Reichert.** 1985. Studies on the use of hulless barley in chick diets: Deleterious effects and methods of alleviation. *Can. J. Anim. Sci.* **65**: 725.

- Close, W. H.** 1990. The evaluation of feeds through calorimetry studies. In: *Feedstuff Evaluation*. 1990. Wiseman, J. and D.J.A. Cole (Eds). Butterworths, England. pp. 21 - 29.
- Coates, B. J., Slinger, S. J., Bailey, H. S. and J. D. Summers.** 1977. Metabolisable energy values and chemical and physical characteristics of wheat and barley. *Can. J. Anim. Sci.* 57: 195 - 207.
- Cullison, A. E.** 1982. *Feeds and Feeding*. 3<sup>rd</sup> Edn. Retson Publishing Company Inc., U.S.A.
- Dale, N. M. and H. L. Fuller.** 1981. Additivity of TME values as measured with roosters, broiler chicks and poult. *Poult. Sci.* 59: 1941 - 1946.
- Dale, N. M. and H. L. Fuller.** 1982. Endogenous energy losses of fed versus fasted roosters. *Poul. Sci.* 61: 898 - 901.
- Davidson, J. and R. B. Williams.** 1968. A note on the estimation of nitrogen retention in chicks by body analysis and balance methods. *Br. J. Nutr.* 22: 291 - 295.
- Davidson, J., Mathieson, J., Williams, R. and A. W. Boyne.** 1964. Effects of animal fat and low ratios of protein to metabolisable energy on the utilisation of dietary energy by medium and fast-growing strains of poultry. *J. Sci. Food Agric.* 15: 316 - 325.
- Davidson, J., McDonald, I. and R. B. Williams.** 1957. The utilisation of dietary energy by poultry. 11. Effects of indigestible organic matter and protein on the utilisation of dietary energy by medium and fast growing strains of poultry. *J. Sci. Fd. Agric.* 12: 425 - 439.

- De Boer, F. and H. Bickel.** 1988. Impact of feed in livestock production. In: *Livestock Feed Resources and Feed Evaluation in Europe*. 1988. De Boer, F. and H. Bickel (Eds) Elsevier, Netherlands. pp. 3 - 10.
- De Groote, G.** 1972. A marginal income and cost analysis of the effect of nutrient density on the performance of White Leghorn hens in battery cages. *Br. Poult. Sci.* **13**: 503 – 520.
- De Groote, G.** 1974. A comparison of a new net energy system with the metabolisable energy system in broiler diet formulation, performance and profitability. *Br. Poult. Sci.* **15**: 75 - 77.
- Din, M. G., Sunde, M. L. and H. R. Bird.** 1979. Measuring metabolisable energy with mature hens. *Poult. Sci.* **58**: 444 - 446.
- Du Preez, J. J., Hayes, J. P. and J. S. Duckitt.** 1986. A rapid method to evaluate metabolisable energy and availability of amino acids without fasting and force-feeding experimental animals. *S. African J. Anim. Sci.* **16**: 47 - 53.
- Emmans, G. C.** 1994. Effective energy: a concept of energy utilisation applied across species. *Br. Poult. Sci.* **71**: 801 – 821.
- Farrell, D. J.** 1972. An indirect closed circuit respiration chamber suitable for fowl. *Poult. Sci.* **51**: 683 – 688.
- Farrell, D. J.** 1974a. Effects of dietary energy concentration on utilisation of energy by broiler chickens and on body composition determined by carcass analysis. *Br. Poult. Sci.* **15**: 25 - 41.

- Farrell, D. J.** 1974b. General principles and assumptions of calorimetry. In: *Energy Requirements of Poultry*. Morris, T.R. and B.M. Freeman (Eds). Br. Poult. Sci. Ltd., England. pp. 1 - 24.
- Farrell, D. J.** 1974c. Calorimetric measurements of chickens given diets with a range of energy concentrations. *Br. Poult. Sci.* **15**: 341 – 347.
- Farrell, D. J.** 1975. A comparison of the energy metabolism of two breeds of hens and their cross using respiration calorimetry. *Br. Poult. Sci.* **16**: 103 – 113.
- Farrell, D. J.** 1977. A new rapid method for determining the metabolisable energy of poultry feedstuffs. In: *Recent Advances in Animal Nutrition in Australia. 1977*. Farrell, D.J. (Ed). University of New England Publishing Unit, Australia. pp. 54 - 66.
- Farrell, D. J.** 1978. Rapid determination of ME of foods using cockerels. *Br. Poult. Sci.* **19**: 303 - 308.
- Farrell, D. J.** 1980. True metabolisable energy (TME) and the alternative. In: *Recent Advances in Animal Nutrition in Australia. 1980*. Farrell, D.J. (Ed.). University of New England Publishing Unit, Australia. pp. 146 - 153.
- Farrell, D. J.** 1981. An assessment of quick assays for determining the true metabolisable energy and apparent metabolisable energy of poultry feedstuffs. *Wld. Poult. Sci. J.* **37**: 72 - 83.
- Farrell, D. J.** 1996. How effective is “effective energy” for poultry? In: *Aust. Poult. Sci Symp. Feb (1996) 8*. University of Sydney, Australia. pp. 169 – 173.

- Farrell, D. J. and S. Swain.** 1977. Effect of temperature treatments on the energy and nitrogen metabolism of fed chicken. *Br. Poult Sci.* **18:** 725 – 734.
- Farrell, D. J., Thomson, E., Du Preez, J. J. and J. P. Hayes.** 1991. The estimation of endogenous excreta and the measurement of metabolisable energy in poultry feedstuffs using four feeding systems, four assay methods and four diets. *Br. Poult. Sci.* **32:** 482 - 499.
- Feltwell, R. and S. Fox.** 1978. *Practical Poultry Feeding*. Faber and Faber, England.
- Fengler, A. I. and R. R. Marquardt.** 1988a. Water-soluble pentosans from rye: I. Isolation, partial purification and characterisation. *Cereal Chem.* **65:** 291 - 297.
- Fengler, A. I. and R. R. Marquardt.** 1988b. Water-soluble pentosans from rye: II. Effects of rate of dialysis on the retention of nutrients by the chick. *Cereal Chem.* **65:** 298 - 301.
- Fisher, C. and J. M. McNab.** 1989. Techniques for determining the metabolisable energy content of poultry feeds. In: *Recent Developments in Poultry Nutrition*. 1989. Cole, D.J.A. and W. Haresign (Eds). Butterworths, England. pp. 54 - 69.
- Forbes, J. M. and F. Shariatmadari.** 1994. Diet selection for protein by poultry. *Wld. Poult. Sci.* **50:** 7-24.
- Fordyce, E. J., Forbes, R. M., Robbins, K. R. and J. W. Erdman, Jr.** 1987. Phytate x Calcium/ Zinc ratios: are they predictive of Zinc availability? *J. Food Sci.* **52:** 440 - 444.

- Forster, J. R.** 1986. PhD Thesis. The effects of manipulation of rumen protozoa on rumen fermentation and productivity of sheep. University of New England. Australia.
- Friesen, O. D., Guenter, W., Marquardt, R. R. and B. A. Rotter.** 1992. The effect of enzyme supplementation on the apparent metabolisable energy and nutrient digestibilities of wheat, barley, oats and rye for the young broiler chick. *Poult. Sci.* **71**: 1710 – 1721.
- Geraert, P. A., Frapin, D. and G. Uzu.** 1997. Exogenous enzymes improve feed digestibility in young broilers as well as in laying hens. In: *Aust. Poult. Sci Symp. Feb. (1997) 9*. University of Sydney, Australia, p.245.
- Godwin, I. R.** 1995. Motility of the digestive tract of chickens. In: *Aust. Poult. Sci Symp. Feb. (1995) 7*. University of Sydney, Australia, pp.172 - 175.
- Graham, H., Bedford, M. and M. Choct.** 1993. High gut viscosity can reduce poultry performance. *Feedstuffs* **65**(6): 1 - 4.
- Guillaume, J. and J. D. Summers.** 1970. Maintenance energy requirements of the rooster and influence of plane of nutrition on metabolisable energy. *Can. J. Anim. Sci.* **50**: 363 - 369.
- Guirguis, N.** 1976. Metabolisable energy values of fats and protein concentrates for poultry: effect of sex and inclusion level of feedstuffs. *Aust. J. Exp. Agric. Anim. Husb.* **16**: 691 – 695.
- Halloran, H. R. and I. R. Sibbald.** 1979. Metabolisable energy values of fats measured by several procedures. *Poult. Sci.* **58**: 1299 - 1307.

- Hancock, C. E., Bradford, G. D., Emmans, GC, Gous, RM.** 1995. The evaluation of growth parameters of 6 strains of commercial broiler chickens. *Br. Poult. Sci.* **36**: 247 – 264.
- Härtel, H.** 1986. Influence of food input and procedure of determination on metabolisable energy and digestibility of a diet measured with young and adult birds. *Br. Poult. Sci.* **27**: 11 - 39.
- Härtel, H.** 1987. Reply to Sibbald and Wolynetz. *Br. Poult. Sci.* **28**: 784 – 788.
- Hew, L. I., Ravindran, V., Ravindran, G., Gill, R. J., Pittolo, P., Richards, G. and W. L. Bryden.** 1996. Influence of exogenous enzymes on the apparent metabolisable energy and amino acid digestibility values of wheat-based diets fed to three broilers strains. In: *Aust. Poult. Sci Symp. Feb.(1996) 8*. University of Sydney, Australia. p.201.
- Hill, F. W. and D. L. Anderson.** 1958. Comparison of metabolisable energy and productive energy determination with growing chicks. *J. Nutr.* **64**: 587 - 603.
- Hughes, R.J. and M. Choct.** 1997. Low-ME wheat or Low-ME chickens? Highly variable responses by birds on the same Low-ME wheat diet. In: *Proc. Aus. Poult Sci. Symp. (1997) 9*. University of Sydney, Australia. pp. 138 – 141.
- Hume, M. E., Kubena, L. F., Beier, R. C., Hinton, A. Jr., Corrier, D. E and J. R. Deoach.** 1992. Fermentation of  $^{14}\text{C}$  Lactose in broiler chicks by caecal anaerobes. *Poult. Sci.* **71**: 1464 – 1470.
- Iji, P. A., Hughes, R. and D. R. Tivey.** 1996a. Short-term feeding of non-starch polysaccharides to broiler chickens: Effects on villus structure and brush border

- peptidase expression. In: *Proc. Aus. Poult. Sci. Symp.* (1996) 8. p. 212.
- Iji, P. A., Hughes, R. and D. R. Tivey.** 1996b. Effects of lupins (*L albus* and *L angustifolius*) on villus structure and brush border peptidase expression in broiler chickens. In: *Proc. Aus. Poult. Sci. Symp.* (1996) 8. p. 213.
- Ikeda, K. and T. Kusano.** 1983. *In vitro* inhibition of digestive enzymes by indigestible polysaccharides. *Cereal Chem.* **60**: 260 - 263.
- Ikegami, S., Tsuchihashi, F., Harada, H., Tsuchihashi, N., Nishide, E., and S. Innami.** 1990. Effect of viscous polysaccharides on pancreatic-biliary secretion and digestive organs in rats. *J. Nutr.* **120**: 353 - 360.
- Ivy, C. A., Bragg, D. B. and E. L. Stephenson.** 1968. Surgically exteriorising the rectum of the growing chicken. *Poult. Sci.* **47**: 1771 – 1774.
- Janssen, W. M. M. A. and B. Carre.** 1989. Influence of fibre on digestibility of poultry feeds. In: *Recent Developments in Poultry Nutrition.* 1989. Cole, D. J. A. and W. Haresign (Eds). Butterworths, England. pp. 79 – 93.
- Johnson, R. J.** 1981. *Physical and Nutritional Aspects of Restricted Feeding in Poultry.* PhD Thesis. University of New England, Australia.
- Johnson, R. J.** 1987. Metabolisable energy: Recent research with poultry. In: *Recent Developments in Animal Nutrition.* 1987. University of New England Publishing Unit, Australia. pp. 228 - 243.
- Johnson, I. T. and J. M. Gee.** 1981. Effect of gel-forming gums on the intestinal unstirred layer and sugar transport *in vitro*. *Gut* **22**: 398 – 403.

- Jones, G. R. D.** 1990. The development of a feed restriction strategy to reduce body fat in the broiler chickens . PhD Thesis. Univesity of New England, Australia.
- Jones, G. R. D. and D. J. Farrell.** 1992. Early-life food restrictions of broiler chickens. II Effects of food restrictions on the development of fat tissue. *Br. Poult. Sci.* **33**: 589 – 601.
- Katongole, J. B. D. and B. E. March.** 1980. Fat utilisation in relation to intestinal fatty acid binding protein and bile salts in chicks of different ages and different genetic sources. *Poult. Sci.* **59**: 819 - 827.
- Kleiber, M.** 1975. *The Fire of Life: An Introduction to Animal Energetics*. Robert E. Kreiger Pub. Co., U.S.A.
- Kopinski, J. S., Martin, P., Bright, G. W., Pytko, A. and P. Van Melzen.** 1995. Non-starch polysaccharides in Australian cereals. In: *Recent Advances in Animal Nutrition in Australia. 1995*. Rowe, J.B. and J.V. Nolan (Eds). University of New England, Australia. p. 179 - 183.
- Krogdahl, A.** 1985. Digestion and absorption of lipids in poultry. *J. Nutr.* **115**: 675 - 685.
- Kussabati, R., Guillaume, J. and B. Leclercq.** 1982. The effects of age, dietary fat and bile salts and feeding rate on AME and TME values in chickens. *Br. Poult. Sci.* **23**: 393 - 403.
- Leeson, S.** 1993. Recent advances in fat utilisation by poultry. In: *Recent Advances in Animal Nutrition in Australia. 1993*. Farrell, D.J. (Ed.). University of New England Australia. pp. 170 - 181.

- Leeson, S. and J. D. Summers.** 1991. *Commercial Poultry Nutrition*. University Books, U. S. A.
- Leeson, S. J. D., Summers, J. D. and L. Caston.** 1993. Response of brown-egg strain layers to dietary calcium or phosphorus. *Poult. Sci.* **72**: 1510 – 1514.
- Lei, K. Y. and S. J. Slinger.** 1970. Energy utilisation in the chick in relation to certain environmental stresses. *Can. J. Anim. Sci.* **50**: 285 - 292.
- Lessire, M.** 1990. Effect of feeding, *ad libitum*, dry or wet force feeding, on the metabolisable energy values of raw materials for poultry. *Br. Poult. Sci.* **31**: 785 – 793.
- Liener, I. E.** 1989. Antinutritional factors in legume seeds. State of the art. In: *Recent Advances of Research in Antinutritional Factors in Legume Seeds. 1989*. Huisman, J., T.F.B. Van der Poel and I.E. Liener (Eds). Wageningen, Netherlands. pp. 6 - 13.
- Lodhi, G. N., Renner, R. and D. R. Clandinin.** 1970. Studies on the ME of rapeseed meal for growing chickens and laying hens. *Poult. Sci.* **48**: 964 – 970.
- MacLean, J. A. and G. Tobin.** 1987. *Animal and Human Calorimetry*. Cambridge, University Press, England.
- MacLeod, M. G.** 1994. Dietary energy utilisation: prediction by computer simulation of energy metabolism. In: *Energy Metabolism of Farm Animals*. J. F. Aguilera (Ed). CSIC, Spain. pp. 237 – 240.
- March, B. E. and J. Biely.** 1973. Chemical, physical and nutritional characteristics of different samples of wheat. *Can. J. Anim. Sci.* **53**: 569 - 577.

- March, B. E., Kinwande, A., and R. Soong.** 1972. The effect of feeding antibiotics for different periods on growth rate, feed conversion and metabolisability of dietary energy in growing chickens. *Poult. Sci.* **51**: 1409 - 1414.
- Marquardt, R. R.** 1997. Enzyme enhancement of the nutritional value of cereals: role of viscous, water-soluble, nonstarch polysaccharides in chick performance. In: *Proc. First Chinese Symp. on Feed Enzymes*. 1997. pp. 5 – 17.
- Martin, E. A.** 1996. Improving the feeding value of full-fat rice bran for broiler chickens and ducklings. PhD Thesis. University of New England.
- McDonald, M. W.** 1984. The effect of profit on optimising nutrient density for laying hens. *Br. Poult. Sci.* **25**: 139 – 144.
- McDonald, P., Edwards, R. A. and J. F. D. Greenhalgh.** 1988. *Animal Nutrition*. (4th Ed). Longman Scientific and Technical, U.S.A.
- McDonald, P., Edwards, R. A. and J. F. D. Greenhalgh.** 1995. *Animal Nutrition*. (5th Ed). Longman Scientific and Technical, U.S.A.
- McNab, J. M.** 1973. The avian caeca: a review. *Wld. Poult. Sci. J.* **29**: 251 - 263.
- McNab, J. M.** 1990. Apparent and true metabolisable energy of poultry diets. In: *Feedstuff Evaluation. 1990*. Wiseman, J. and D.J.A. Cole (Eds). Butterworths, England. pp. 41 - 54.
- McNab, J. M and J. C. Blair.** 1988. Modified assay for true and apparent metabolisable energy based on tube feeding. *Br. Poult. Sci.* **29**: 697 - 707.

- Miller, W. S.** 1974. The determination of metabolisable energy. In: *Energy Requirements of Poultry*. Morris, T.R. and B.M. Freeman (Eds). Br. Poult. Sci. Ltd., England. pp. 91 - 112.
- Misir, R. and R. R. Marquardt.** 1978. Factors affecting rye (*Secale cereale* L.) utilisation in growing chicks. II. The influence of protein type, protein level and penicillin. *Can. J. Anim. Sci.* **58**: 703 - 715.
- Mollah, Y., Bryden, W. L., Wallis, I. R., Balnave, D. and E. F. Annison.** 1983. Studies on low-ME wheats for poultry using conventional and rapid assay procedures and the effects of processing. *Br. Poult. Sci.* **24**: 82 – 89.
- Moran, E. T. and J. McGinnis.** 1968. Growth of chicks and turkey poult fed western barley and corn grain-based rations: Effect of autoclaving on supplemental enzyme requirement and asymmetry of antibiotic response between grains. *Poult. Sci.* **47**: 152 – 158.
- Muztar, A. J. and S. J. Slinger.** 1981. An evaluation of the nitrogen correction in the true metabolisable energy assay. *Poult. Sci.* **60**: 835 - 839.
- National Research Council.** 1994. *Nutrient Requirements of Poultry* (9<sup>th</sup> Edn). National Academy Press. U.S.A.
- North, M. O. and D. D. Bell.** 1990. *Commercial Broiler Production*. (4<sup>th</sup> Edn). Chapman and Hall, U.S.A.
- Olson, D. W., Sunde, M. L. and H. R. Bird.** 1972. The effect of temperature on metabolisable energy determination and utilisation by the growing chick. *Poult. Sci.* **51**: 1915 - 1922.

- Osbaldiston, G. W.** 1966. The energy and nutrient metabolism of individually reared chickens. *Br. Vet. J.* **122**: 479 - 488.
- Parsons, C. M., Potter, L. M. and B. A. Bliss.** 1982. True metabolisable energy corrected to nitrogen equilibrium. *Poult. Sci.* **61**: 2241 - 2246.
- Parsons, C. M., Potter, L. M. and B. A. Bliss.** 1984. A modified voluntary feed intake bioassay for determination of metabolisable energy with mature cockerels. *Poult. Sci.* **63**: 1610 – 1616.
- Pesti, G. M., Dale, N. M., and G. O. Ware.** 1988a. Critique of methods of estimating the variability of metabolisable energy from assays with fasted roosters. *Poult. Sci.* **67**: 1188 – 1191.
- Pesti, G. M., Thomson, E., and D. J. Farrell.** 1988b. The energy metabolism of 2 breeds of hens in respiration chambers. In: *Energy Metabolism of Farm Animals*. 1988. van der Honing and W. H. Close (Eds). Wageningen, Netherlands. pp. 45 – 52.
- Pesti, G. M., Thomson, E., and D. J. Farrell.** 1990. Energy exchange of two breeds of hens in respiration chambers. *Poult. Sci.* **69**: 98 – 104.
- Petersen, S. T. and D. J. Farrell.** 1997. A comparison of cereal and grain legumes on several digestive parameters in broilers. In: *Proc. Aust Poult. Sci Symp. 1997 (9)*. University of Sydney, Australia, pp. 149 – 152.
- Peterson, C. F., Meyer, G. B. and E. A. Sauter.** 1976. Comparison of metabolisable energy values of feed ingredients for chicks and hens. *Poult. Sci.* **55**: 1163 – 1165.

- Pettersson, D. and P. Amman.** 1988. Effects of enzyme supplementation of diets based on wheat, rye or triticale on their productive value for broiler chickens. *Anim. Feed Sci. Tech.*, **20**: 313 – 324.
- Pettersson, D. and P. Amman.** 1989. Enzyme supplementation of a poultry diet containing rye and wheat. *Br. J. Nutr.* **62**: 139 – 149.
- Poczopko, P. and J. Kowalczyk.** 1965. Oxygen consumption in growing chickens as related to their body composition. In: *Energy Metabolism. 1965*. EAAP. No. 11. K. L. Blaxter (Ed). Academic Press, England. pp. 347 – 352.
- Preston, T. R. and R. A. Leng.** 1994. *Matching Ruminant Production Systems with Available Resources in the Tropics and Sub-tropics*. Penambul Books, Australia.
- Proudman, J. A., Mellen, W. J. and D. L. Anderson.** 1970. Utilisation of feed in fast and slow-growing lines of chicken. *Poult. Sci.* **49**: 961 – 971.
- Pym, R. A. E. and D. J. Farrell.** 1977. A comparison of the energy and nitrogen metabolism of broilers selected for increased growth rate, food consumption and conversion of food to gain. *Br. Poult. Sci.* **18**: 411 – 426.
- Rajaguru, S. B. and V. Ravidran.** 1985. Metabolisable energy values for growing chicks of some feedstuffs from Sri Lanka. *J. Sci. Food Agric.* **36**: 1057 - 1064.
- Reddy, C. V. Jensen, L. S. Merrill, R. M. and L. H. McGinnis.** 1961. Influence of pelleting on metabolisable and productive energy content of a complete diet for chicks. *Poult. Sci.* **40**: 1446.

- Reddy, N. R., Sathe, S. K. and D. K. Salunke.** 1982. Phytates in legumes and cereals. *Adv. Food Res.* **28:** 1 – 10.
- Reid, J. T., White, C. D., Anrique, R. and A. Fortin.** 1980. Nutritional energetics of livestock: Some present boundaries and future research needs. *J. Animal Sci.* **51:** 1393- 1415.
- Richardson, C. E., Watts, A. B., Wilkingson, W.S. and J. M. Dixon.** 1960. Techniques used in metabolism studies with surgically modified hens. *Poult. Sci.* **39:** 432 – 440.
- Rogel, A. M., Annison, E. F., Bryden, W. L. and D. Balnave.** 1987. The digestion of wheat starch in broiler chickens. *Aust. J. Agric. Res.* **38:** 639 – 649.
- Ruiz, L. P. Jr.** 1976. A rapid screening test for lupin alkaloids. *N.Z. J. Agric. Res.* **20:** 51 – 52.
- Salanitro, J. P., Blake, I. G., Muirhead, P. A., Maglio, M. and J. R. Goodman.** 1978. Bacteria isolated from the duodenum, ileum and caecum of young chicks. *App. and Env. Micr.* **35:** 782 – 790.
- Schang, C. J. and R. M. G. Hamilton.** 1982. Comparison of two direct bioassays using adult cocks and four indirect methods for estimating the ME of content of different feedingstuffs. *Poult Sci.* **61:** 1344 – 1353.
- Schumaier, G. and McGinnis, J.** 1967. Metabolizable energy values of wheat and some by-product feedstuffs for growing chicks. *Poult. Sci.* **46:** pp. 79 – 82.

- Scott, T. A. and M. R. Bedford.** 1994. Measurement of feeding value of feed wheats with or without enzyme supplementation for broilers. In: *Proc. Aust. Poult. Sci Symp. (1994) 6*. University of Sydney, Australia. p.116.
- Sell, J. L., Krogdahl, A. and N. Hanyu.** 1986. Influence of age on utilisation of supplement fats by young turkeys. *Poult. Sci.* **65**: 546 - 554.
- Shannon, D. W. F.** 1982. Developments in ME methodology and their implications for practical poultry feeding. In: *Proc. Poult. Husb. Res. Found. (1982)*. University of Sydney, Australia. Paper 7.
- Shannon, D. W. F. and W. O. Brown.** 1969. Losses of energy on drying poultry excreta. *Poult. Sci.* **48**: 41 -43.
- Sibbald, I. R.** 1975a. The effect of level of feed intake on metabolisable energy values measured with adult roosters. *Poult. Sci.* **54**: 1990 - 1997.
- Sibbald, I. R.** 1975b. Comparison of metabolisable energy values of cereal grains measured with poultry in three laboratories. *Can. J. Anim. Sci.* **55**: 283 – 285.
- Sibbald, I. R.** 1976. A bioassay for true metabolisable energy in feedingstuffs. *Poult. Sci.* **55**: 303 - 308.
- Sibbald, I. R.** 1978. The effect of the duration of the time interval between assays on true metabolisable energy values measured with adult roosters. *Poult. Sci.* **57**: 455 - 460.
- Sibbald, I. R.** 1979a. The effect of the duration of the excreta collection period on the TME values of feedingstuffs with slow rates of passage. *Poult. Sci.* **58**: 896 – 899.

- Sibbald, I. R.** 1979b. The effect of drying procedure on excreta energy values for poultry and other species. *Poult. Sci.* **58**: 1392 - 1394.
- Sibbald, I. R.** 1980. The clearance time and rate of passage of feed residues. *Poult. Sci.* **59**: 374 -377.
- Sibbald, I. R.** 1982. Measurement of bioavailable energy in poultry feedstuffs: a review. *Can. J. Anim. Sci.* **62**: 983 - 1048.
- Sibbald, I. R.** 1985. The true metabolisable energy bioassay as a method for estimating bioavailable energy in poultry feedstuffs. *Wld. Poult. Sci. J.* **41**: 179 - 187.
- Sibbald, I. R.** 1986. The T.M.E. system of feed evaluation: methodology, feed composition data and bibliography. *Tech. Bull. 1986-14E*. Research Programme Service, Canada.
- Sibbald, I. R.** 1989. Metabolisable energy evaluation of poultry diets. In: *Recent Developments in Poultry Nutrition. (1989)*. Cole, D.J.A. and W. Haresign (Eds). Butterworths, England. pp. 12 - 26.
- Sibbald, I. R. and P. M. Morse.** 1983a. The effects of feed input and excreta collection time on estimates of metabolic and endogenous energy losses in the bioassay for true metabolisable energy. *Poult. Sci.* **62**: 68 - 76.
- Sibbald, I. R. and P. M. Morse.** 1983b. Effects of the N-correction and of feed intake on true metabolisable energy values. *Poult. Sci.* **62**: 138 - 142.
- Sibbald, I. R. and K. Price.** 1978. The metabolic and endogenous energy losses of adult roosters. *Poult. Sci.* **57**: 556 - 557.

- Sibbald, I. R. and S. J. Slinger.** 1962. The metabolizable energy of materials fed to growing chicks. *Poult. Sci.* **41**: 1612 – 1613.
- Sibbald, I. R. and S. J. Slinger.** 1963. A biological assay for metabolisable energy in poultry feed ingredients together with the findings which demonstrate some of the problems associated with evaluation of fats. *Poult. Sci.* **42**: 313 - 325.
- Siregar, A. P. and D. J. Farrell.** 1980. A comparison of the energy and nitrogen metabolism of fed ducklings and chickens. *Br. Poult. Sci.* **21**: 213 - 227.
- Standing Committee on Agriculture.** 1987. *Feeding Standards for Australian Livestock: Poultry*. CSIRO, Australia. pp. 35 - 48.
- Swain, S.** 1980. *The Effects of Temperature and Temperature Acclimation on the Energy and Nitrogen Metabolism of Chickens using Respiration Calorimetry*. PhD Thesis, UNE, Armidale.
- Titus, H. W., Mehring, A. L., Johnson, D., Nesbitt, L. J. and T. Thomas.** 1959. An evaluation of MCF (Miro-Cel-Fat): A new type of fat product. *Poult. Sci.* **38**: 1114 – 1119.
- Van der Honing, Y. and A. Steg.** 1990. Comparison of energy evaluation systems of feeds for ruminants. In: *Feedstuff Evaluation*. Wiseman, J. and D. J. A. Cole (Eds) Butterworths. England. pp. 1 - 19.
- Vogt, Y. H. H. and P. E. Zoiopoulos.** 1988. Feed evaluation and nutritional requirements: pigs and poultry. In: *Livestock Feed Resources and Feed Evaluation in Europe*. De Boer, F. and H. Bickel (Eds). Elsevier, Netherlands. pp. 299 - 331.

- Vogtman, H., Pfirter, H. P. and A. L. Prabucki.** 1975. A new method of determining metabolisability of energy and digestibility of fatty acids in broiler diets. *Br. Poult. Sci.* **16:** 531 – 534.
- Vohra, P.** 1972. Evaluation of metabolisable energy for poultry. *Wld. Poult. Sci. J.* **28:** 204 - 215.
- Vranjes, M. V. and C. Wenk.** 1995. Influence of dietary enzyme complex on the performance of broilers fed on diets with and without antibiotic supplementation. *Br. Poult. Sci.* **36:** 265 – 275.
- Wallis, I. and D. Balnave.** 1983. A comparison of different drying techniques for energy and amino acid analyses of poultry excreta. *Br. Poult. Sci.* **24:** 255 - 260.
- Washburn, K. W., Guill, R. A. and H. M. Edwards.** 1975. Influence of genetic differences in feed efficiency of young chickens on derivation of metabolisable energy from the diet and nitrogen retention. *J. Nutr.* **105:** 726 – 732.
- White, W. B., Bird, H.R., Sunde, M. L., Prentice, N. Burger, W. C. and J. A. Marlet.** 1981. The viscosity interaction of barley beta-glucan with *Trichoderma viride* cellulase in the chick intestine. *Poult. Sci.* **60:** 1043-1048.
- Whitehead, C. C. and C. Fisher.** 1975. The utilisation of various fats by turkeys of different ages. *Br. Poult. Sci.* **16:** 481 – 486.

- Williams, P. E. V., Monge, H. and D. Jackson.** 1997. Effects on the performance of poultry of manufacturing feed using expansion plus pelleting compared with pelleting alone. In: *Proc. Aust Poult. Sci Symp. 1997 (9)* University of Sydney, Australia. pp. 74 – 78.
- Wiryawan, K. G., Dingle, J. G., Kumar, A., Gaughan, J. B. and B. A. Young.** 1995. True metabolisable energy content of grain legumes: Effects of enzyme supplementation. In: *Rec. Dev. Anim. Nutr. Aust. (1995)*. University of New England, Australia. p. 196.
- Wiryawan, K. G., Dingle, J. G. and D. Creswell.** 1997. Enzyme supplementation improves protein quality of grain legumes for poultry production. In: *Rec. Adv. Anim. Nutr. Aust. (1997)*. University of New England, Australia. p. 231.
- Wiseman, J. and J. Inborr** 1990. The nutritive value of wheat and its effect on broiler performance. In: *Rec. Adv. Anim. Nutr.* Haresign, W. and D. J. A. Cole (Eds). Butterworths, England. pp. 79 – 102.
- Wolynetz, M. S. and I. R. Sibbald.** 1984. Relationships between apparent and true metabolisable energy and the effects of a nitrogen correction. *Poult. Sci.* **63**: 1386 - 1399.
- Yamazaki, M. and Z. Z. Zhang.** 1982. A note on the effect of temperature on true and apparent metabolisable energy values of a layer diet. *Br. Poult. Sci.* **23**: 447 - 450.
- Zelenka, J.** 1968. The influence of age of chicken on metabolisable energy values of poultry diets. *S. African J. Anim. Sci.* **16**: 47 - 52.