

## References

- Abu-Asab MS, Cantino PD (1993) Systematic implications of pollen morphology in tribe Prostanthereae (Labiatae). *Systematic Botany* **18**, 563-574.
- Abu-Asab MS, Cantino PD, Nowicke JW, Sang T (1993) Systematic implications of pollen morphology in *Caryopteris* (Labiatae). *Systematic Botany* **18**, 502-515.
- Adams EN (1972) Consensus techniques and the comparison of taxonomic trees. *Systematic Zoology* **21**, 390-397.
- Aiken SG, Boles RL, Dallwitz MJ (1999 onwards) Cyperaceae of the Canadian arctic Archipelago: descriptions, illustrations, identification, and information retrieval. Retrieved Access 6/11/2000 from <http://www.mun.ca/biology/delta/arcticf/cyp/www/intro.htm>
- Akkaya MS, Bhagwat AA, Cregan PB (1992) Length polymorphism of simple sequence repeat DNA in soybean. *Genetics* **132**, 1131-1139.
- Albert VA, Mishler BD, Chase MW (1992) Character-state weighting for restriction site data in phylogenetic reconstruction, with an example from chloroplast DNA. In 'Molecular systematics of plants'. (Eds PS Soltis, DE Soltis and JJ Doyle) pp. 369-403. (Chapman and Hall: New York, NY)
- Albert VA, Mishler BD (1992) On the rationale and utility of weighting nucleotide sequence data. *Cladistics* **8**, 73-83.
- Albert VA, Chase MW, Mishler BD (1993) Character-state weighting for cladistic analysis of protein-coding DNA sequences. *Annals of the Missouri Botanical Garden* **80**, 752-766.

- Aldrich J, Cherney BW, Merlin E, Christopherson A (1988) The role of insertion/deletions in the evolution of the intergenic region between *pbsA* and *trnH* in the chloroplast genome. *Current Genetics* **14**, 137-146.
- Appels R, Dvorak J (1982) Relative rates of divergence of spacer and gene sequences within the rDNA region of species in the Triticeae: implications for the maintenance of homogeneity of a repeated gene family. *Theories of Applied Genetics* **63**, 361-365.
- Appels R, Honeycut RL (1986) rRNA: evolution over a billion years. In 'DNA systematics'. (Ed. SK Dutta) pp. 81-136. (CRC Press: Florida)
- Arnheim N, Schmickel R, Wilson G, Ryder O, Zimmer EA (1980) Molecular evidence for genetic exchanges among ribosomal genes on non-homologous chromosomes in man and apes. *Proceedings of the National Academy of Sciences. USA* **77**, 7323-7327.
- Arnheim N (1983) Concerted evolution of multigene families. In 'Evolution of genes and proteins'. (Eds M Nei and K Koehn) pp. 38-61. (Sinauer: Sunderland, MA)
- Arnold ML, Buckner CM, Robinson JJ (1991) Pollen mediated introgression and hybrid speciation in Louisiana irises. *Proceedings of the National Academy of Sciences. USA* **88**, 1398-1402.
- Asmussen CB, Liston A (1998) Chloroplast DNA characters, phylogeny, and classification of *Lathyrus* (Fabaceae). *American Journal of Botany* **85**, 387-401.
- Atchley WR, Fitch WM (1991) Gene trees and the origins of inbred strains of mice. *Science* **254**, 554-558.
- Avise JC (1991) Ten unorthodox perspectives on evolution prompted by comparative population genetic findings on mitochondrial DNA. *Annual Review of Genetics* **25**, 45-69.
- Avise JC (1994) 'Molecular markers: natural history and evolution.' (Chapman and Hall: London)

- Backlund M, Oxelman B, Bremer B (2000) Phylogenetic relationships within the Gentianales based on *ndhF* and *rbcL* sequences, with particular reference to the Loganiaceae. *American Journal of Botany* **87**, 1029-1043.
- Bakker FT, Culham A, Gibby M (1999) Phylogenetics and diversification in *Pelargonium*. In ‘Molecular systematics and plant evolution’. (Eds PM Hollingsworth, RM Bateman and RJ Gornall) pp. 353-370. (Taylor and Francis: London)
- Baldwin BG (1992) Phylogenetic utility of the internal transcribed spacers of nuclear ribosomal DNA in plants: an example from the Compositae. *Molecular Phylogenetics and Evolution* **1**, 3-16.
- Baldwin BG (1993) Molecular phylogenetics of *Calycadenia* (Compositae) based on ITS sequences of nuclear ribosomal DNA: chromosomal and morphological evolution reexamined. *American Journal of Botany* **80**, 222-238.
- Baldwin BG, Sanderson MJ, Porter JM, Wojciechowski M, Campbell CS, Donoghue MJ (1995) The ITS region of nuclear ribosomal DNA: a valuable source of evidence on angiosperm phylogeny. *Annals of the Missouri Botanical Garden* **82**, 247-277.
- Barker NP, Linder HP, Harley EH (1995) Polyphyly of Arundoideae (Poaceae): evidence from *rbcL* sequence data. *Systematic Botany* **20**, 423-435.
- Barker FK, Lutzoni F (2000) Spurious rejection of partition homogeneity by the ILD test: a simulation study. *Mycologia* **92**, 16.
- Barrett M, Donoghue MJ, Sober E (1991) Against consensus. *Systematic Zoology* **40**, 486-493.
- Baum DA, Sytsma KJ, Hoch PC (1994) A phylogenetic analysis of *Epilobium* (Onagraceae) based on nuclear ribosomal DNA sequences. *Systematic Botany* **19**, 363-388.

## References

- Baum DA, Small RL, Wendel JF (1998) Biogeography and floral evolution of baobabs (*Adansonia*, Bombacaceae) as inferred from multiple datasets. *Systematic Biology* **47**, 181-207.
- Bayer RJ, Starr JR (1998) Tribal phylogeny of the Asteraceae based on two non-coding chloroplast sequences, the *trnL* intron and *trnL/trnF* intergenic spacer. *Annals of the Missouri Botanical Garden* **85**, 242-256.
- Bayer C, Puttock CF, Kelchner SA (2000) Phylogeny of South African Gnaphalieae (Asteraceae) based on two non-coding chloroplast sequences. *American Journal of Botany* **87**, 259-272.
- Bentham G (1863) 'Flora Australiensis: A Description of the Plants of the Australian Territory. Ranunculaceae to Anacardiaceae.' (L. Reeve and Co. London)
- Bentham G (1878) 'Flora Australiensis: a description of the plants of the Australian Territory'. Cyperaceae pp. 246-449. (L. Reeve and Co.: London)
- Bentham G (1883) Cyperaceae. In 'Genera plantarum'. (Eds G Bentham and J Hooker) pp. 1037-1073. (L. Reeve and Co.: London)
- Bishop MJ, Friday A. E. (1985) Evolutionary trees from nucleic acid and protein sequences. *Proceedings of Royal Society of London [Biology]* **226**, 271-302.
- Blackmore S, Cannon MJ (1983) Palynology and systematics of Morinaceae. *Review of Palaeobotany and Palynology*.
- Blackmore S, McConchie CA, Knox RB (1988a) Phylogenetic analysis of the male ontogenetic program in aquatic and terrestrial monocotyledons. *Cladistics* **3**, 333-347.
- Blasko K, Kaplan SA, Higgins KG, Wolfson R, Sears BB (1988) Variation in copy number of a 24-base pair tandem repeat in the chloroplast DNA of *Oenothera hookeri* strain Johansen. *Current Genetics* **14**, 287-292.

- Bohle UR, Hilger HH, Creff R, Martin WF (1994) Non-coding chloroplast DNA for plant molecular systematics at the infrageneric level. In 'Molecular ecology and evolution: approaches and applications'. (Eds B Schierwater, B Streit, GP Wagner and R DeSalle) pp. 391-403. (Birkhauser Verlag: Basel)
- Bohle UR, Hilger HH, Martin WF (1997) Island colonisation and evolution of the insular woody habit in *Echium* L. (Boraginaceae). *Proceeding of the National Academy of Sciences. USA* **93**, 11740-11745.
- Bohs L, Olmstead RG (1997) Phylogenetic relationships in *Solanum* (Solanaceae) based on *ndhF* sequences. *Systematic Botany* **22**, 5-18.
- Bonnard G, Gualberto JM, Lamattina L, Grieneberger JM (1992) RNA editing in plant mitochondria. *Critical Reviews in Plant Sciences* **10**, 503-524.
- Bousquet J, Strauss SH, Doerksen AH, Price RA (1992) Extensive variation in evolutionary rate of *rbcL* gene sequences among seed plants. *Proceedings of the National Academy of Sciences. USA* **89**, 7844-7848.
- Bousquet J, Strauss SH, Li P (1992) Complete congruence between morphological and *rbcL* based molecular phylogenies in birches and related species (Betulaceae). *Molecular Biology and Evolution* **9**, 1076-1088.
- Bradford JC, Barnes RW (2001) Phylogenetics and classification of Cunoniaceae (Oxalidales) using chloroplast DNA sequences and morphology. *Systematic Botany* **26**, 354-385.
- Bremer K (1988) The limits of amino acid sequence data in angiosperm phylogenetic reconstruction. *Evolution* **42**, 795-803.
- Bremer B, Olmstead RG, Struwe L, Sweere JA (1994) *rbcL* sequences support exclusion of *Retzia*, *Desfontainia*, and *Nicodemia* (Buddlejaceae) from the Gentianales. *Plant Systematic and Evolution* **190**, 213-230.

## References

- Bremer K (1994) Branch support and tree stability. *Cladistics* **10**, 295-304.
- Bremer K (1994) 'Asteraceae: Cladistics and classification.' (Timber Press: Oregon)
- Bremer K (2000) Early Cretaceous lineages of monocot flowering plants. *Proceeding of the National Academy of Sciences. USA* **97**, 4704-4711.
- Bremer K (2002) Gondwanan evolution of the grass alliance of families (Poales). *Evolution* **56**, 1374-1387.
- Briggs BG, Marchant AD, Gilmore S, Porter CL (2000) A Molecular phylogeny of Restionaceae and allies. In 'Monocots: Systematics and Evolution' (Eds KL Wilson and DA Morrison) pp. 661-671. (CSIRO: Melbourne)
- Brochmann C, Xiang QY, Brunsfeld SJ, Soltis DE, Soltis PS (1998) Molecular evidence for polyploid origins in *Saxifraga* (Saxifragaceae): the narrow arctic endemic *S. svalbardensis* and its widespread allies. *American Journal of Botany* **85**, 135-143.
- Brouat C, Gielly L, McKey D (2001) Phylogenetic relationships in the genus *Leonardoxa* (Leguminosae: Caesalpinioideae) inferred from chloroplast *trnL* intron and *trnL-trnF* intergenic spacer sequences. *American Journal of Botany* **88**, 143-149.
- Brown R (1810) 'Prodromus Florae Novae Hollandiae'. Cyperaceae pp. 212-243. (Johnson: London)
- Brown WM, Prager EM, Wang A, Wilson AC (1982) Mitochondrial DNA sequences of primates: tempo and mode of evolution. *Journal of Molecular Evolution* **18**, 225-239.
- Bruhl JJ, Stone NE, Hattersley PW (1987) C<sub>4</sub> acid decarboxylation enzymes and anatomy in sedges (Cyperaceae): first record of NAD-malic enzyme species. *Australian Journal of Plant Physiology* **14**, 719-728.
- Bruhl JJ (1990) Taxonomic relationships and photosynthetic pathways in the Cyperaceae. PhD thesis, Australian National University.

## References

- Bruhl JJ (1991) Comparative development of some taxonomically critical floral/inflorescence features in Cyperaceae. *Australian Journal of Botany* **39**, 119-127.
- Bruhl JJ, Watson L, Dallwitz MJ (1992) Genera of Cyperaceae: Interactive identification and information retrieval. *Taxon* **41**, 225-234.
- Bruhl JJ (1995) Sedge genera of the world: Relationships and a new classification of the Cyperaceae. *Australian Systematic Botany* **8**, 125-305.
- Bruhl JJ, Perry S (1995) Photosynthetic pathway-related ultrastructure of C<sub>3</sub>, C<sub>4</sub> and C<sub>3</sub>-like C<sub>3</sub>-C<sub>4</sub> intermediate sedges (Cyperaceae), with special reference to *Eleocharis*. *Australian Journal of Plant Physiology* **22**, 1-10.
- Bruneau A, Doyle JJ, Palmer JD (1990) A chloroplast DNA inversion as a subtribal character in the Phaseoleae (Leguminosae). *Systematic Botany* **15**, 378-386.
- Buckler ES, Holtsford TP (1996) *Zea* systematics: ribosomal ITS evidence. *Molecular Biology and Evolution* **13**, 612-622.
- Buckler ES, Ippolito A, Holtsford TP (1997) The evolution of ribosomal DNA: divergent paralogues and phylogenetic implications. *Genetics* **145**, 821-832.
- Bull JJ, Huelsenbeck JP, Cunningham CW, Swofford DL, Waddell PJ (1993) Partitioning and combining data in phylogenetic analysis. *Systematic Biology* **42**, 384-397.
- Bussel JD (1999) The description of random amplified polymorphic DNA (RAPD) diversity amongst populations of *Isotoma petraea* (Lobeliaceae). *Molecular Ecology* **8**, 775-789.
- Byrne M, Moran GF, Tibbit W (1993) Restriction map and maternal inheritance of chloroplast DNA in *Eucalyptus nitens*. *Journal of Heredity* **84**, 216-220.
- Camin JH, Sokal RR (1965) A method for deducing branching sequences in phylogeny. *Evolution* **19**, 311-326.

- Campbell CS, Wojciechowski MF, Baldwin BG, Alice LA, Donoghue MJ (1997) Persistent nuclear ribosomal DNA sequence polymorphism in the *Amalanchier* agamic complex (Rosaceae). *Molecular Biology and Evolution* **14**, 81-90.
- Cantino PD, Wagstaff SJ, Olmstead RG (1998) *Caryopteris* (Lamiaceae) and the conflict between phylogenetic and pragmatic considerations in botanical nomenclature. *Systematic Botany* **23**, 369-386.
- Carothers AM, Urlaub G, Mutch J, Grunberger D, Chasin LA (1989) Point mutation analysis in a mammalian gene: rapid preparation of total RNA, PCR amplification of cDNA and Taq sequences by a novel method. *BioTechniques* **7**, 494-499.
- Carpenter JM (1988) Choosing among multiple equally parsimonious cladograms. *Cladistics* **4**, 291-296.
- Catalan MP, Kellogg EA, Olmstead RG (1997) Phylogeny of Poaceae subfamily Pooideae based on chloroplast *ndhF* gene sequences. *Molecular Phylogenetics and Evolution* **8**, 150-166.
- Cerceau-Larrival MT (1971) Morphologie pollinique et correlations phylogénétiques chez les Ombellifères. In 'The biology and chemistry of Umbelliferae'. (Ed. VH Heywood) pp. 109-155. (Academic Press: London)
- Chaloner WG (1976) The evolution of adaptive features in fossil exines. In 'The evolutionary significance of the exine'. (Eds IK Ferguson and J Muller) pp. 1-14. (Academic Press: London)
- Chanda SA, Ghosh K (1978). In 'Recent trends and contacts between cytogenetics, embryology and morphology' pp. 171-185)
- Chase MW, Palmer JD (1989) Chloroplast DNA systematics of lilioid monocots: resources, feasibility, and an example from the Orchidaceae. *American Journal of Botany* **76**, 1720-1730.

## References

- Chase MW, Hills HH (1991) Silica gel: an ideal material for field preservation of leaf samples for DNA studies. *Taxon* **40**, 215-220.
- Chase MW, Soltis DE, *et al.* (1993) Phylogenetics of seed plants: An analysis of nucleotide sequences from the plastid gene *rbcL*. *Annals of the Missouri Botanical Garden* **80**, 528-580.
- Chase MW, Stevenson DW, Wilkin P, Rudall PJ (1995) Monocot systematics: a combined analysis. In 'Monocotyledons: systematics and evolution'. Kew, UK. (Eds PJ Rudall, PJ Gribb, DF Cutler and CJ Humphries) pp. 685-730. (Royal Botanic Gardens: Kew)
- Chase MW, Cox AV (1998) Gene sequences, collaboration, and analysis of large data sets. *Australian Systematic Botany* **11**, 215-229.
- Chase MW, Soltis DE, *et al.* (2000) Higher-level systematics of the monocotyledons: an assessment of current knowledge and a new classification. In 'Monocots: Systematics and Evolution'. (Eds KL Wilson and DA Morrison) pp. 3-16. (CSIRO: Melbourne)
- Chaw SM, Sung HM, Long H, Zharkikh A, Li WH (1995) The phylogenetic positions of the conifer genera *Amentotaxus*, *Phyllocladus*, and *Nageia* inferred from 18S rDNA sequences. *Journal of Molecular Evolution* **41**, 224-230.
- Clark LG, Zhang, W., and Wendel, J.F. (1995) A phylogeny of the grass family (Poaceae) based on *ndhF* sequence data. *Systematic Botany* **20**, 436-460.
- Clarke CB (1902) Cyperaceae 2. In 'Flora of Tropical Africa'. (Ed. WT Thiselton-Dyer) pp. 385-524. (L. Reeve and Co.: London)
- Clarke CB (1908) New genera and species of Cyperaceae. *Bulletin of Miscellaneous Information, Kew* **8**, 1-196.

## References

- Clegg MT, Learn GH, Golenberg EM (1991) Molecular evolution of chloroplast DNA. In 'Evolution at the Molecular level'. (Eds RK Selander, AG Clark and TS Whittam) pp. 135-149. (Sinauer: Sunderland, MA)
- Clegg MT, Zurawski G (1992) Chloroplast DNA and the study of plant phylogeny: present status and future prospects. In 'Molecular systematics of plants'. (Eds PS Soltis, DE Soltis and JJ Doyle) pp. 1-13. (Chapman and Hall: New York, NY)
- Clegg MT (1993) Chloroplast gene sequences and the study of plant evolution. *Proceedings of National Academy of Sciences* **90**, 363-367.
- Clegg MT, Gaut BS, Learn JGH, Morton BR (1994) Rates and patterns of chloroplast DNA evolution. *Proceedings of National Academy of Sciences. USA* **91**, 6795-6801.
- Columbus JT (1999) Morphology and leaf blade anatomy suggest a close relationship between *Bouteloua aristidoides* and *B. (Chonrosium) eriopoda* (Gramineae: Chloridoideae). *Systematic Botany* **23**, 467-478.
- Conti E, Fischbach A, Sytsma KJ (1993) Tribal relationships in Onagraceae: implications from *rbcL* sequence data. *Annals of the Missouri Botanical Garden* **80**, 672-685.
- Cranwell LN (1952) New Zealand pollen studies. The monocotyledons. *Bull. Auck. Inst. Mus.*
- Crawford DJ (1989) 'Plant molecular systematics: macromolecular approaches.' (Wiley: New York)
- Cronquist A (1988) 'The evolution and classification of flowering plants.' (New York Botanical Garden: New York)
- Cros J, Combes MC, Trouslot P, Anthony F, Hamon S, Charrier A, Lashermes P (1998) Phylogenetic analysis of chloroplast DNA variation in *Coffea* L. *Molecular Phylogenetics and Evolution* **9**, 109-117.

- Cross EW, Quinn CJ, Wagstaff SJ (2002) Molecular evidence for the polyphyly of *Olearia* (Astereae: Asteraceae). *Plant Systematics and Evolution* **235**, 99-120.
- Curtis SE, and Clegg, M. T. (1984) Molecular evolution of chloroplast DNA sequences. *Molecular biology and evolution* **1**, 291-30 .
- Dahlgren RMT, Clifford HT (1982) The Monocotyledons: A comparative study. In 'Botanical Systematics'. (Ed. VH Heywood). (Academic Press: London)
- Dahlgren RMT, Clifford HT, Yeo PF (1985) 'The families of the Monocotyledons; structure, evolution, and taxonomy.' (Springer-Verlag: Berlin)
- Dalevi D, Hugenholtz P, Blackall LL (2001) A multiple-outgroup approach to resolving division-level phylogenetic relationships using 16S rDNA data. *International Journal of Systematics and Evolutionary Microbiology* **51**, 385-391.
- Dallwitz MJ (1980) A general system for coding taxonomic descriptions. *Taxon* **29**, 41-46.
- Dallwitz MJ, Paine TA, Zurcher EJ (1993 onwards) User's guide to the DELTA System: a general system for processing taxonomic descriptions. Retrieved Access from <http://biodiversity.uno.edu/delta>
- Dallwitz MJ, Paine TA, Zurcher EJ (1999 onwards) User's guide to the DELTA Editor. Retrieved Access from <http://biodiversity.uno.edu/delta>.
- Darwin C (1859) 'The origin of species.' (John Murray: London)
- Davis O (2000) Palynology. 4. Retrieved Access 2000 from <http://www.geo.arizona.edu/palynology>
- De Quieroz A (1993) For consensus (sometimes). *Systematic Biology* **42**, 368-372.
- Dellaporta SL, Wood J, Hicks JB (1983) A plant DNA minipreparation: version II. *Plant Molecular Biology Reporter* **1**, 19-21.

- Dengan SD (1993) The perils of single gene trees-mitochondrial versus single-copy nuclear DNA variation in white-eyes (Aves: Zosteropidae). *Molecular Ecology* **2**, 219-225.
- Doebley J, Durbin M, Golenberg EM, Clegg MT, Ma DP (1990) Evolutionary analysis of the large subunit of carboxylase (*rbcL*) nucleotide sequence among the grasses (Gramineae). *Evolution* **44**, 1097-1108.
- Doebley J, Renfroe W, Blanton A (1987) Restriction site variation in the *Zea* chloroplast genome. *Genetics* **117**, 139-147.
- Dolphin K, Belshaw R, Orme CDL, Quicke DLJ (2000) Noise and incongruence: interpreting results of the incongruence length difference test. *Molecular Phylogenetics and Evolution* **17**, 401-406.
- Donoghue MJ, Doyle JA, Gauthier J, Kluge AG, Rowe T (1989) The importance of fossils in phylogeny reconstruction. *Annual Review of Ecology and Systematics* **20**, 431-460.
- Donoghue MJ, Olmstead RG, Smith JF, Palmer JD (1992) Phylogenetic relationships of Dipsacales based on *rbcL* sequences. *Annals of the Missouri Botanic Garden* **79**, 333-345.
- Donoghue MJ, Sanderson MJ (1992) The suitability of molecular and morphological evidence in reconstructing plant phylogeny. In 'Molecular systematics of plants'. (Eds PS Soltis, DE Soltis and JJ Doyle) pp. 340-368. (Chapman and Hall: New York, NY)
- Dowling TE, Moritz C, Palmer JD (1990) Nucleic acids II: restriction site analysis. In 'Molecular systematics'. (Eds M Hillis and C Moritz) pp. 250-317. (Sinauer: Sunderland, MA)
- Dowling TE, DeMarais BD (1993) Evolutionary significance of introgressive hybridisation in cyprinid fishes. *Nature* **362**, 444-446.

- Dowling TE, Mortiz C, Palmer JD, Rieseberg LH (1996) Nucleic acids III: analysis of fragments and restriction sites. In 'Molecular systematics'. (Eds DM Hillis, C Mortiz and BK Mable) pp. 249-320. (Sinauer Associates Inc.: Sunderland, Massachusetts)
- Downie SR, Olmstead RG, Zurawski G, Soltis DE, Soltis PS, Watson J, Palmer JD (1991) Six independent losses of the chloroplast DNA *rpl2* intron in dicotyledons: molecular and phylogenetic implications. *Evolution* **45**, 1245-1259.
- Downie SR, Palmer JD (1992a) Use of chloroplast DNA rearrangements in reconstructing plant phylogeny. In 'Molecular Systematics of Plants'. (Eds PS Soltis, DE Soltis and JJ Doyle) pp. 14-35. (Chpman and Hall: New York)
- Downie SR, Palmer JD (1992b) Restriction site mapping of the chloroplast DNA inverted repeat: a molecular phylogeny of the Asterideae. *Annals of the Missouri Botanical Garden* **79**, 266-283.
- Downie SR, Katz-Downie DS (1996) A molecular phylogeny of Apiaceae subfamily Apioideae: evidence from nuclear ribosomal DNA internal spacer sequences. *American Journal of Botany* **83**, 234-251.
- Downie SR, Katz-Downie DS, Cho KJ (1996a) Phylogenetic analysis of Apiaceae subfamily Apioideae using nucleotide sequences from the chloroplast *rpoC1* intron. *Molecular Phylogenetics and Evolution* **6**, -18.
- Downie SR, Llanas E, Katz-Downie DS (1996b) Multiple independent losses of the *rpoC1* intron in angiosperm chloroplast DNA's. *Systematic Botany* **21**, 135-151.
- Downie SR, Ramanath S, Katz-Downie DS, Llanas E (1998) Molecular systematics of Apiaceae subfamily Apioideae: phylogenetic analyses of nuclear ribosomal DNA internal transcribed spacer and plastid *rpoC1* intron sequences. *Americian Journal of Botany* **85**, 563-591.
- Doyle JJ, Soltis DE, Soltis PS (1985) An intergeneric hybrid in the Saxifragaceae: evidence from ribosomal RNA genes. *American Journal of Botany* **72**, 1388-1391.

- Doyle JJ, Doyle JL (1987) A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochemical Bulletin* **19**, 11-15.
- Doyle JJ, Dickson EE (1987) Preservation of plant samples for DNA restriction endonuclease analysis. *Taxon* **36**, 715-722.
- Doyle JJ, Doyle JL, Brown AHD (1990) Chloroplast DNA polymorphism and phylogeny in the B genome of *Glycine* subgenus *Glycine* (Leguminosae). *American Journal of Botany* **77**, 772-782.
- Doyle JJ, Davis JI, Soreng RJ, Garvin D, Anderson MJ (1992) Chloroplast DNA inversions and the origin of the grass family (Poaceae). *Proceedings of National Academy of Sciences USA* **89**, 7722-7726.
- Doyle JJ (1992) Gene trees and species trees: molecular systematics as one-character taxonomy. *Systematic botany* **17**, 144-163.
- Doyle JJ (1993) DNA, phylogeny, and the flowering of plant systematics. *Bioscience* **43**, 380-390.
- Doyle JJ, Doyle JL (1993) Chloroplast DNA phylogeny of the papilionoid legume tribe Phaseoleae. *Systematic Botany* **18**, 309-327.
- Doyle JA, Le Thomas A (1994) Cladistic analysis and pollen evolution in Annonaceae. *Acta Botanica Gallica* **141**, 149-170.
- Doyle JJ, Davis JI (1998) Homology in molecular phylogenetics: a parsimony perspective. In 'Molecular systematics of plants II: DNA sequencing'. (Eds DE Soltis, PS Soltis and DJ J.) pp. 101-103. (Kluwer Academic Press: London)
- Doyle JJ, Doyle JL (1999) Nuclear protein-coding genes in phylogeny reconstruction and homology assessment: some examples from Leguminosae. In 'Molecular systematics and plant evolution'. (Eds PM Hollingsworth, RM Bateman and RJ Gornall) pp. 229-254. (Taylor and Francis: London)

## References

- Dunbar A (1973) Pollen development in the *Eleocharis palustris* group (Cyperaceae). I. Ultrastructure and ontogeny. *Botaniska Notiser* **126**, 197-254.
- Duvall MR, Clegg MT, Chase M W, Clark WD, Kress WJ, Hills HG, Eguiarte L E, Smith JF, Gaut BS, Zimmer EA and Leam GH (1993) Phylogenetic hypotheses for the monocotyledons constructed from *rbcL* sequence data. *Annals of the Missouri Botanical Garden* **80**, 607-619.
- Duvall MR, Morton BR (1996) Molecular phylogenetics of Poaceae: An expanded analysis of *rbcL* sequence data. *Molecular Phylogenetics and Evolution* **5**, 352-358.
- Efron B (1982) The jackknife, the bootstrap, and other resampling plans. In 'CBMS-NSF regional conference series in applied mathematics'. (Society of Industrial and Applied Mathematics)
- Efron B, Gong G (1983) A leisurely look at the bootstrap, the jackknife, and the cross-validation. *American Statistics* **37**, 36-48.
- El-Ghazaly G (2000) New and improved methods in palynology. In 'Plant systematics for the 21st century'. Stockholm. (Eds B Nordenstam, G El-Ghazaly and M Kassas) pp. 143-160. (Portland Press)
- Erdtman G (1948) Pollen morphology and plant taxonomy II. Notes on some Monocotyledones pollen types. *Svensk botanisk tidsskrift* **38**, 163-168.
- Erdtman G (1952) 'Pollen morphology and plant taxonomy, Angiosperms.' (Hafner: New York)
- Erdtman G (1958) On terminology in pollen and spore morphology. *Uppsala Universitets Arsskrift* **6**, 137-138.
- Erdtman G (1960) The acetolysis method, a revised description. *Svensk botanisk tidsskrift* **54**, 561-564.

- Erdtman G (1966) 'Pollen morphology and plant taxonomy, Angiosperms.' (Hafner: New York)
- Erdtman G (1969) 'Handbook of palynology: an introduction to the study of pollen grains and spores.' (Hafner Publishing Co.: New York)
- Farris JS (1969) A successive approximations approach to character weighting. *Systematic Zoology* **18**, 374-385.
- Farris JS (1970) Methods for computing Wagner trees. *Systematic Zoology* **19**, 83-92.
- Farris JS (1989) The retention index and the rescaled consistency index. *Cladistics* **5**, 417-419.
- Farris JS, Källersjö M, Kluge AG, Bult C (1994) Testing significance of incongruence. *Cladistics* **10**, 315-319.
- Farris JS, Källersjö M, Kluge AG, Bult C (1995) Constructing a significance test for incongruence. *Systematic Biology* **44**, 570-572.
- Farris JS, Albert VA, Källersjö M, Lipscomb D, Kluge AG (1997) Parsimony jackknifing outperforms neighbor-joining. *Cladistics* **12**, 99-124.
- Felsenstein J (1978) Cases in which parsimony and compatibility methods will be positively misleading. *Systematic Zoology* **27**, 401-410.
- Felsenstein J (1981) A likelihood approach to character weighting and what it tells us about parsimony and compatibility. *Biological Journal Linnean Society* **16**, 183-196.
- Felsenstein J (1985) Confidence limits on phylogenies: an approach using the bootstrap. *Evolution* **39**, 783-791.
- Felsenstein J (1988) Phylogenies from molecular sequences: inference and reliability. *Annual Review of Genetics* **22**, 521-565.

- Felsenstein J (1993) PHYLIP. Phylogeny Inference Package. Version 3.5 (Department of Genetics, University of Washington: Seattle)
- Ferguson IK, Webb DA (1970) Pollen morphology in the genus *Saxifraga* and its taxonomic significance. *Botanical Journal of the Linnean Society* **63**, 295-311.
- Ferguson IK (1984) Pollen morphology and biosystematics of the subfamily Papilionoideae (Leguminosae). In 'Plant biosystematics'. (Ed. WF Grant) pp. 377-394. (Academic Press: Canada)
- Ferguson IK, Harley MM (1993) The significance of new and recent work on pollen morphology in the Palmae. *Kew Bulletin* **48**, 205-243.
- Ferguson IK (2000) Pollen-morphological data in systematics and evolution: past, present and future. In 'Plant systematics for the 21st century'. Stockholm. (Eds B Nordenstam, G El-Ghazaly and M Kassas) pp. 179-192. (Portland Press Ltd.)
- Fernandez I (1987) Contribution al conocimiento palinológico de Cyperaceae. *Acta Botanica Malacitana* **12**, 173-182.
- Fitch WM, Margoliash E (1967) Construction of phylogenetic trees *Science* **155**, 279-284.
- Fitch WM (1971) Toward defining the course of evolution: minimum change for a specified tree topology. *Systematic Zoology* **20**, 406-416.
- Fitch WM, Ye J (1990) Weighted parsimony: does it work? In 'Phylogenetic analysis of DNA sequences'. (Eds MM Miyamoto and J Cracraft) pp. 147-154. (Oxford University Press: Oxford)
- FitzSimmons NN, Moritz C, Moore SS (1995) Conservation and dynamics of microsatellite loci over 300 million years of marine turtle evolution. *Molecular Biology and Evolution* **12**, 432-440.

## References

- Forthingham R, Blichington RB, Lee DS, Greene RC, Wilson KHH (1992) UV absorption complicates PCR decontamination. *BioTechniques* **13**, 208-210.
- Frascaria N, Maggia L, Michaud M, Bousquet J (1993) The *rbcL* gene sequence from chestnut indicates a slow rate of evolution in the Fagaceae. *Genome* **36**, 668-671.
- Fujii N, Ueda K, Watano Y, Shimizu T (1997) Intraspecific sequence variation of chloroplast DNA in *Pedicularis chamissonis* Steven (Scrophulariaceae) and geographic structuring of Japanese “alpine” plants. *Journal of Plant Research* **110**, 195-207.
- Furness CA, Rudall PJ (2003) Apertures with lids: distribution and significance of operculate pollen in monocotyledons. In ‘Monocots III’ abstracts. Claremont. (Rancho Santa Ana Botanic Garden)
- Gadek PA, Bruhl JJ, Quinn CJ (1989) Exine structure in the ‘Cotuleae’ (Anthemidae, Asteraceae). *Grana Palynologica* **28**, 163-178.
- Gadek P, Quinn CJ (1993) An analysis of relationships within the Cupressaceae sensu stricto based on *rbcL* sequences. *Annals of the Missouri Botanical Garden* **80**, 581-586.
- Gadek PA, Wilson PG, Quinn CJ (1996) Phylogenetic reconstruction in Myrtaceae using *matK*, with particular reference to the position of *Psiloxyton* and *Heteropyxis*. *Australian Systematic Botany* **9**, 283–290.
- Gastony GJ, Yatskievych G, Dixon CK (1992) Chloroplast DNA restriction site variation in the fern genus *Pellaea*: phylogenetic relationships of the *Pellaea glabella* complex. *American Journal of Botany* **79**, 1072-1080.
- Gaut BS, Muse SV, Clark WD, T. CM (1992) Relative rates of nucleotide substitution at the *rbcL* locus of monocotyledonous plants. *Journal of Molecular Evolution* **35**, 292-303.
- Giannasi DE, Zurawski G, Learn G, Clegg MT (1992) Evolutionary relationships of the Caryophyllideae based on comparative *rbcL* sequences. *Systematic Botany* **17**, 1-15.

## References

- Gielly L, Taberlet P (1994a) The use of chloroplast DNA to resolve plant phylogenies: noncoding versus *rbcL* sequences. *Molecular Biology and Evolution* **11**, 769-777.
- Gielly L, Taberlet P (1994b) Chloroplast DNA polymorphism at the intrageneric level and plant phylogenies. *Life Sciences* **317**, 685-692.
- Gielly L, Yuan YM, Kupfer P, Taberlet P (1996) Phylogenetic use of noncoding regions in the genus *Gentiana* L.: chloroplast *trnL* (UAA) intron versus nuclear ribosomal internal transcribed spacer sequences. *Molecular Phylogenetics and Evolution* **5**, 460-466.
- Gilg E (1895) Gentianaceae. In 'Die natürlichen pflanzenfamilien'. (Eds A Engler and K Prantl) pp. 50-108. (Akademie der Wissenschaften: Leipzig)
- Gilmore S, Weston PH, Thomson JA (1993) A simple, rapid, inexpensive and widely applicable technique for purifying plant DNA. *Australian Systematic Botany* **6**, 139-148.
- Guinet P, Ferguson IK (1989) Structure, evolution, and biology of pollen in Leguminosae. In 'Advances in legume biology'. (Eds CH Stirton and JL Zarucchi) pp. 77-103. (Missouri Botanical Garden: St. Louis)
- Giveyrel L, Le Thomas A, Ferguson IK, Chase MW (1998) Critical reexamination of palynological characters used to delimit Asclepiadaceae in comparison to the molecular phylogeny obtained from plastid *matK* sequences. *Molecular Phylogenetics and Evolution* **9**, 517-572.
- Goetghebeur P, Coudijzer J (1984) Studies in Cyperaceae. 3. *Fimbristylis* and *Abildgaardia* in Central Africa. *Bulletin du Jardin botanique de l'Etat à Bruxelles* **54**, 65-89.
- Goetghebeur P (1984a) Studies in Cyperaceae. 3. *Fimbristylis* and *Abildgaardia* in Central Africa. *Bulletin du Jardin botanique de l'Etat à Bruxelles* **54**, 65-89.

## References

- Goetghebeur P (1984b) Studies in Cyperaceae 4. New species and a new combination in Central African *Bulbostylis*. *Bull. Jard. Bot. Nat. Belg.* **54**, 91-104.
- Goetghebeur P (1985) Studies in Cyperaceae. 6. Nomenclature of the suprageneric taxa in the Cyperaceae. *Taxon* **34**, 617-632.
- Goetghebeur P, Coudijzer J (1985) Studies in Cyperaceae. 5: The genus *Bulbostylis* in central Africa. *Bulletin du Jardin botanique national* **55**, 207-259.
- Goetghebeur P (1986) *Genera Cyperacearum*. Een bijdrage tot de kennis van de morfologie, systematiek en fylogeneze van de Cyperaceae-genera. PhD thesis, Rijksuniversiteit Gent [In Flemish].
- Goetghebeur P (1998) Cyperaceae. In ‘The Families and Genera of Vascular Plants’. (Ed. F Kubitzki, H Huber, PJ Rudall, PS Stevens and T Stuetzel,) pp. 141-190. (Springer-Verlag: Berlin)
- Goldstein RA, Pollock DD, Thorne JL (2001) Structures, phylogenies, and genomes: the integrated study of protein evolution. In ‘Pacific Symposium on Biocomputing’. (Eds R B. Altman, AK Dunker, L Hunter and TE Klei). 164-166. (Stanford Medical Informatics: Stanford, CA)
- Golenberg EM, Giannasi DE, Clegg MT, Smiley CJ, Durbin M, Henderson D, Zurawski G (1990) Chloroplast DNA sequence from a Miocene *Magnolia* species. *Nature* **344**,
- Golenberg EM, Clegg MT, Durbin ML, Doebley J, Ma DP (1993) Evolution of a non-coding region of the chloroplast genome. *Molecular Phylogenetics and Evolution* **2**, 52-64.
- Goloboff PA (1991) Homoplasy and the choice among cladograms. *Cladistics* **7**, 215-232.
- Goloboff PA (1993) Estimating character weights during tree search. *Cladistics* **9**, 83-91.

- Gordon-Gray KD (1971) *Fimbristylis* and *Bulbostylis*: Generic limits as seen by a student of southern African species. *Mitteilungen Botanischen Staatssammlung Muenchen* **10**, 549-574.
- Gould SJ, Lewontin RC (1979) The spandrels of San Marco and the Panglossian paradigm: a critique of the adaptationist programme. *Proceedings of Royal Society of London [Biology]* **205**, 581-598.
- Grew N (1682) 'The anatomy of plants.' (Rawlins: London)
- Gustafsson MHG, Backlund A, Bremer B (1996) Phylogeny of the Asterales sensu lato based on *rbcL* sequences with particular reference to the Goodeniaceae. *Plant Systematics and Evolution* **199**, 217-242.
- Haines RW, Lye KA (1983) 'The sedges and rushes of East Africa.' (East African Natural History Society: Nairobi)
- Hamby RK, Zimmer EA (1992) Ribosomal RNA as a phylogenetic tool in plant systematics. In 'Molecular systematics of plants'. (Eds PS Soltis, DE Soltis and JJ Doyle) pp. 50-91. (Chapman and Hall: New York, NY)
- Hancock JM (1995) The contribution of slippage-like processes to genome evolution. *Journal of Molecular Evolution* **41**, 1038-1047.
- Hansen KT, Elven R, Brochmann C (2000) Molecules and morphology in concert: tests of some hypotheses in arctic *Potentilla* (Rosaceae). *American Journal of Botany* **87**, 1466-1479.
- Harborne JB (1969) Gossypetin and herbacetin as taxonomic markers in higher plants. *Phytochemistry* **8**, 177-183.
- Harborne JB, Williams CA, Wilson KL (1985) Flavonoids in leaves and inflorescences of Australian Cyperaceae. *Phytochemistry* **24**, 751-766.

## References

- Harley MM, Ferguson IK (1990) The role of the SEM in pollen morphology and plant systematics. In ‘Scanning electron microscopy in taxonomy and functional morphology’. (Ed. D Claugher) pp. 45-68. (Clarendon Press: Oxford)
- Harley MM (1991) The pollen morphology of the Sapotaceae. *Kew Bulletin* **46**, 379-491.
- Harley MM, Zavada MS (2000) Pollen of the monocotyledons: selecting characters for cladistic analysis. In ‘‘Monocots: Systematics and Evolution’’ (Ed. KL Wilson, and DA Morrison) pp. 194-213. (CSIRO: Melbourne)
- Hasegawa M, Kishino H, Ano TY (1985) Dating the human-ape split by a molecular clock of mitochondrial DNA. *Journal of Molecular Evolution* **22**, 160-174.
- Hassal AH (1842a) Observations on the structure of the pollen granule considered principally with reference to its eligibility as a means of classification. *Annual Magazine of Natural History* **8**, 92-108.
- Hassal AH (1842b) Observations on the structure of the pollen granule considered principally with reference to its eligibility as a means of classification. *Annual Magazine of Natural History* **9**, 544-573.
- Helentjares T, Solcum M, Wright A, Schaefer A, Nienhuis J (1986) Construction of genetic linkage maps in maize and tomato using restriction fragment length polymorphisms. *Theories of Applied Genetics* **72**, 761-769.
- Hennig W (1979) ‘Phylogenetic systematics.’ (University of Illinois Press: Urbana)
- Heslop-Harrison J (1963) An ultrastructural study of pollen wall ontogeny in *Silene pendula*. *Grana Palynologic* **4**, 7-24.
- Heslop-Harrison J (1968) Pollen wall development. *Science* **161**, 230-237.

- Heslop-Harrison J (1976) The adaptive significance of the exine. In 'The evolutionary significance of the exine'. (Eds IK Ferguson and J Muller) pp. 27-37. (Academic Press: London)
- Hesse M, Weber M, Halbritter H A comparative study of the polylicate pollen types in Arales, Laurales, Zingiberales and Gnetales. In 'Pollen and spores: morphology and biology'. (Eds MM Harley, CM Morton and S Blackmore). (Royal Botanic Gardens: Kew)
- Hey J, Kilman RM (1993) Population genetics and phylogenetics of DNA sequence variation of multiple loci within the *Drosophila melanogaster* complex. *Molecular Biology and Evolution* **10**, 804-822.
- Hillis DM, Davis SK (1986) Evolution of ribosomal DNA: fifty million years of recorded history in the frog genus *Rana*. *Evolution* **40**, 1275-1288.
- Hillis DM (1987) Molecular versus morphological approaches to systematics. *Annual Reviews of Ecology and Systematics* **18**, 23-42.
- Hillis DM, Dixon MT (1991) Ribosomal DNA: molecular evolution and phylogenetic inference. *Quarterly Review of Biology* **66**, 411-453.
- Hillis DM, Moritz C, Porter CA, Baker RJ (1991) Evidence for biased gene conversion in concerted evolution of ribosomal DNA. *Science* **251**, 308-310.
- Hillis DM, Huelsenbeck JP (1992) Signal, noise, and reliability in molecular phylogenetic analyses. *Journal of Heredity* **83**, 189-195.
- Hillis DM, Bull JJ, White ME, Badger MR, Molineux IJ (1992) Experimental phylogenetics: generation of a known phylogeny. *Science* **255**, 589-592.
- Hillis DM, Bull JJ (1993) An empirical test of bootstrapping as a method for assessing confidence in phylogenetic analysis. *Systematic Biology* **42**, 182-192.

## References

- Hilu KW, Liang H (1997) The *matK* gene: sequence variation and application in plant systematics. *American Journal of Botany* **84**, 830-839.
- Hilu KW, Alice LA (1999) Evolutionary implications of *matK* indels in Poaceae. *American Journal of Botany* **86**, 1735-1741.
- Hiratsuka J, Shimada H, et al. (1989) The complete sequence of the rice (*Oryza sativa*) chloroplast genome: intermolecular recombination between distinct tRNA genes accounts for a major plastid DNA inversion during the evolution of the cereals. *Molecular and General Genetics* **217**, 185-194.
- Hodges SA, Arnold ML (1994) Columbines: a geographically widespread species flock. *Proceeding of the National Academy of Sciences. USA* **91**, 5129-5132.
- Hoen P (1999) Glossary of pollen and spore terminology. 2. Retrieved Access from <http://www.bio.uu.nl/~palaeo/glossary/glos-int.htm>
- Hollingsworth PM (1999) 'Molecular systematics and plant evolution.' (Taylor and Francis: London)
- Holmquist R (1983) Transitions and transversion in evolutionary descent: an approach to understanding. *Journal of Molecular Evolution* **19**, 134-144.
- Hooper SS (1973) Cyperaceae, keys to tribes and genera. In 'The families of flowering plants'. (Ed. J Hutchinson) pp. 862-871. (Clarendon Press: Oxford)
- Hoot SB, Palmer JD (1994) Structural rearrangements, including parallel inversions, within the chloroplast genome of *Anemone* and related genera. *Journal of Molecular Evolution* **38**, 274-281.
- Hoot SB, Douglas AW (1998) Phylogeny of the Proteaceae based on *atpB* and *atpB/rbcL* intergenic spacer region sequences. *Australian Systematic Botany* **11**, 301-320.

## References

- Horvat F (1966) Contribution à la connaissance de l'ultrastructure des parois du pollen de *Tradescantia paludosa* L. *Grana Palynologic* **6**, 416-434.
- Howe CJ (1985) The endpoints of an inversion in wheat chloroplast DNA are associated with short repeated sequences containing homology to *att-lambda*. *Current Genetics* **10**, 139-145.
- Hsiao C, Chatterton NJ, Asay KH, Jensen KB (1994) Phylogenetic relationships of ten grass species: an assessment of phylogenetic utility of the internal transcribed spacer region in nuclear ribosomal DNA in monocots. *Genome* **37**, 112-120.
- Hsiao C, J. CN, Asay KH, Jensen KB (1995) Molecular phylogeny of the Pooideae (Poaceae) based on nuclear rDNA (ITS) sequences. *Theories of Applied Genetics* **90**, 389-398.
- Huang T, Chung T (1971) Pollen grains of Formosan plants (7). *Taiwania* **16**, 85-104.
- Huang TC (1972) 'Pollen flora of Taiwan.' (Department of Botany, National Taiwan University: Taipei)
- Huelsenbeck JP (1995) The performance of phylogenetic methods in simulation. *Systematic Biology* **44**, 17-48.
- Huelsenbeck JP, Bull JJ, Cunningham W (1996) Combining data in phylogenetic analysis. *Trends in Ecology and Systematics* **11**, 152-158.
- Huelsenbeck JP, Bull JJ (1996) A likelihood ratio test to detect conflicting phylogenetic signal. *Systematic Biology* **45**, 92-98.
- Hutcheon JM, Kirsch JAW, Pettigrew JD (1998) Base-compositional biases and the bat problem. III. The question of microchiropteran monophyly. *Philosophy Trans. R. Soc. London* **353**, 607-617.

- Ikuse M (1956) Some noteworthy pollen grains from Japan. *Grana Palynologic* **1**, 148-150.
- Irwin DM, Kocher TD, Wilson AC (1991) Evolution of the cytochrome *b* gene of mammals. *Journal of Molecular Evolution* **32**, 128-144.
- Iwabe N, Kuma KI, Hasegawa M, Osawa S, Miyata T (1989) Evolutionary relationship of archaebacteria, eubacteria, and eukaryotes inferred from phylogenetics trees of duplicated genes. *Proceedings of the National Academy of Sciences, USA* **86**, 9355-9359.
- Iwanami Y, Sasakuma T, Yamada Y (1988) 'Pollen: illustrations and scanning electronmicrographs.' (Kodansha Ltd.: Tokyo)
- Jackson BD (1949) 'A glossary of botanic terms with their derivation and accent.' (Duckworth and Co.: London)
- Jansen RK, Palmer JD (1987a) A chloroplast DNA inversion marks an ancient evolutionary split in the sunflower family (Asteraceae). *Proceedings of the National Academy of Sciences* **84**, 5818-5822.
- Jansen RK, Palmer JD (1987b) Chloroplast DNA from lettuce and *Barnadesia* (Asteraceae): structure, gene localisation and characterisation of a large inversion. *Current Genetics* **11**, 553-564.
- Jansen RK, Holsinger KE, Michaels HJ, Palmer JD (1990) Phylogenetic analysis of restriction site data at higher taxonomic levels: an example from the Asteraceae. *Evolution* **44**, 2089-2105.
- Jansen RK, Holsinger KE, Michaels HJ, Palmer JD (1991) Phylogenetic analysis of chloroplast DNA restriction site data at higher taxonomic levels: an example from the Asteraceae. *Evolution* **44**, 2089-2105.

## References

- Jansen RK, Holsinger KE, Olmstead RG (1991) Character weighting for phylogenetic analyses of restriction site data. *American Journal of Botany* **78**, 193-194.
- Jenner RA, Schram FR (1999) The grand game of metazoan phylogeny: rules and strategies. *Biological reviews* **74**, 121-142.
- Johnson LA, Soltis DE (1994) *matK* DNA sequences and phylogenetic reconstruction in Saxifragaceae s. str. *Systematic Botany* **19**, 43-156.
- Johnson LA, Soltis DE (1995) Phylogenetic inference in Saxifragaceae sensu stricto and *Gilia* (Polemoniaceae) using *matK* sequences. *Annals of the Missouri Botanical Garden* **82**, 149-175.
- Jordan WC, Courtney MW, Neijel JE (1996) Low levels of the intraspecific genetic variation at a rapidly evolving chloroplast DNA loci in North American duckweeds (Lemnaceae). *American Journal of Botany* **83**, 430-439.
- Jussieu AL de (1789) 'Genera Plantarum Secundum Ordines Naturales Disposita.' (Herissant and Barrois: Paris)
- Kajita T, Kamiya K, Nakamura K, Tachida H, Wickneswari R, Tsumura Y, Yoshimaru H, Yamazaki T (1998) Molecular phylogeny of Dipetropcarpaceae in Southeast Asia based on nucleotide sequences of *matK*, *trnL* intron and *trnL-trnF* intergenic spacer region in chloroplast DNA. *Molecular Phylogenetics and Evolution* **10**, 202-209.
- Kaltenboeck B, Spatafora JW, Zhang X, Koussoulas KG, Blackwell M, Storz J (1992) Efficient production of single-stranded DNA as long as 2 kb for sequencing of PCR-amplified DNA. *BioTechniques* **12**, 164-171.
- Kanno A, Hirai A (1992) Comparative studies of the structure of chloroplast DNA for species of *Oryza*: cloning and physical maps. *Theories of Applied Genetics* **83**, 791-798.

## References

- Kanno A, Watanabe N, Nakamura I, Hirai A (1993) Variations in chloroplast DNA from rice (*Oryza sativa*): differences between deletions mediated by short direct-repeat sequences within a single species. *Theories of Applied Genetics* **86**, 579-584.
- Karvonen P, Szmidt AE, Savolainen O (1994) Length variation in the internal transcribed spacers of ribosomal DNA in *Picea abies* and related species. *Theoretical applications of Genetics* **89**, 969-974.
- Kelchner SA (1996) Molecular evolution and phylogenetic utility of the chloroplast *rpl16* intron in *Chusquea* and the Bambusoideae (Poaceae). M.Sc. thesis, Iowa State University.
- Kelchner SA, Wendel JF (1996) Hairpins create minute inversions in non-coding regions of chloroplast DNA. *Current Genetics* **30**, 259-262.
- Kelchner SA, Clark AG (1997) Molecular evolution and phylogenetic utility of the chloroplast *rpl16* intron in *Chusquea* and the Bambusoideae (Poaceae). *Molecular Phylogenetics and Evolution* **8**, 385-397.
- Kelchner SA (2000) The evolution of non-coding chloroplast DNA and its application in plant systematics. *Annals of the Missouri Botanical Garden* **87**, 482-498.
- Kern JH (1955) Flora Malesiana precursores 10. Notes on Malaysian and some S.E. Asian Cyperaceae 3. *Blumea* **8**, 110-169.
- Kern JH (1974) Cyperaceae 1. In 'Flora Malesiana'. (Ed. CGGJ van Steenis) pp. 435-753. (Noordhoff: Leyden)
- Kidd KK, Ruano J (1995) Optimizing PCR. In 'PCR 2: A Practical Approach', (Eds MJ McPherson, BD Hames and GR Taylor) pp. 1-22. (Oxford University Press: New York)
- Kim KJ, Jansen RK, Wallace RS, Michaels HJ, Palmer JD (1992) Phylogenetic implications of *rbcL* sequence variation in the Asteraceae. *Annals of the Missouri Botanical Garden* **79**, 428-445.

- Kim KJ, Jansen RK (1995) *ndhF* sequence evolution and the major clades in the sunflower family. *Proceedings of National Academy of Sciences* **92**, 19379-10383.
- Kitching IJ, Forey PL, Humphries CJ, Williams DM (1998) ‘Cladistics: the theory and practice of parsimony analysis.’ (Oxford University Press: New York)
- Kluge AG (1983) Cladistics and the classification of the great apes. In ‘New interpretations of ape and human ancestry’. (Eds RL Ciochon and RS Corruccini). 151-177 (Plenum Press: New York)
- Kluge AG (1989) A concern for evidence and a phylogenetic hypothesis of relationships among *Epicrates* (Boidae, Serpentes). *Systematic Zoology* **38**, 7-25.
- Knaak C, Hamby RK, Arnold ML, Leblanc MD, Chapman RL, Zimmer EA (1990) Ribosomal DNA variation and its use in plant biosystematics. In ‘Biological approaches and evolutionary trends in plants’. (Ed. S Kawano) pp. 135-158. (Academic Press: London)
- Knapp S, Persson V, Blackmore S (1997) A phylogenetic conspectus of the tribe Juanulloae (Solanaceae). *Annals of the Missouri Botanical Garden* **84**, 1-30.
- Koch M, Al-Shehbaz IA (2000) Molecular systematics of the Chinese *Yinshamia* (Brassicaceae): evidence from plastid and nuclear ITS DNA sequence data. *Annals of the Missouri Botanical Garden* **87**, 246-272.
- Koch M, Haubold B, Mitchell-Olds T (2000) Comparative evolutionary analysis of the chalcone synthase and alcohol dehydrogenase loci among different lineages of *Arabidopsis*, *Arabis*, and related genera (Brassicaceae). *Molecular Biology and Evolution*.
- Koch M, Haubold B, Mitchell-olds T (2001) Molecular systematics of the Brassicaceae: evidence from coding plastid *matK* and nuclear *Chs* sequences. *American Journal of Botany* **88**, 534-544.

## References

- Kocher TD, Wilson AC (1991) Sequence evolution of mitochondrial DNA in humans and chimpanzees: control region and a prote n-coding region. In ‘Evolution of life’. (Eds S Osawa and T Honjo) pp. 391-413. (Springer-Verlag: Tokyo)
- Korber BTM, Farber RM, Wolpert DH, Lapedes AS (1993) Covariation of mutations in the V3 loop of human immunodeficiency virus type 1 envelope protein. *Proceeding of the National Academy of Sciences. USA* **90**, 7176-7180.
- Kores PJ, Molvary M, Weston PH, Hopper SD, Brown AP, Cameron KM, Chase MW (2001) A phylogenetic analysis of Diurideae (Orchidaceae) based on plastid DNA sequence data. *American Journal of Botany* **88**, 1903-1914.
- Koyama T (1961) Classification of the family Cyperaceae 1. *Journal of the Faculty of Science, University of Tokyo* **8**, 37-148.
- Koyama T (1969a) Botany of the Guayana Highland – Part. VIII. Cyperaceae. *Memoirs of the New York Botanical Garden* **18**, 22-29.
- Koyama T (1969b) Delimitation and classification of the Cyperaceae-Mapanioideae. In ‘Current topics in plant sciences’. (Ed. JE Gunckel) pp. 213-328. (Academic Press: New York)
- Koyama T (1971) Systematic interrelationships among Sclerieae, Lagenocarpeae and Mapanieae (Cyperaceae). *Mitteilungen Botanischen Staatssammlung München* **10**, 604-617.
- Koyama T (1974) The genus *Fimbristylis* (Cyperaceae) in Ceylon. *Botanical Magazine Tokyo* **87**, 301-331.
- Koyama T (1985) Cyperaceae. In ‘Flora of Ceylon’. (Ed. MD Dassanayake) pp. 125-404. (Amerind Publishing Co.: New Delhi)
- Kremp GOW (1965) ‘Morphologic encyclopedia of palynology.’ (The University of Arizona Press: Tucson, AZ)

- Kron KA, Albert VA, Chase MW (1993) Systematics of the Ericaceae, Empetraceae, Epacridaceae and related taxa based on *rbcL* sequence data. *Annals of the Missouri Botanical Garden* **80**, 735-741.
- Kron KA (1997) Phylogenetic relationships of Rhododendroideae (Ericaceae). *American Journal of Botany* **84**, 973-980.
- Kuhner MK, Felsenstein J (1994) A simulation of phylogeny algorithms under equal and unequal evolutionary rates. *Molecular Biology and Evolution* **11**, 459-468.
- Kuhsel MG, Strickland R, Palmer JD (1990) An ancient group I intron shared by Eubacteria and chloroplasts. *Science* **250**, 1570-1573.
- Kukkonen I (1990) On the genus *Eleocharis* (Cyperaceae) in the Flora Iranica area, with revised infrageneric classification and nomenclature. *Annales Botanici Fennici* **27**, 109-117.
- Kunth CS (1837) ‘Enumeratio plantarum, vol 2 Cyperographia synoptica’. (Colla: Stuttgart)
- Kuprianova LA (1948) Pollen morphology and the phylogeny of monocotyledons. *Comm. Komorrovo. Indst. Acad. Sci.* **1**, 7.
- Kurmann MH (1994) Pollen morphology and ultrastructure in the Cupressaceae. *Acta Botanica Gallica* **141**, 141-147.
- Kusumi J, Tsumura Y, Yoshimaru H, Tachida H (2000) Phylogenetic relationships in Taxodiaceae and Cupressaceae sensu stricto based on *matK* gene, *chL* gene, *trnL-trnF* IGS region, and *trnL* intron sequences. *American Journal of Botany* **87**, 1480-1488.
- Kwok S, Higuchi R (1989) Avoiding false positives with PCR. *Nature* **339**, 237-238.
- Lake JA (1987) Rate-independent technique for analysis of nucleic acid sequences: evolutionary parsimony. *Molecular Biology and Evolution* **4**, 167-191.

- Lake JA (1994) Reconstructing evolutionary trees from DNA and protein sequences: paralinear distances. *Proceeding of the National Academy of Sciences. USA* **91**, 1455-1459.
- Larson DA, Skvarla JJ, Lewis CW (1962) An electron microscope study of exine stratification and fine structure. *Pollen et Spores* **4**, 233-246.
- Latz PK (1990) Taxonomic studies of *Fimbristylis* (Cyperaceae) in northern Australia. *Nuytsia* **7**, 161-183.
- Lavin M, Doyle JJ, Palmer JD (1990) Systematic and evolutionary significance of the loss of the large chloroplast-DNA inverted repeat in the Leguminosae subfamily Papilioideae. *Evolution* **44**, 390-402.
- Lavin M, Doyle JJ (1991) Tribal relationships of *Sphinctospermum* (Leguminosae): integration of traditional and chloroplast DNA data. *Systematic Botany* **16**, 162-172.
- Le Thomas A (1980) Ultrastructural characters of the pollen grains of African Annonaceae and their significance for the phylogeny of primitive angiosperms I. *Pollen et Spores* **22**, 267-342.
- Le Thomas A (1981) Ultrastructural characters of the pollen grains of African Annonaceae and their significance for the phylogeny of primitive angiosperms II. *Pollen et Spores* **23**, 5-36.
- Leclerc B (1998) Consensus of classifications: the case of trees. In 'Advances in data science and classification'. (Eds A Rizzi, M Vichi and HH Bock) pp. 81-90. (Springer: Berlin)
- Lee MSY (2000) Tree robustness and tree significance. *Systematic Biology* **49**, 829-836.
- Levinson G, Gutman GA (1987) Slipped-strand mispairing: a major mechanism for DNA sequence evolution. *Molecular Biology and Evolution* **4**, 203-221.

- Li W-H, Graur D (1991) 'Fundamentals of molecular evolution.' (Sinauer: Sunderland, Massachusetts)
- Liang H, Hilu KW (1996) Application of the *matK* gene sequences to grass systematics. *Canadian Journal of Botany* **74**, 125 -134.
- Liden M, Fukuhara T, Rylander J, Oxelman B (1997) Phylogeny and classification of Fumariaceae, with emphasis on *Dicentra* s.l., based on the plastid gene *rps16* intron. *Plant Systematics and Evolution* **206**, 411-420.
- Liede S, Tauber A, Schneid J (2002) Molecular considerations in the Tylophorinae K. Schum. (Apocynaceae-Asclepiadoideae). *Edinburgh Journal of Botany* **59**, 377-403.
- Liston A, Rieseberg L.D, Adams RP, Do M, Zhu G (1990) A method for collecting dried plant specimens for DNA and isozyme analyses and the result of a field test in Xinjiang, China. *Annals of the Missouri Botanical Garden* **77**, 859-863.
- Liston A (1992) Variation in the chloroplast genes *rpoC1* and *rpoC2* of the genus *Astragalus* (Fabaceae): evidence from restriction site mapping of a PCR-amplified fragment. *American Journal of Botany* **79**, 953-961.
- Lockhart PJ, Steel MA, Hendy MD, Penny D (1994) Recovering evolutionary trees under a more realistic model of sequence evolution. *Molecular Biology and Evolution* **11**, 605-612.
- Lopez MG (1996) Una nueva especie de *Bulbostylis* (Cyperaceae). *Bonplandia* **9**, 29-33.
- Lundberg J, Bremer K (2003) A phylogenetic study of the order Asterales using one morphological and three molecular data sets. *International Journal of Plant Sciences* **164**, 553-578.
- Lye KA (1971) The generic concept of *Bulbostylis* Kunth ex C.B. Cl. *Mitteilungen Botanischen Staatssammlung Muenchen* **10**, 539-547.

- Lye KA (1973) Studies in African Cyperaceæ. 8. The taxonomic position of *Abildgaardia* Vahl and *Nemum* Hamilton. *Botaniska Notiser* **126**, 325-329.
- Lye KA (1974a) Studies in African Cyperaceæ. 12. New taxa and combinations in *Fimbristylis* Vahl. *Botaniska Notiser* **127**, 498-499.
- Lye KA (1974b) Studies in African Cyperaceæ. 11. New taxa and combinations in *Abildgaardia* Vahl. *Botaniska Notiser* **127**, 493-497.
- Lye KA (1982) Studies in African Cyperaceæ. 22. New taxa and combinations in *Abildgaardia* Vahl II. *Nordic Journal of Botany* **1**, 749-758.
- Lye KA (1983) Studies in African Cyperaceæ. 26. New taxa and combinations in *Abildgaardia* Vahl III. *Nordic Journal of Botany* **3**, 233-239.
- Lye KA (1989) A new species of *Nemum* (Cyperaceæ) from West Africa. *Lidia* **2**, 33-36.
- Macey JR, Schulte JA, Larson A, Tuniev BS, Orlov N, Papenfuss TJ (1999) Molecular phylogenetics, tRNA evolution, and historical biogeography in anguid lizards and related taxonomic families. *Molecular Phylogenetics and Evolution* **12**, 250-272.
- Maddison WP, Donoghue MJ, Maddison DR (1984) Outgroup analysis and parsimony. *Systematic Zoology* **33**, 83-103.
- Maddison DR (1991) The discovery and importance of multiple islands of most-parsimonious trees. *Systematic Zoology* **40**, 315-328.
- Maddison WP, Maddison DR (2001) MacClade. Version 4. (Sinauer Associates: Sunderland, Massachusetts)
- Makde KH (1982) Pollen development in the Cyperaceæ. *Journal of the Indian Botanical Society* **61**, 242-249.
- Malpighi M (1687) 'Opera omnia.' (Martin: London)

- Manhart JR (1990) Chemotaxonomy of the genus *Carex* (Cyperaceae). *Canadian Journal of Botany* **68**, 1457.
- Manos PS, Nixon KC, Doyle JJ (1993) Cladistic analysis of restriction site variation within the chloroplast DNA inverted repeat region of selected Hamamelididae. *Systematic Botany* **18**, 551-562.
- Margush T, McMorris FR (1981) Consensus r-trees. *Bulletin of Mathematical Biology* **43**, 239-244.
- Martin PG, Dowd JM (1991) Studies of angiosperm phylogeny using protein sequences. *Annals of the Missouri Botanical Garden* **78**, 296-337.
- Martin PG, Dowd JM (1991) A comparison of 18S ribosomal RNA and Rubisco large subunit sequences for studying angiosperm phylogeny. *Journal of Molecular Evolution* **33**, 274-282.
- Martin W, Somerville CC, Loiseaux-De Goer S (1992) Molecular phylogenies of plastid origins and algal evolution. *Journal of Molecular Evolution* **35**, 385-404.
- Martin J, Torrel M, Valles J (2001) Palynological features as a systematic marker in *Artemisia* L. and related genera (Asteraceae. Anthemideae). *Plant Biology* **3**, 372-378.
- McDade LA, Moody ML (1999) Phylogenetic relationships among Acanthaceae: evidence from noncoding *trnL-trnF* chloroplast DNA sequences. *American Journal of Botany* **86**, 70-80.
- McDade LA, Daniel TF, Masta SE, Riley KM (2000) Phylogenetic relationships within the tribe Justicieae (Acanthaceae) evidence from molecular sequences, morphology, and cytology. *Annals of the Missouri Botanical Garden* **87**, 435-458.
- McIntosh L, Poulsen C, Bogorad L (1980) Chloroplast gene sequence for the large subunit of ribulase biphosphate carboxylase of maize. *Nature (London)* **288**, 556-560.

## References

- McMillan C, Chavez PI, Plettman SG, Mabry TJ (1975) Systematic implications of the sesquiterpene lactones in the “Strumarium” morphological complex (*Xanthium strumarium*, Asteraceae) of Europe, Asia and Africa. *Biochemical Systematics and Ecology* **2**, 181-184.
- Meimberg H, Dittrich P, Bringmann G, Schlauer J, Heubl G (2000) Molecular phylogeny of Caryophyllidae s.l. based on *matK* sequences with special emphasis on carnivorous taxa. *Plant Biology* **2**, 218-228.
- Mes THM, t'Hart H (1994) *Sedum surculosum* and *S. jaccardianum* (Crassulaceae) share a unique 70 bp deletion in the chloroplast DNA *trnL* (UAA)-*trnF* (GAA) intergenic spacer. *Plant Systematics and Evolution* **193**, 213-221.
- Metcalf CR (1971) ‘Anatomy of the Monocotyledons. Cyperaceae.’ (Clarendon Press: Oxford)
- Mickevich MF, Farris JS (1981) The implications of congruence in *Menidia*. *Systematic Zoology* **30**, 351-370.
- Milinkovitch MC, Lyons-Weiler J (1998) Finding optimal ingroup topologies and convexities when the choice of outgroups is not obvious. *Molecular Phylogenetics and Evolution* **9**, 348-357.
- Miller RG (1974). The jackknife: a review. *Biometrika* **61**: 1–15
- Milligan BG, Hampton JN, Palmer JD (1989) Dispersed repeats and structural reorganisation in sub-clover chloroplast DNA. *Molecular Biology and Evolution* **6**, 355-368.
- Mishler BD, Bremer K, Humphries CJ, Churchill SP (1988) The use of nucleic acid sequence data in phylogenetic reconstruction. *Taxon* **37**, 391-395.
- Miyamoto MM, Fitch WM (1995) Testing species phylogenies and phylogenetic methods with congruence. *Systematic Biology* **44**, 64-76.

- Miyamoto MM, Boyle SM (1989) The potential importance of mitochondrial DNA sequence data to eutherian mammal phylogeny. In 'The hierarchy of life'. (Eds B Fernholm, K Bremer and H Jornvall) pp. 437-450. (Elsevier Science: Amsterdam)
- Miyamoto MM, Cracraft J (1991) 'Phylogenetic analysis of DNA sequences.' (Oxford University Press: New York, NY)
- Miyamoto MM, Fitch WM (1995) Testing the covariation hypothesis of molecular evolution. *Molecular Biology and Evolution* **12**, 503-513.
- Moar NT (1993) 'Pollen grains of New Zealand dicotyledonous plants.' (Manaaki Whenua Press: Lincoln)
- Moller M, Cronk QCB (1997a) Origin and relationships of *Saintpaulia* (Gesneriaceae) based on ribosomal DNA internal transcribed spacer (ITS) sequences. *American Journal of Botany* **84**, 956-965.
- Moller M, Cronk QCB (1997b) Phylogeny and disjunct distribution: evolution of *Saintpaulia* (Gesneriaceae). *Proceedings of the Royal Society of London* **264**, 1827-1836.
- Moller M, Clokie M, Cubas, P, Cronk, Q. C. B. (1999) Integrating molecular phylogenies and developmental genetics: a Gesneriaceae case study. In 'Molecular systematics and plant evolution'. (Eds PM Hollingsworth, RM Bateman and RJ Gornall) pp. 375-402. (Taylor & Francis: London)
- Moller M (2000) How universal are universal rDNA primers? A cautionary note for plant systematists and phylogeneticists. *Edinburgh Journal of Botany* **2**, 151-156.
- Moore PD, Webb JA, Collinson ME (1991) 'Pollen analysis.' (Blackwell Scientific Publications: Oxford)
- Morden CW, Delwiche CF, Kuhsel M, Palmer JD (1992) Gene phylogenies and the endosymbiotic origin of plastids. *BioSystems* **28**, 75-90.

- Morgan DR, Soltis DE (1993) Phylogenetic relationships among members of Saxifragaceae sensu lato based on *rbcL* sequence data. *Annals of the Missouri Botanical Garden* **80**, 631-660.
- Morgan DR (1997) Decay analysis of large sets of phylogenetic data. *Taxon* **46**, 509-517.
- Morgenstern B (1999) DIALIGN 2: improvement of the segment-to-segment approach to multiple sequence alignment. *Bioinformatics* **15**, 211-218.
- Moritz C, Dowling TE, Brown WM (1987) Evolution of animal mitochondrial DNA; relevance for population biology and systematics. *Annual Review of Ecology and Systematics* **18**, 269-292.
- Mort ME, Soltis PS, Soltis DE, Mabry ML (2000) Comparison of three methods for estimating internal support on phylogenetic trees. *Systematic Biology* **49**, 160-171.
- Morton BR, Clegg MT (1993) A chloroplast DNA mutational hot spot and gene conversion in a non-coding region near *rbcL* in the grass family (Poaceae). *Current Genetics* **24**, 357-365.
- Morton BR (1995a) Neighboring base composition and transversion/transition bias in a comparison of rice and maize chloroplast non-coding regions. *Proceeding of the National Academy of Sciences. USA* **92**, 9717-9721.
- Morton BR (1995b) Neighboring base composition is strongly correlated with base substitution bias in a region of the chloroplast genome. *Journal of Molecular Evolution* **41**, 597-603.
- Morton BR, Oberholzer VM, Clegg MT (1997) The influence of specific neighboring bases on substitution bias in non-coding regions of the chloroplast genome. *Journal of Molecular Evolution* **45**, 227-231.
- Morton BR (1997) The influence of neighboring base composition on substitutions in plant chloroplast coding sequences. *Molecular Biology and Evolution* **14**, 189-194.

- Muasya AM, Simpson DA, Chase MW, Culham A (1998) An assessment of the suprageneric phylogeny in Cyperaceae using *rbcL* DNA sequences. *Plant Systematics and Evolution* **211**, 257-271.
- Muasya AM, Bruhl, JJ, Simpson, DA, Culham, A, Chase MW (2000a) Suprageneric phylogeny of Cyperaceae: a combined analysis. In 'Monocots: Systematics and Evolution'. (Ed. KL Wilson, and DA Morrison) pp. 593-601. (CSIRO: Melbourne)
- Muasya AM, Simpson DA, Chase MW, Culham A (2000b) Phylogenetic relationships within the heterogeneous *Scirpus* s. lat. (Cyperaceae) inferred from *rbcL* and *trnL*-F sequence. In 'Monocots: Systematics and Evolution'. (Ed. KL Wilson and DA Morrison) pp. 610-614. (CSIRO: Melbourne)
- Muasya MA, Simpson DA, Chase MW (2001a) Generic relationships and character evolution in *Cyperus* s.l. (Cyperaceae). *Systematic Geography of Plants* **71**, 539-544.
- Muasya MA, Simpson DA, Chase MW (2001b) A phylogeny of *Isolepis* (Cyperaceae) inferred using plastid *rbcL* and *trnL*-F sequence data. *Systematic Botany* **26**, 342-353.
- Muasya AM, Simpson DA (2002) A monograph of the genus *Isolepis*. *Kew Bulletin* **57**, 257-362.
- Mullis KB, Faloona FA (1987) Specific synthesis of DNA in vitro via a polymerase catalyzed chain reaction. *Methods in Enzymology* **155**, 335-350.
- Nadot S, Bittar G, Carter L, Lacroix R, Lejeune B (1995) A phylogenetic analysis of monocotyledons based on the chloroplast gene *rps4*, using parsimony and a new numerical phenetics method. *Molecular Phylogenetics and Evolution* **4**, 257-282.
- Nair PKK (1960) A modification in the method of pollen preparation. *Journal of Scientific and Industrial Research. C. Biological Sciences* **19**, 253-260.
- Nair PKK (1970) 'Pollen morphology of Angiosperm.' (Vikas Publishing House: Delhi)

## References

- Nair PKK, Ravi Kumar C (1984) Aspects and prospects of cytopalynology with special reference to pollen morphology. In 'Advances in pollen-spore research'. (Ed. PKK Nair) pp. 1-20. (Today and Tommorow's Printers and Publishers: New Delhi)
- Natali A, Manen JF, Ehrendorfer F (1995) Phylogeny of the Rubiaceae-Rubioideae, in particular the tribe Rubieae: evidence from a non-coding chloroplast DNA sequence. *Annals of the Missouri Botanical Garden* **82**, 428-439.
- Nei M, Li WH (1979) Mathematical model for studying genetic variation in terms of restriction endonucleases. *Proceedings of the National Academy of Sciences, USA* **76**, 5269-5263.
- Nei M, Tajima F (1981) DNA polymorphism detectable by restriction endonucleases. *Genetics* **97**, 145-163.
- Nei M (1987) 'Molecular evolutionary genetics.' (Columbia University Press: New York)
- Nei M (1991) Relative efficiencies of different tree-making methods for molecular data. In 'Phylogenetic analyses of DNA sequences'. (Eds MM Miyamoto and J Cracraft) pp. 90-128. (Oxford University Press: New York, NY)
- Neilson C, Scharff N, Eibye-Jacobsen D (1995) Cladistic analyses of the animal kingdom. *Biological Journal of the Linnean Society* **57**, 385-410.
- Neuhaus H, Link G (1987) The chloroplast tRNA (UUU) gene from mustard. *Current Genetics* **11**, 251-257.
- Neyland R, Urbatsch LE (1996) Phylogeny of subfamily Epidendroideae (Orchidaceae) inferred from *ndhF* chloroplast gene sequences. *American Journal of Botany* **83**, 1195-1206.
- Nixon KC, Carpenter JM (1993) On outgroups. *Cladistics* **9**, 413-426.

## References

- Nixon KC, Carpenter JM (1996) On simultaneous analysis. *Cladistics* **12**, 221-241.
- Norman JA, Christidis L (2000) The use of DNA in natural history studies. *The Victorian Naturalist* **117**, 219-225.
- Nowicke JW, Skavarla JJ (1977) Pollen morphology and the relationship of the Plumbaginaceae, Polygonaceae, and Primulaceae to the order Centrospermae. *Smithsonian Contributions to Botany* **37**, 1-64.
- Nowicke JW, Skavarla JJ (1981) Pollen morphology and phylogenetic relationships of the Berberidaceae. *Smithsonian Contributions to Botany* **50**, 1-50.
- Nowicke JW, Miller JS (1990) Pollen morphology of the Cordioideae (Boraginaceae): *Auxemma*, *Cordia*, and *Patagonula*. *Plant Systematics and Evolution Supplementum* **5**, 103-121.
- O'Donnell K (1992) Ribosomal DNA internal transcribed spacers are highly divergent in the phytopathogenic ascomycete *Fusarium sambucinum* (*Gibberella pulicaris*). *Current Genetics* **22**, 213-220.
- Ogihara Y, Terachi T, Sasakuma T (1988) Intra-molecular recombination of chloroplast genome mediated by short direct-repeat sequences in wheat species. *Proceedings of the National Academy of Sciences, USA* **85**, 8573-8577.
- Ohwi J (1938) *Journal of Japanese Botany* **14**, 571.
- Olmstead RG (1989) Phylogeny, phenotypic evolution, and biogeography of the *Scutellaria angustifolia* complex (Lamiaceae): inference from morphological and molecular data. *Systematic Botany* **14**, 320-338.
- Olmstead RG, Michaels HG, Scott K, Palmer JD (1992) Monophyly of the Asterideae and identification of their major lineages inferred from DNA sequences of *rbcL*. *Annals of the Missouri Botanic Garden* **79**, 249-265.

## References

- Olmstead RG, Palmer JD (1992) A chloroplast DNA phylogeny of the Solanaceae: subfamilial relationships and character evolution. *Annals of the Missouri Botanical Garden* **79**, 346-360.
- Olmstead RG, Bremer B, Scott KM, Palmer JD (1993) A parsimony analysis of the Asterideae sensu lato based on *rbcL* sequences. *Annals of the Missouri Botanical Garden* **80**, 700-722.
- Olmstead RG, Sweere JA, Wolfe KH (1993b) Ninety extra nucleotides in *ndhF* gene of tobacco chloroplast DNA: a summary of revisions to the 1986 genome sequence. *Plant Molecular Biology* **22**, 1191-1193.
- Olmstead RG, Sweere JA (1994) Combining data in phylogenetic systematics: an empirical approach using three molecular data sets in Solanaceae. *Systematic Biology* **43**, 467-481.
- Olmstead RG, Palmer JD (1994) Chloroplast DNA systematics: a review of methods and data analysis. *American Journal of Botany* **81**, 1205-1224.
- Olmstead RG, Reeves PA (1995) Evidence for the polyphyly of the Scrophulariaceae based on chloroplast *rbcL* and *ndhF* sequences. *Annals of the Missouri Botanic Garden* **82**, 176-193.
- Olmstead RG, Kim KJ, Jansen RK, Wagstaff SJ (2000) The phylogeny of the Asterideae sensu lato based on chloroplast *ndhF* gene sequences. *Molecular Phylogenetics and Evolution* **16**, 96-112.
- Olsen GJ (1987) The earliest phylogenetic branchings: comparing rRNA-based evolutionary trees inferred with various techniques. *Cold Spring Harbor Symposium on Quantitative Biology* **52**, 825-838.
- Olsen GJ, Natsuda H, Hagstrom R, Overbeek R (1992) FastDNAMl. Version 1.2.2 (University of Illinois, Argonne National Laboratory: Argonne, IL)

## References

- Olson ME (2002) Combining data from DNA sequences and morphology for a phylogeny of Moringaceae (Brassicales). *Systematic Botany* **27**, 55-73.
- Omland KE (1999) The assumptions and challenges of ancestral state reconstructions. *Systematic Biology* **48**, 604-611.
- Oxelman B, Liden M (1995) Generic boundaries in the tribe Sileneae (Caryophyllaceae) as inferred from nuclear rDNA sequences. *Taxon* **44**, 525-542.
- Oxelman B, Backlund M, Bremer B (1999) Relationships of the Buddlejaceae s.l. investigated using parsimony jackknife and branch support analysis of chloroplast *ndhF* and *rbcL* sequence data. *Systematic Botany* **24**, 164-182.
- Padhye MD (1966-67) The pollen grains of *Kyllinga* Rottb. *Palynological Bulletin* **2**, 101-103.
- Padhye MD (1967) Embryological and taxonomical studies in the Cyperaceae with some observations on the embryology of *Passiflora foetida* Linn. Ph. D. thesis, Nagpur University.
- Padhye MD, Makde KH (1980) Pollen morphology of Cyperaceae. *Journal of Palynology* **16**, 71-81.
- Page RDM, Holmes EC (1998) 'Molecular evolution: a phylogenetic approach.' (Blackwell Science Ltd.: Oxford)
- Palmer JD (1985) Comparative organisation of chloroplast genome. *Annual Review of Genetics* **19**, 325-354.
- Palmer JD, Jorgensen RA, Thompson WF (1985) Chloroplast DNA variation and evolution in *Pisum*: patterns of change and phylogenetic analysis. *Genetics* **109**, 195-213.

- Palmer JD (1986) Isolation and structural analysis of chloroplast DNA. *Methods in Enzymology* **118**, 167-186.
- Palmer JD (1987) Chloroplast DNA evolution and biosystematic uses of chloroplast DNA variation. *American Naturalist* **130**, S6-S29.
- Palmer JD, Nugent JM, Herbon LA (1987) Unusual structure of geranium chloroplast DNA: a triple-sized inverted repeat, extensive gene duplications, multiple inversions, and two repeat families. *Proceeding of the National Academy of Sciences. USA* **84**, 769-773.
- Palmer JD, Jansen RK, Michaels HJ, Chase MW, Manhart JW (1988) Chloroplast DNA variation and plant phylogeny. *Annals of the Missouri Botanical Garden* **75**, 1180-1206.
- Palmer JD (1990) Contrasting modes and tempos of genome evolution in land plant organelles. *Trends in Genetics* **6**, 115-120.
- Palmer JD (1991) Plastids chromosomes: structure and evolution. In 'Molecular biology of plastids and photosynthetic apparatus'. (Ed. IK Vasil) pp. 5-53. (Academic Press: New York)
- Palmer JD (1992) Mitochondrial DNA in plant systematics: applications and limitations. In 'Molecular systematics of plants'. (Eds PS Soltis, DE Soltis and JJ Doyle) pp. 36-49. (Chapman and Hall: New York)
- Palumbi SR (1996) Nucleic acids II: the polymerase chain reaction. In 'Molecular systematics'. (Eds DM Hillis, C Mortiz and BK Mable) pp. 205-247. (Sinauer Associates Inc.: Sunderland, Massachusetts)
- Pamilo P, Nei M (1988) Relationships between gene trees and species trees. *Molecular Biology and Evolution* **5**, 568-583.

## References

- Penny D, Foulds LR, Hendy MD (1982) Testing the theory of evolution by comparing phylogenetic trees constructed from five different protein sequences. *Nature* **297**, 197-200.
- Penny D, Hendy MD (1986) Estimating the reliability of evolutionary trees. *Molecular Biology and Evolution* **3**, 403-417.
- Penny D, O'Kelly CJ (1991) Seeds of a universal tree. *Nature* **350**, 106-107.
- Persson V, Knapp S, Blackmore S (1994) Pollen morphology and systematics of tribe Juanulloae A. T. Hunziker (Solanaceae). *Review of Palaeobotany and Palynology* **83**, 1-30.
- Persson C (2000a) Phylogeny of the neotropical *Alibertia* group (Rubiaceae), with emphasis on the genus *Alibertia*, inferred from ITS and 5S ribosomal DNA sequences. *American Journal of Botany* **87**, 1018-1028.
- Persson C (2000b) Phylogeny of Gardenieae (Rubiaceae) based on chloroplast DNA sequences from the *rps16* and *trnL(UAA)-F(GAA)* intergenic spacer. *Nordic Journal of Botany* **20**, 257-269.
- Peterson G, Seberg O (1997) Phylogenetic analysis of the Triticeae (Poaceae) based on *rpoA* sequence data. *Molecular Phylogenetics and Evolution* **7**, 212-230.
- Platnick NI, Coddington JI, Forster RR, Griswold CE (1991) Spinneret morphology and the phylogeny of haplogyne spiders (Araneae, Araneomorphae). *American Museum Novitates* **3016**, 1-73.
- Platnick NI, Humphries CJ, Nelson GJ, Williams DM (1996) Is Farris optimization perfect? Three-taxon statements and multiple branching. *Cladistics* **12**, 243-252.
- Plunkett GM (1994) A molecular-phylogenetic approach to the “family-pair dilemma” in Apiales and Cyperales. PhD thesis Washington State University.

- Plunkett GM, Soltis, D. E., Soltis, P. S., and Brooks, R. E. (1995) Phylogenetic relationships between Juncaceae and Cyperaceae: insights from *rbcL* sequence data. *American Journal Of Botany* **82**, 520-525.
- Plunkett GM, Soltis DE, Soltis PS (1996) Evolutionary patterns in Apiaceae: inferences based on *matK* sequence data. *Systematic Botany* **21**.
- Plunkett GM, Soltis DE, Soltis PS (1997) Clarification of the relationship between Apiaceae and Araliaceae based on *matK* and *rbcL* sequence data. *American Journal of Botany* **84**, 565-580.
- Prata AP, Lopez MG, Simpson DA (2001) New combinations in *Bulbostylis* (Cyperaceae) from South America. *Kew Bulletin* **56**, 1007-1009.
- Price RA, Palmer JD (1993) Phylogenetic relationships of the Geraniaceae and Geraniales from *rbcL* sequence comparisons. *Annals of the Missouri Botanical Garden* **80**, 661-671.
- Punt W (1975) Pollen morphology of the Dichapetalaceae with special reference to evolutionary trends and mutual relationships of pollen types. *Review of Palaeobotany and Palynology* **19**, 1-97.
- Punt W, Blackmore S, Nilsson S, Le Thomas A (1994) 'Glossary of pollen and spore terminology.' (LPP Foundation: Utrecht)
- Pyle MM, Adams RP (1989) In situ preservation of DNA in plant specimens. *Taxon* **38**, 578-581.
- Qiu YL, Lee J, et al. (1999) The earliest angiosperms: evidence from mitochondrial, plastid and nuclear genomes. *Nature* **402**, 404-407.
- Quicke DLJ (1993) 'Principle and techniques of contemporary taxonomy.' (Chapman and Hall: Glasgow)

## References

- Rathgeber J, Capesius I (1989) Nucleotide sequence of the 18S-25S spacer region from mustard DNA. *Nucleic Acids Research* **17**, 7522.
- Raubeson LA, Jansen RK (1992a) A rare chloroplast DNA structural mutation is shared by all conifers. *Biochemical Systematic Ecology* **20**, 17-24.
- Raubeson LA, Jansen RK (1992b) Chloroplast DNA evidence on the ancient evolutionary split in vascular land plants. *Science* **255**, 1697-1699.
- Ravikumar C (1984) Potentiality of pollen grain as an experimental system. In 'Advances in pollen-spore research'. (Ed. PKK Nair) pp. 21-44. (Today and Tomorrow's Printers and Publishers: New Delhi)
- Raynal A, Raynal J (1971) Une technique de préparation des grains de pollen fragiles. *Adansonia* **11**, 77-79.
- Raynal J (1967) Notes Cypérologiques: VIII. Le genre *Actinoschoenus* Benth. *Adansonia, ser. 2*, **7**, 89-95.
- Raynal J (1968) Notes Cypérologiques. 12. *Trichoschoenus*, nouveau genre malgache. *Adansonia* **8**, 223-226.
- Raynal J (1973) Notes Cypérologiques. 19. Contribution à la classification de la sous-famille des Cyperoideae. *Adansonia* **13**, 145-171.
- Reichenbach (1828) 'Conspectus Regni Vegetabilis.' (Knobloch: Leipzig)
- Reitsma T (1969) Size modification of recent pollen grains with different treatment. *Review of Palaeobotany and Palynology* **9**, 175-202.
- Richardson JE, Fay MF, Cronk QCB, Bowmar D, Chase MW (2000). A phylogenetic analysis of Rhamnaceae using *rbcL* and *trnL*-F plastid DNA sequences. *American Journal of Botany* **87**, 1309-1324.

## References

- Rieseberg LH, Beckstrom-Stenberg SM, Liston A, Arias DM (1991) Phylogenetic and systematic inferences from chloroplast DNA and isozyme variation in *Helianthus* sect. *Helianthus* (Asteraceae). *Systematic Botany* **16**, 50-76.
- Rieseberg LH, Soltis DE (1991) Phylogenetic consequences of cytoplasmic gene flow in plants. *Evolutionary trends in plants* **5**, 65-84.
- Rieseberg LH, Hanson MA, Philbrick CT (1992) Androdioecy is derived from dioecy in Datisaceae: evidence from restriction site mapping of PCR-amplified chloroplast DNA fragments. *Systematic Botany* **17**, 324-336.
- Roalson EH, Friar EA (2000) Infrageneric classification of *Eleocharis* (Cyperaceae) revisited: Evidence from the internal transcribed spacer (ITS) region of nuclear ribosomal DNA. *Systematic Botany* **25**, 323-336.
- Roalson EH, Columbus JT, Friar EA (2001) Phylogenetic relationships in Cariceae (Cyperaceae) based on ITS (nrDNA) and *trnT-L-F* (cpDNA) region sequences: assessment of subgeneric and sectional relationships in *Carex* with emphasis on section *Acrocystis*. *Systematic Botany* **26**.
- Rodrigo AG, Kellyborges M, Bergquist PR, Bergquist PL (1993) A randomisation test of the null hypothesis that two cladograms are sample estimates of a parametric phylogenetic tree. *New Zealand Journal of Botany* **31**, 257-268.
- Rogstad SH (1992) Saturated NaCl-CTAB solution as a means of field preservation of leaves for DNA analyses. *Taxon* **41**, 701-708.
- Roland F (1968) Etude de l'ultrastructure des apertures: pollens à sillon. *Pollen et Spores* **10**, 479-519.
- Rowley J (1959) The fine structure of the pollen wall in the Commelinaceae. *Grana Palynologic* **2**, 3-31.

## References

- Rubeson LA, Jansen RK (1992) Chloroplast DNA evidence on the ancient evolutionary split in vascular land plants. *Science* **255**, 1697-1699.
- Saitou N, Nei M (1987) The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution* **4**, 406-425.
- Sambrook J, Fritsch EF, Maniatis T (1989) ‘Molecular cloning: a laboratory manual.’ (Cold Spring Harbor Laboratory Press: New York)
- Sampson FB (2000) Pollen diversity in some modern Magnoliids. *International Journal of Plant Sciences* **161**, S193-S210.
- Samuel R, Pinsker W, Kiehn M (1997) Phylogeny of some species of *Cyrtandra* (Gesneriaceae) inferred from the *atpB/rbcL* cpDNA intergene region. *Botanica Acta* **110**, 503-510.
- Sanderon MJ (1989) Confidence limits on phylogenies: the bootstrap revisited. *Cladistics* **5**, 113-129.
- Sanderson MJ, Donoghue MJ (1989) Patterns of variation in levels of homoplasy. *Evolution* **43**, 1781-1795.
- Sanderson MJ, Shaffer HB (2002) Troubleshooting molecular phylogenetic analyses. *Annual Review of Ecology and Systematics* **33**, 49-72.
- Sang T, Crawford DJ, Stuessy TF (1995) ITS sequence and the phylogeny of the genus *Robinsonia* (Asteraceae). *Systematic Botany* **20**, 55-64.
- Sang T, Crawford DJ, Stuessy TF (1997) Chloroplast DNA phylogeny, reticulate evolution, and biogeography of *Paeonia* (Paeoniaceae). *American Journal of Botany* **84**, 1120-1136.
- Sarkar G, Sommer AA (1990) Shedding light on PCR contamination. *Nature* **343**, 27.

## References

- Savolainen V, Spichiger R, Manen JF (1997) Polyphyly of Celastrales deduced from a chloroplast non-coding DNA region. *Molecular Phylogenetics and Evolution* **7**, 145-157.
- Savolainen V, Chase MW, et al. (2000) Phylogenetics of flowering plants based upon a combined analysis of plastid *atpB* and *rbcL* gene sequences. *Systematic Biology*. **49**, 306-363.
- Schaal BA, Learn GH (1988) Ribosomal DNA variation within and among plant populations. *Annals of the Missouri Botanical Garden* **75**, 1207-1216.
- Schilling EE, Jansen RK (1989) Restriction fragment analysis of chloroplast DNA and the systematics of *Viguiera* and related genera (Asteraceae: Heliantheae). *American Journal of Botany* **76**, 1769-1778.
- Schnabel A, Wendel JF (1998) Cladistic biogeography of *Gleditsia* (Leguminosae) based on *ndhF* and *rpl16* chloroplast gene sequence. *American Journal of Botany* **85**, 1753-1765.
- Schulte JA, Macey JR, Larson A, Papenfuss TJ (1998) Molecular tests of phylogenetic taxonomies: a general procedure and example using four subfamilies of the lizard family Iguanidae. *Molecular Phylogenetics and Evolution* **10**, 367-376.
- Schultze-Motel W (1964) Cyperales. In 'A. Engler's Syllabus der Pflanzenfamilien'. (Ed. H Melchior) pp. 602-607. (Gebrueder Borntraeger: Berlin)
- Scotland RW (1991). A systematic analysis of pollen morphology of Acanthaceae genera with contorted corollas In 'Pollen and spores: patterns of diversification'. (Eds S Blackmore and SH Barnes) pp. 269-289. (Clarendon Press: Oxford)
- Scotland RW, Sweere JA, Reeves PA, Olmstead RG (1995) Higher level systematics of Acanthaceae determined by chloroplast DNA sequences. *American Journal of Botany* **82**, 266-275.

## References

- Seaman FC, Mabry TJ (1979) Sesquiterpene lactones and species relationships among the shrubby *Ambrosia* taxa. *Biochemical Systematics and Ecology* **7**, 105-114.
- Sederoff RR (1987) Molecular mechanisms of mitochondria-genome evolution in higher plants. *American Naturalist* **130**, S30-S45 (Supplement).
- Selling O (1947) Studies in Hawaiian pollen statistics. II. The pollen of Hawaiian Phanerogams. *Special publications* **38**, 1-360.
- Setoguchi H, Ono M, Doi Y, Koyama H, Tsuda M (1997) Molecular phylogeny of *Nothofagus* (Nothofagaceae) based on the *atpB/rbcL* intergenic spacer of the chloroplast DNA. *Journal of Plant Research* **110**, 469-484.
- Shah CK (1962) Pollen development in some members of the Cyperaceae. In 'Plant Embryology'. New Delhi pp. 81-93. (C.S.I.R.)
- Shah CK (1967) Pollen development in some Cyperaceae. II. Phase of contraction and abnormal pollens. *Vidya* **10**, 204-210.
- Shah CK (1972) Morphology and embryology of the family Cyperaceae - An appraisal. *Advances in Plant Morphology*, 102-112.
- Sharkey M (1994) Discriminate compatibility measures and the reduction routine. *Systematic Biology* **43**, 256-242.
- Sharma M (1967) Pollen morphology of Indian monocotyledons. *Journal of Palynology Special volume*.
- Shimada H, Sugiura M (1991) Fine structural features of the chloroplast genome: comparison of the sequenced chloroplast genomes. *Nucleic Acids Research* **19**, 983-995.

## References

- Shinozaki K, Ohme M, Tanaka M, Wakasugi T, Hayashida N (1986) The complete nucleotide sequence of tobacco chloroplast genome: its gene organisation and expression. *EMBO Journal* **5**, 2043-2049.
- Sidow A, Wilson AC (1991) Compositional statistics evaluated by computer simulation. In 'Phylogenetic analysis of DNA sequences'. (Eds MM Miyamoto and J Cracraft) pp. 129-146. (Oxford University Press: Oxford)
- Simpson D (1995) Relationships within Cyperales. In 'Monocotyledons: Systematics and Evolution'. (Ed. PJ Rudall, PJ Cribb, DF Culter, CJ Humphries,) pp. 497-509. (Royal Botanic Gardens: Kew)
- Skavarla JJ, Turner BL, Patel VC, Tomb AS (1977) Pollen morphology in the Compositae and in morphologically related families. In 'The biology and chemistry of the Compositae'. (Eds VH Heywood, JB Harborne and BL Turner) pp. 141-248. (Academic Press: London)
- Slade RW, Moritz C, Heideman A (1994) Multiple nuclear-gene phylogenies: application to pinnipeds and comparison with a mitochondrial DNA gene phylogeny. *Molecular Biology and Evolution* **11**, 341-356.
- Small RL, Ryburn JI, Cronn RC, Seelanan T, Wendel JF (1998) The tortoise and the hare: choosing between non-coding plastome and nuclear ADH sequences for phylogeny reconstruction in a recently diverged plant group. *American Journal of Botany* **85**, 1301-1315.
- Smith GP (1976) Evolution of repeated DNA sequences by unequal crossover. *Science* **191**, 528-535.
- Smith DE, Klein AS (1994) Phylogenetic inference on the relationship of North American and European *Picea* species based on nuclear ribosomal 18S sequences and the internal transcribed spacer 1 region. *Molecular phylogenetics and Evolution* **3**, 17-26.

## References

- Smith JJ, Scot-Craig JS, Leadbetter JR, Bush GL, Roberts DL, Fulbright DW (1995) Characterisation of random amplified polymorphic DNA (RAPD) products from *Xanthomonas campestris*: implications for the use of RAPD products in phylogenetic analysis. *Molecular Phylogenetics and Evolution* **3**, 135-145.
- Smith JF (2000) Phylogenetic resolution within the tribe Episcieae (Gesneriaceae): congruence of ITS and *ndhF* sequences from parsimony and maximum likelihood analyses. *American Journal of Botany* **87**, 883-897.
- Soltis DE, Soltis PS, Bothel KD (1990) Chloroplast DNA evidence for the origins of the monotypic *Bensoniella* and *Conimitella* (Saxifragaceae). *Systematic Botany* **15**, 349-362.
- Soltis DE, Soltis PE, Clegg MT, Durbin M (1990) *rbcL* sequence divergence in the Saxifragaceae sensu lato. *Proceedings of National Academy of Sciences. USA* **87**, 4640-4644.
- Soltis PE, Soltis DE, Doyle JJ (1992b) 'Molecular systematics of plants.' (Chapman Hall)
- Soltis DE, Soltis PE, Milligan BG (1992c) Intraspecific chloroplast DNA variation: systematic and phylogenetic implications. In 'Molecular Systematics of Plants'. (Eds PS Soltis, DE Soltis and JJ Doyle) pp. 117-150. (Chapman and Hall: New York)
- Soltis DE, Morgan DR, Grable A, Soltis PS, Kuzoff R (1993) Molecular systematics of Saxifragaceae sensu stricto. *American Journal of Botany* **80**, 1056-1081.
- Soltis DE, Kuzoff RK (1995) Discordance between nuclear and chloroplast phylogenies in the *Heuchera* group (Saxifragaceae). *Evolution* **49**, 727-742.
- Soltis PS, Soltis DE (1995) Plant molecular systematics: inferences of phylogeny and evolutionary processes. *Evolutionary Biology* **28**, 139-194.

- Soltis DE, Kuzoff RK, Conti E, Gornall R, Ferguson Q (1996) *matK* and *rbcL* sequence data indicate that *Saxifraga* (Saxifragaceae) is polyphyletic. *American Journal of Botany* **83**, 371-382.
- Soltis DE, Soltis PS, et al. (1997) Angiosperm phylogeny inferred from 18S ribosomal DNA sequences. *Annals of the Missouri Botanical Garden* **84**, 1-49.
- Soltis DE, Soltis PS, Mort ME, Chase MW, Savolainen V, Hoot S, Morton CM (1998) Inferring complex phylogenies using parsimony: an empirical approach using three large DNA data sets for angiosperms. *Systematic Biology* **47**, 32-42.
- Soltis PS, Soltis DE (1998) Molecular evolution of 18S rDNA in angiosperms: implications for character weighting in phylogenetic analysis. In 'Molecular systematics of plants II: DNA sequencing'. (Eds DE Soltis, PS Soltis and JJ Doyle) pp. 188-210. (Chapman and Hall: New York)
- Srikanth R (1981) Biosystematics of *Waltheria indica* complex (Sterculiaceae). Ph.D. thesis, Kakatiya University.
- Starr JR, Bayer RJ, Ford BA (1999) The phylogenetic position of *Carex* section *Phyllostachys* and its implications for phylogeny and subgeneric circumscription in *Carex* (Cyperaceae). *American Journal of Botany* **86**, 563-577.
- Starr JR, Harris SA, Simpson DA (2003) Potential of the 5' and 3' ends of the intergenic spacer (IGS) of rDNA in the Cyperaceae: new sequences for lower-level phylogenies in sedges with an example from *Uncinia* Pers. *International Journal of Plant Sciences* **164**, 213-227.
- Steel MA, Lockhart PJ, Penny D (1993) Confidence in evolutionary trees from biological sequence data. *Nature* **364**, 440-442.
- Steele KP, Vilgalys R (1994) Phylogenetic analysis of Polemoniaceae using nucleotide sequences of the plastid gene *matK*. *Systematic Botany* **19**, 126-142.

- Stefanovic S, Jager M, Deutsch J, Broutin J, Massel M (1998) Phylogenetic relationships of conifers inferred from partial 28S rRNA gene sequences. *American Journal of Botany* **85**, 688-697.
- Stephan W (1989) Tandem-repetitive noncoding DNA: forms and forces. *Molecular Biology and Evolution* **6**, 198-212.
- Stevens PF (2001 onwards) Angiosperm Phylogeny Website. Retrieved Access May 2002 from <http://www.mobot.org/MOBOT/research/APweb>
- Stevenson DW, Loconte H (1995) Cladistic analysis of monocot families. In 'Monocotyledons: systematics and evolution'. Kew, UK. (Eds PJ Rudall, PJ Cribb, DF Cutler and CJ Humphries) pp. 543-578. (Royal Botanic Gardens: Kew)
- Stevenson DW, JI Davis, JV Freudenstein, CR Hardy, MP Simmons, CD Specht (2000) A phylogenetic analysis of the monocotyledons based on morphological and molecular character sets, with comments on the placement of *Acorus* and *Hydatellaceae*. In 'Monocots: Systematics and Evolution'. (Eds KL Wilson and DA Morrison) pp. 17-24. (CSIRO: Melbourne)
- Strandhede SO (1973) Pollen development in the *Eleocharis palustris* group (Cyperaceae). II. Cytokinesis and microspore degeneration. *Botaniska Notiser* **126**, 255-265.
- Strauss SH, Palmer JD, Howe GT, Doerksen AH (1988) Chloroplast genomes of two conifers lack a large inverted repeat and are extensively rearranged. *Proceeding of National Academy of Sciences. USA* **85**, 3898-3902.
- Sugiura M (1989) The chloroplast chromosomes In land plants. *Annual Review of Cell and Developmental Biology* **5**, 51-70.
- Suh Y, Thien LB, Zimmer EA (1992) Nucleotide sequences of the internal transcribed spacers and 5.8SrRNA gene in *Canella winterana* (Magnoliales; Canellaceae). *Nucleic Acids Research* **20**, 1601-1602.

## References

- Suh Y, Thien LB, Reeve HE, Zimmer EA (1993) Molecular evolution and phylogenetic implications of internal transcribed spacer sequences of ribosomal DNA in Winteraceae. *American Journal of Botany* **80**, 1042-1055.
- Sullivan J, Holsinger KE, Simon C (1995) Among-site rate variation and phylogenetic analysis of 12S rRNA in Sigmodontine rodents. *Molecular Biology and Evolution* **12**, 988-1001.
- Sultan S, Perveen A, Qaiser M (1994) A palynological study of monocots from Karachi (excluding Gramineae). *Pakistan Journal of Botany* **26**, 21-34.
- Susanna A, Jacas NG, Soltis DE, Soltis PS (1995) Phylogenetic relationships in tribe Cardueae (Asteraceae) based on ITS sequences. *American Journal of Botany* **82**, 1056-1068.
- Swofford DL, Olsen GJ (1990) Phylogeny reconstruction. In ‘Molecular Systematics’. (Eds DM Hillis and C Mortiz). (Sinauer Associates: Sunderland, MA)
- Swofford DL (1991) When are phylogeny estimates from molecular and morphological data incongruent? In ‘Phylogenetic Analysis of DNA Sequence Variation’. (Eds MM Miyamoto and J Cracraft) pp. 295-333. (Oxford University Press: New York)
- Swofford DL, Olsen GJ, Waddell PJ, Hillis DM (1996) Phylogenetic inference. In ‘Molecular Systematics’. (Eds DM Hillis, C Moritz and BK Mable) pp. 407-514. (Sinauer: Sunderland, MA)
- Swofford DL (2001) PAUP\*. Phylogenetic Analysis Using Parsimony (\* and other methods). In. Version 4.0b10 (Sinauer Associates: Sunderland, MA)
- Sytsma KJ, Gottlieb LD (1986) Chloroplast DNA evolution and phylogenetic relationships in *Clarkia* sect. *Peripetasma* (Onagraceae). *Evolution* **40**, 1248-1262.
- Sytsma KJ, Hahn WJ (1994) Molecular systematics: 1991-1993. *Progress in Botany* **55**, 307-333.

## References

- Taberlet P, Gielly L, Pautou G, Bouvet J (1991) Universal primers for amplification of three non-coding regions of chloroplast DNA. *Plant Molecular Biology* **17**, 1105-1109.
- Takaiwa F, Sugiura M (1982) Nucleotide sequence of the 16S-23S spacer region in a rRNA gene cluster from tobacco chloroplast DNA. *Nucleic Acids Research* **10**, 2665-2672.
- Takhtajan AL (1980) Outline of the classification of flowering plants. *Botanical Review* **46**, 225-359.
- Tateno Y, Takezaki N, Nei M (1994) Relative efficiencies of the maximum likelihood, neighbor joining, and maximum parsimony methods when substitution rate varies with site. *Molecular Biology and Evolution* **11**, 261-277.
- Templeton AR (1983) Phylogenetic inference from restriction endonuclease cleavage site maps with particular reference to the evolution of humans and the apes. *Evolution* **37**, 221-244.
- Terry RG, Brown GK, Olmstead RG (1997a) Examination of phylogenetic relationships in subfamily Tillandsioideae (Bromeliaceae) using nucleotide sequences of the plastid locus *ndhF*. *Systematic Botany* **22**, 333-346.
- Terry RG, Brown GK, Olmstead RG (1997b) A systematic evaluation of subfamilial relationships in Bromeliaceae using comparative sequence analysis. *American Journal of Botany* **84**, 664-670.
- Thanikaimoni G (1978) Complexities of aperture, columella and tectum. In 'Fourth International Palynological Conference'. Lucknow, India. (Eds DC Bharadwaj, KM Lele, RK Kar, HP Singh, RS Tiwari, Vishnu-Mitre and HK Maheshwari) pp. 228-239. (Birbal Sahni Institute of Paleobotany)
- Thomas K, Wood BJ, Bassett CL, Rawson JRY (1984) A restriction endonuclease map of the chloroplast genome of pearl millet. *Current Genetics* **8**, 291-297.

## References

- Thomson JA (2002) An improved non-cryogenic transport and storage preservative facilitating DNA extraction from 'difficult' plants collected at remote sites. *Telopea* **9**, 755-760.
- Thompson JD, Gibson TJ, Plewniak F, Jeanmougin F, Higgins D (1997) The Clustal-X windows interface: flexible strategies multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Research* **25**, 4876-4882.
- Thorley JL, Wilkinson M, Charleston MA (1998) The information content of consensus trees. In 'Advances in data science and classification'. (Eds A Rizzi, M Vichi and HH Bock) pp. 91-98. (Springer: Berlin)
- Tiwari DK (1970) Palynological observation in the family Cyperaceae. In 'Palynology'. Palynological Society of India. Nagpur University
- Tomlinson PB (2000) Structural features of saccate pollens that relate to their functions. In 'Pollen and spores: morphology and biology'. (Eds MM Harley, CM Morton and S Blackmore). (Royal Botanic Gardens, Kew: Kew)
- Towers GHN, Tse A, Maas WSJ (1966) Phenolic acids and phenolic glycosides of *Gaultheria* species. *American Journal of Botany* **5**, 677-681.
- Turner H, Zandee R (1995) The behaviour of Goloboff's tree fitness measure. *Cladistics* **11**, 57-72.
- Vahl M (1805) Cyperaceae. In 'Enumeratio Plantarum'. (Eds N Tonder Lund, JW Hornemann and P Thonning) pp. 218-320. (N Moeller et Filii: Copenhagen)
- Van Campo M (1976) Patterns of pollen morphological variation within taxa. In 'The evolutionary significance of the exine'. (Eds IK Ferguson and J Muller) pp. 125-155. (Academic Press: London)
- Van der Veken P (1965) Contribution à l'embryographie systematiques des Cyperaceae - Cyperoideae. *Bulletin du Jardin botanique de l'Etat à Bruxelles* **35**, 285-354.

## References

- van Ham RCHG, Hart H, Mes THM, Sandbrink JM (1994) Molecular evolution of non-coding regions of the chloroplast genome in the Crassulaceae and related species. *Current Genetics* **25**, 558-566.
- Van Wichelen J, Camelbeke K, Chaerle P, Goetghebeur P, Huysmans S (1999) Comparison of different treatments for LM and SEM studies and systematic value of pollen grains in Cyperaceae. *Grana* **38**, 50-58.
- vom Stein J, Hatchel W (1988) Deletion/inser ions, short inverted repeats, sequences resembling *att-lambda*, and frame-shifted-mutated open reading frames are involved in chloroplast DNA differences in the genus *Oenothera* subsection Munzia. *Mol.Gen. Genet.* **213**, 513-518.
- von Rudloff E (1975) Volatile leaf oil analysis in chemosystematic studies of North American conifers. *Biochemical Systematics and Ecology* **2**, 131-167.
- Vos P, Hogers R, et al. (1995) AFLP: a new technique for DNA fingerprinting. *Nucleic Acids Research* **23**, 4407-4414.
- Wakeley J (1993) Substitution rate variation among sites in hypervariable region 1 of human mitochondrial DNA. *Journal of Molecular Evolution* **37**, 613-623.
- Walker JW, Doyle JJ (1975) The bases of angiosperm phylogeny: palynology. *Annals of the Missouri Botanical Garden* **62**, 664-723.
- Wallace RS, Jansen RK (1990) Systematic implications of chloroplast DNA variation in the genus *Microseris* (Asteraceae: Lactuceae). *Systematic Botany* **15**, 606-616.
- Waycott M (1998) Genetic variation, its assessment and implications to the conservation of seagrasses. *Molecular Ecology* **7**, 793-800.
- Weber M, Halbritter H, Hesse M (1999) The basic wall types in Araceae. *International Journal of Plant Sciences* **160**, 415-423.

## References

- Weiblen GD (2000) Phylogenetic relationships of functionally dioecious *Ficus* (Moraceae) based on ribosomal DNA sequences and morphology. *American Journal of Botany* **47**, 1342-1357.
- Wheeler WC, Honeycut RL (1988) Paired sequence difference in ribosomal RNAs: evolutionary and phylogenetic implication. *Molecular Biology and Evolution* **5**, 90-96.
- Wheeler MA, Bruhl JJ (2000) Comparative reproductive biology of some sedges (Cyperaceae: Schoeneae). In 'Monocots: systematics and evolution'. (Eds KL Wilson and DA Morrison) pp. 644-649. (CSIRO: Melbourne)
- White TJ, Arnheim N, Erlich HA (1989) The polymerase chain reaction. *Science* **5**, 185-189.
- White TJ, Burns T, Lee S, Taylor J (1990) Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In 'PCR Protocols'. (Eds MA Innis, DH Gelfand, JJ Sninsky and TJ White) pp. 315-322. (Academic Press: New York)
- Whittemore A, Schaal BA (1991) Interspecific gene flow in sympatric oaks. *Proceeding of the National Academy of Sciences, USA* **88**, 2540-2544.
- Wilkie S (1997) Isolation of total genomic DNA. In 'Plant molecular biology: a laboratory manual'. (Ed. MS Clark) pp. 3-15. (Springer: Berlin)
- Wilkinson M (1994) Common cladistic information and its consensus representation: reduced Adams and reduced cladistic consensus trees and profiles. *Systematic Biology* **43**, 343-348.
- Wilkinson M (1996) Majority-rule reduced consensus methods and their use in bootstrapping. *Journal Biology and Evolution* **13**, 437-444.
- Wilkinson M, Benton MJ (1996) Sphenodontid phylogeny and the problems of multiple trees. *Philosophical Transactions of the Royal Society of London* **B351**, 1-16.

- Wilkinson M, Suter SJ, Shires VL (1996) The reduced cladistic consensus method and cassiduloid echinoid phylogeny. *Historical Biology* **12**, 63-73.
- Wilkinson M (1999) Choosing and interpreting a tree for the oldest mammal. *Journal of Vertical Paleontology* **19**, 187-190.
- Wilkinson M, Thorley JL (2001) Efficiency of strict consensus trees. *Systematic Biology* **50**, 610-613.
- Williams PL, Fitch WM (1990) Phylogeny determination using a dynamically weighted parsimony method. In 'Molecular evolution: computer analysis of protein and nucleic acid sequences'. (Ed. RF Doolittle) pp. 615-626. (Academic Press: San Diego)
- Williams JGK, Kubelik AR, Livak KJ, Rafalski JA, Tingey SV (1990) DNA polymorphism amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Research* **18**, 6531-6535.
- Wilson KL (1983) Cyperales. In 'Flowering Plants in Australia'. (Eds BD Morley and HR Toelken) pp. 364-368. (Rigby: Sydney)
- Wodehouse RP (1928) The phylogenetic value of pollen grain characters. *Annals of Botany* **42**, 891-934.
- Wodehouse RP (1935) 'Pollen grains.' (McGraw Hill Co.: New York)
- Wodehouse RP (1965) 'Pollen grains, their structure, identification and significance in science and medicine.' (Hafner Publishing Co: New York)
- Wofford BE (1974) The systematic significance of flavonoids in *Persea* of the southern United States. *Biochemical Systematics and Ecology* **2**, 89-91.
- Wojciechowski MF, Sanderson MJ, Baldwin EG, Donoghue MJ (1993) Monophyly of aneuploid *Astragalus* (Fabaceae): evidence from nuclear ribosomal DNA internal transcribed spacer sequences. *American Journal of Botany* **80**, 711-722.

## References

- Wolfe KH, Li WH, Sharp PM (1987) Rates of nucleotide substitution vary greatly among plant mitochondrial, chloroplast, and nuclear DNAs. *Proceedings of the National Academy of Sciences, USA* **84**, 9054-9058.
- Wolfe KH, Gouy M, Yang Y-W, Sharp PM, Li W-H (1989a) Date of the monocot-dicot divergence estimated from chloroplast DNA sequence data. *Proceedings of the National Academy of Sciences, USA* **86**, 6201-6205.
- Wolfe K, Sharp PM, Li WH (1989b) Rates of synonymous substitution in plant nuclear genes. *Journal of Molecular Evolution* **29**, 2 )8-211.
- Wolfe KH (1991) Protein-coding genes in chloroplast DNA: compilation of nucleotide sequences, batabase entries and rates of molecular evolution. In 'The photosynthetic apparatus: molecular biology and operation' (Eds L Bogorad and IK Vasil) pp. 467-482. (Academic Press: New York, NY)
- Wolfe KH, Morden CW, Palmer JD (1992) Function and evolution of a minimal plastid genome from a non-photosynthetic parasitic plant. *Proceedings of the National Academy of Sciences, USA* **89**, 10648-10652
- Wolfson R, Higgins KG, Sears BB (1991) Evidence for replication slippage in the evolution of *Oenothera* chloroplast DNA. *Molecular Biology and Evolution* **8**, 709-720.
- Woodland DW (1991) 'Contemporary plant systematics.' (Prentice-Hall: New Jersey)
- Xiang QY, Soltis DE, Morgan DR, Soltis PS (1993) Phylogenetic relationships of *Cornus* L. sensu lato and putative relatives inferred from *rbcL* sequence data. *Annals of the Missouri Botanical Garden* **80**, 723-734.
- Xiang QY, Soltis DE, Soltis PS (1998) Phylogenetic relationships of Cornaceae and close relatives inferred from *matK* and *rbcL* sequences. *American Journal of Botany* **85**, 285-297.

## References

- Yen AC, Olmstead, R. G. (2000a) Phylogenetic analysis of *Carex* (Cyperaceae): generic and subgeneric relationships based on chloroplast DNA. In ‘Monocots: Systematics and Evolution’. (Ed. KL Wilson and DA Morrison) pp. 602-609. (CSIRO: Melbourne)
- Yen AC, Olmstead RG (2000b) Molecular systematics of Cyperaceae tribe Cariceae based on two chloroplast DNA regions: *ndhF* and *trnL* intron-intergenic spacer. *Systematic Botany* **25**, 479-494.
- Yoder AD, Irwin JA, Payseur BA (2001) Failure of the ILD to determine data combinability for Slow Loris Phylogeny. *Systematic Biology* **50**, 408-424.
- Zander RH (1997) On mounting delicate bryophytes in glycerol. *Bryologist* **100**, 380-382.
- Zander RH (2003) Glycerin Jelly as a Substitute for Hoyer’s Solution Mountant. Retrieved Access April 2003 from  
<http://ridgwaydb.mobot.org/resbot/Meth/GlycerinJelly.htm>
- Zavada MS (1983) Comparative morphology of monocot pollen and evolutionary trends of apertures and wall structures. *The Botanical Review* **49**, 331-379.
- Zimmer EA, Martin SL, Beverley SM, Kan YW, Wilson AC (1980) Rapid duplication and loss of genes coding for the alpha chains of hemoglobin. *Proceedings of the National Academy of Sciences, USA* **77**, 2153-2162.
- Zuckerkandl E, Pauling L (1965). Evolutionary divergence and convergence in proteins In ‘Evolving genes and proteins’. (Eds V Bryson and HJ Vogel) pp. 97-106. (Academic: New York)
- Zurawski G, Clegg MT, Brown AHD (1984) The nature of nucleotide sequence divergence between barley and maize chloroplast DNA. *Genetics* **106**, 735-749.
- Zurawski G, Clegg MT (1984) The barley chloroplast DNA *atpBE*, *trnM2*, and *trnV1* loci. *Nucleic Acids Research* **12**, 2549-2559.

## References

- Zurawski G, Clegg MT (1987) Evolution of higher-plant chloroplast DNA-encoded genes: implications for structure-function and phylogenetic studies. *Annual Review of Plant Physiology and Plant Molecular Biology* **38**, 391-418.