

B I B L I O G R A P H Y

- Aalto, K. P. and Dott, R. H., Jr., 1970: Late Mesozoic conglomeratic flysch in Oregon, and the problem of transport of coarse gravel in deep water. *Geol.Assoc. Canada, spec.pap.*, 7 : 53-66.
- Allen, J. R. L., 1969: Some recent advances in the physics of sedimentation. *Proc.Geol.Ass.*, 60 (1) : 1-42.
- Andrews, F. C., 1915: Additional notes on the proposed dam sites at Keepit and Bowling Alley. (1) The Keepit dam site on the Namoi River. *A.Rep.Dep.Mines N.S.W.*, (1914) : 198.
- Andrews, E. C., 1938: Structural history of Australia in the Palaeozoic. *J.Proc.R.Soc. N.S.W.*, 71 : 118-187.
- Asquith, G. B. and Cramer, S. L., 1975: Transverse braid bars in the Upper Triassic Trijillo sandstone of the Texas Panhandle. *J.Geol.*, 83 : 657-661.
- Bagnold, R. A., 1956: The flow of cohesionless grains in fluids. *Royal Soc. London. Phil.Trans.*, Ser. A., 249 : 235-297.
- Bagnold, R. A., 1968: Deposition in the process of hydraulic transport. *Sedimentology*, 10 : 45-56.
- Bandyopadhyay, S., 1971: Pebble orientation in relation to cross-stratification: A statistical study. *J.Sedim.Petrol.*, 41 (2) : 585-587.
- Banks, N. L., 1973a: Tide-dominated offshore sedimentation, Lower Cambrian, north Norway. *Sedimentology*, 20 : 213-228.
- Banks, N. L., 1973b: Innerelv Member: Late Precambrian marine shelf deposit, east Finnmark. *Norges geol. Unders.*, 288 : 7-25.
- Banks, N. L., 1973c: Falling-stage features of a Precambrian braided stream: Criteria for sub-aerial exposure. *Sediment.Geol.*, 10 : 147-154.
- Becker, G. F., 1893: Finite homogeneous strain, flow, and rupture of rocks. *Bull.geol.Soc.Am.*, 4 : 53-54.
- Benson, W. N., 1915a: The geology and petrology of the Great Serpentine Belt of New South Wales, pt. i. *Proc.Linn.Soc. N.S.W.*, 38 : 490-517.
- Benson, W. N., 1915b: The geology and petrology of the Great Serpentine Belt of New South Wales, pt. ii. The geology of the Mundle district. *Proc.Linn.Soc. N.S.W.*, 38 : 569-596.
- Benson, W. N., 1915c: The geology and petrology of the Great Serpentine Belt of New South Wales, pt. iii. Petrology. *Proc.Linn.Soc. N.S.W.*, 38 : 662-724.

- Benson, W. N., 1915a: The geology and petrology of the Great Serpentine Belt of New South Wales, pt. iv. The dolerites, spilites and keratophyres of the Mundle district. *Proc.Linn.Soc. N.S.W.*, 40 : 121-173.
- Benson, W. N., 1915b: The geology and petrology of the Great Serpentine Belt of New South Wales, pt. v. The geology of the Tamworth district. *Proc.Linn.Soc. N.S.W.*, 40 : 540-624.
- Benson, W. N., 1917: The geology and petrology of the Great Serpentine Belt of New South Wales, pt. vi. A general account of the geology and physiography of the western slopes of New England. *Proc.Linn.Soc. N.S.W.*, 42 : 225-283.
- Benson, W. N., 1918a: The geology and petrology of the Great Serpentine Belt of New South Wales, pt. vii. The geology of the Loomberah district and a portion of the Goonoo Goonoo Estate. *Proc.Linn.Soc. N.S.W.*, 43 : 320-385.
- Benson, W. N., 1918b: The geology and petrology of the Great Serpentine Belt of New South Wales, pt. viii. The extension of the Great Serpentine Belt from the Mundle district to the coast. *Proc.Linn.Soc. N.S.W.*, 43 : 593-599.
- Binda, P. L. and Van Eden, J. G., 1972: Sedimentological evidence on the origin of the Precambrian Great Conglomerate (Kundelunga Tillite), Zambia. *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 12 : 151-168.
- Binns, R. A., 1966: Granitic intrusions and regional metamorphic rocks of Permian age from the Wongwibinda District, north-eastern New South Wales. *J.Proc.R.Soc. N.S.W.*, 99 : 5-36.
- Blatt, H., Middleton, G. V. and Murray, P. C., 1972: *Origin of Sedimentary Rocks*. Prentice Hall, Englewood Cliffs, N.J., 634 pp.
- Bluck, B. J., 1965: The sedimentary history of some Triassic conglomerates in the Vale of Glamorgan, South Wales. *Sedimentology*, 4 : 225-245.
- Bluck, B. J., 1967: Sedimentation of beach gravels: Examples from South Wales. *J.Sedim.Petrol.*, 37 (1) : 128-156.
- Boothroyd, J. C., 1972: Coarse-grained sedimentation on a braided outwash fan, north-east Gulf of Alaska. *Technical Report No. 6-CRD, Coastal Research Division, Univ. of South Carolina, Columbia, S.C.*, 127 pp.
- Boothroyd, J. C. and Ashley, G. M., 1975: Processes, bar morphology, and sedimentary structures on braided outwash fans, north-eastern Gulf of Alaska. In Jopling, A. V. and McDonald, R. C. (eds.), *Glaciofluvial and Glaciolacustrine Sedimentation. Soc.Econ. Paleontologists Mineralogists. Spec.Publ. 23* : 193-222.
- Bouma, A. H., 1962: *Sedimentology of some flysch deposits*. Elsevier, Amsterdam, 168 pp.

- Bouma, A. H. and Pluenncke, J. L., 1975: Structural and textural characteristics of debrites from the Phillipine Sea. *Initial Reports of the Deep Sea Drilling Project*, 71 : 497-505, U.S. Government Printing Office, Washington.
- Bradley, W. C., Fahnstock, R. K. and Rowekamp, F. T., 1972: Coarse sediment transport by flood flows on Knik River, Alaska. *Bull.geol.Soc.Am.*, 83 : 1261-1284.
- Bretz, J. H., Smith, H. T. U. and Neff, G. F., 1956: Channelled scabland of Washington: New data and interpretations. *Bull.geol.Soc.Am.*, 67 : 957-1049.
- Brock, E. J., 1974: Coarse sediment morphometry: A comparative study. *J.sedim.Petrol.*, 44 (3) : 665-672.
- Buddington, A. F., 1959: Granite emplacement with special reference to North America. *Bull.geol.Soc.Am.*, 70 : 671-748.
- Bull, W. B., 1964: Alluvial fans and near-surface subsidence in western Fresno County, California. *Prof.Pap. U.S. geol.surv.*, 437-A.
- Bull, W. B., 1972: Recognition of alluvial-fan deposits in the stratigraphic record. In Rigby, J. K. and Hamblin, W. K. (eds.), *Recognition of Ancient Sedimentary Environments. Soc.Econ. Paleontologists Mineralogists Spec.Publ.*, 16 : 63-83.
- Burke, K., 1967: The Yallahs Basin: A sedimentary basin south-east of Kingston, Jamaica. *Mar.Geol.*, 5 : 45-60.
- Cailloux, A., 1945: Distinction des galets marins et fluviatiles. *Bull.Soc.Geol. France*, 13 : 125-138.
- Campbell, C. V. and Oaks, R. O. Jr., 1973: Estuarine sandstone filling tidal scours, Lower Cretaceous Fall River Formation, Wyoming. *J.sedim.Petrol.*, 43 (3) : 765-778.
- Campbell, K. S. W., Engel, B. A., McKelvey, B. C., Roberts, J. and Nashar, B., 1969: Carboniferous systems. *J.geol.Soc.Aust.*, 16 (1) : 245-265.
- Campbell, K. S. W. and McKelvey, B. C., 1972: The geology of the Barmington district, N.S.W. *Pacif.Geol.*, 5 : 7-48.
- Carey, S. W., 1934: The geological structure of the Werrie Basin. Note on the implications of the irregular strike-lines of the Mooki Thrust System. *Proc.Linn.Soc. N.S.W.*, 59 (5-6) : 351-379.
- Carey, S. W., 1935: Note on the Permian Sequence in the Werrie Basin, with description of new species of fossil plants. *Proc.Linn. Soc. N.S.W.*, 60 (5-6) : 447-456.
- Carey, S. W., 1937: The Carboniferous sequence in the Werrie Basin. *Proc.Linn.Soc. N.S.W.*, 62 (5-6) : 341-376.
- Carey, S. W. and Brown, W. R., 1938: Review of the Carboniferous stratigraphy, tectonics and palaeogeography of New South Wales and Queensland. *J.Proc.R.Soc. N.S.W.*, 71 : 591-611.

- Carlson, P. P. and Nelson, C. H., 1969: Sediments and sedimentary structures of the Astoria Submarine Canyon-Fan system, north-east Pacific. *J.sedim.Petrol.*, 39 (4) : 1269-1282.
- Carmichael, I. S. E., Turner, F. J. and Verhoogen, J., 1974: *Igneous Petrology*. McGraw-Hill, New York, 739 pp.
- Carozzi, A. V., 1960: *Microscopic Sedimentary Petrography*. John Wiley & Sons, Inc., New York.
- Carozzi, A. V., Falkenhein, F. U. H., Carneiro, R. G., Esteves, F. R. and Contreiras, C. J. A., 1975: Analise ambiental e evolucao tectonica sinsedimentar da secao Siluro-locarbonifera da Bacia do Maranhao. *Secao: Exploracao de Petroleo, Publicacao No. 7*, 48 pp.
- Carr, A. P., 1969: Size grading along a pebble beach: Chesil Beach, England. *J.sedim.Petrol.*, 39 (1) : 297-311.
- Carr, A. P. and Blackley, M. W. L., 1969: Geological composition of the pebbles of Chesil Beach, Dorset. *Proc. Dorset nat.Hist. archaeol.Soc.*, 90 : 133-140.
- Carr, A. P., Gleason, R. and King, A., 1970: Significance of pebble size and shape in sorting by waves. *Sediment.Geol.*, 4 : 89-101.
- Carter, R. M., 1975: Mass-emplaced sand-fingers at Mararoa construction site, southern New Zealand. *Sedimentology*, 22 : 275-288.
- Carter, R. M. and Lindquist, J. K., 1975: Sealers Bay submarine fan complex, Oligocene, southern New Zealand. *Sedimentology*, 22 : 465-483.
- Casshyap, S. M., 1968: Huronian stratigraphy and paleocurrent analysis in the Espanola-Willisville area, Sudbury district, Ontario, Canada. *J.sedim.Petrol.*, 38 (3) : 920-942.
- Cawood, P. A., 1976: Cambro-ordovician strata, northern New South Wales. *Search*, 7 (7) : 317-318.
- Chappell, B. W., 1961: The stratigraphy and structural geology of the Manilla-Moore Creek district, N.S.W. *J.Proc.R.Soc. N.S.W.*, 95 : 63-75.
- Chappell, B. W., 1968: Volcanic greywackes from the Upper Devonian Baldwin Formation, Tamworth-Barraba district, New South Wales. *J.geol.Soc.Aust.*, 15 (1) : 87-102.
- Clark, W. B., Miller, B. L., Stephson, L. W., Johnson, B. L. and Parker, H. N., 1912: The coastal plain of North Carolina. *N. Carolina Geol. and Econ. Sur.*, 3 : 372.
- Clifton, H. E., Hunter, R. E. and Phillips, R. L., 1971: Depositional structures and processes in the non-barred high-energy nearshore. *J.sedim.Petrol.*, 41 (3) : 651-670.

- Conaghan, P. J., Mountjoy, E. W., Edgecombe, D. R., Talent, J. A. and Owen, D. F., 1976: Nubrigyn algal reefs (Devonian), eastern Australia: Allochthonous blocks and megabreccias. *Bull.geol. Soc.Am.*, 87 : 515-530.
- Conybeare, C. E. B. and Crook, K. A. W., 1968: Manual of Sedimentary Structures. *Bur.Miner.Resour.Aust.Bull.*, 102 : 327 pp.
- Costello, W. R. and Walker, R. G., 1972: Pleistocene sedimentology, Credit River, Southern Ontario: A new component of the braided river model. *J.sedim.Petrol.*, 42 (2) : 389-400.
- Crook, K. A. W., 1959a: *The Geological Evolution of the Southern Portion of the Tamworth Trough*. Ph.D. Thesis, Univ. New England (unpubl.).
- Crook, K. A. W., 1959b: Unconformities in turbidite sequences. *J.Geol.*, 67 (6) : 710-713.
- Crook, K. A. W., 1960a: Petrology of Tamworth Group, Lower and Middle Devonian, Tamworth-Nundle district, N.S.W. *J.sedim.Petrol.*, 30 (3) : 353-369.
- Crook, K. A. W., 1960b: Petrology of Parry Group, Upper Devonian-Lower Carboniferous, Tamworth-Nundle district, N.S.W. *J.sedim.Petrol.*, 30 (4) : 538-552.
- Crook, K. A. W., 1960c: Classification of arenites. *Am.J.Sci.*, 258 : 419-428.
- Crook, K. A. W., 1961a: Stratigraphy of the Tamworth Group (Lower and Middle Devonian), Tamworth-Nundle district, N.S.W. *J.Proc.R. Soc. N.S.W.*, 94 : 173-188.
- Crook, K. A. W., 1961b: Stratigraphy of the Parry Group (Upper Devonian-Lower Carboniferous), Tamworth-Nundle district, N.S.W., *J.Proc. R.Soc. N.S.W.*, 94 : 189-207.
- Crook, K. A. W., 1961c: Post-Carboniferous stratigraphy of the Tamworth-Nundle district, N.S.W. *J.Proc.R.Soc. N.S.W.* 94 : 209-213.
- Crook, K. A. W., 1961d: Vein minerals from the Tamworth and Parry Groups (Devonian and Lower Carboniferous, N.S.W.). *Am.Miner.*, 46 : 1017-1029.
- Crook, K. A. W., 1963: Structural geology of part of the Tamworth Trough. *Proc.Linn.Soc. N.S.W.*, 97 : 41-53.
- Crook, K. A. W., 1964a: Depositional environments and provenance of Devonian and Carboniferous sediments in the Tamworth Trough, N.S.W. *J.Proc.R.Soc. N.S.W.*, 97 : 41-43.
- Crook, K. A. W., 1964b: Cleavage in weakly deformed mudstones. *Am.J. Sci.*, 262 : 523-531.
- Crook, K. A. W., 1969: Contrasts between Atlantic and Pacific Geosynclines. *Earth and plan. Sci. Lett.*, 5 : 429-438.

- Crook, K. A. W., 1975: The Tamworth Trough, a mid-Palaeozoic arc-trench gap: elaboration of a model (manuscript in prep.).
- Crook, K. A. W. and Powell, C. McA., 1975: The evolution of the south-eastern part of the Tasman Geosyncline. *25th Inter.Geol.Congr., Australia, 1976, Field Guide for Excursion 17A*, unpub. draft version.
- Crowell, J. C., 1955: Directional-current structures from the prealpine flysch, Switzerland. *Bull.geol.Soc.Am.*, 66 : 1351-1384.
- Crowell, J. C., 1957: Origin of pebbly mudstones. *Bull.geol.Soc.Am.*, 68 : 993-1010.
- Curray, J. R., 1956: The analysis of two-dimensional orientation data. *J.Geol.*, 64 : 117-131.
- Curray, R. R., 1966: Observations of alpine mudflows in the Tenmile Range, central Colorado. *Bull.geol.Soc.Am.*, 77 : 771-776.
- Dapples, E. C., 1971: Physical classification of carbonate cement in quartzose sandstones. *J.sedim.Petrol.*, 41 (1) : 196-204.
- Davies, D. K., Ethridge, F. C. and Berg, R. R., 1971: Recognition of barrier environments. *Bull.Am.Ass.Petrol.Geol.*, 55 (4) : 550-565.
- Davies, I. C. and Walker, R. G., 1974: Transport and deposition of resedimented conglomerates: the Cap Enrage Formation, Cambro-Ordovician, Gaspe, Quebec. *J.sedim.Petrol.*, 44 (4) : 1200-1216.
- Denmead, A. K., Tweeddale, G. W., Wilson, A. F. (eds.), 1974: The Tasman Geosyncline - a symposium. *Geol.Soc.Aust., Qd. Div.*
- Dickinson, W. R., 1970: Interpreting detrital modes of greywacke and arkose. *J.sedim.Petrol.*, 40 (2) : 695-707.
- Diessel, C. F. K., Driver, R. C. and Moelle, K. H. R., 1967: Some geological investigations into a fossil river system in the roof strata of the Bulli Seam, southern coalfield, N.S.W. *Proc.Aust.Inst.Min.Metall.*, 221 : 19-37.
- Dobkins, J. E. Jr., and Folk, R. L., 1970: Shape development on Tahiti-nui. *J.sedim.Petrol.*, 40 (4) : 1167-1208.
- Dott, R. H. Jr., 1961: Squantum "Tillite", Massachusetts - Evidence of glaciation or subaqueous mass movements? *Bull.geol.Soc.Am.*, 72 (9) : 1289-1306.
- Dott, R. H. Jr., 1963: Dynamics of subaqueous gravity depositional processes. *Bull.Am.Ass.Petrol.Geol.*, 47 (1) : 104-128.
- Dott, R. H. Jr., Winn, R. D. Jr., and Smith, C., 1976: Cretaceous conglomerates and associated flysch of the southern Andes. *Antarct.J.U.S.*, 11 (2) : 93-94.

- Doeglas, D. J., 1962: The structure of sedimentary deposits of braided rivers. *Sedimentology*, 1 : 167-190.
- Drake, L. D., 1970: Rock texture: an important factor for clast shape studies. *J.sedim.Petrol.*, 20 : 1356-1361.
- Dunbar, C. O. and Rogers, J., 1957: *Principles of Stratigraphy*. John Wiley & Sons, Inc., New York, 356 pp.
- Ellenor, D. W., 1970: The occurrence of the trace fossil *Coophycos* in the Middle Devonian of north-eastern New South Wales, Australia. *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 7 : 69-78.
- Ellenor, D. W., 1971: *Sedimentology of the Middle Devonian Timor Limestone and associated sediments*. Ph.D. Thesis, Univ. New England (unpubl.).
- Ellenor, D. W., 1975a: Sedimentology of the Middle Devonian Timor Limestone, north-eastern New South Wales, Australia. *Sediment.Geol.*, 13 : 125-152.
- Ellenor, D. W., 1975b: Sedimentation of the Lower-Middle Devonian Tamworth Group, north-eastern New South Wales, Australia: A synthesis. *J.geol.Soc.Aust.*, 22 (3) : 311-325.
- Elson, J. A., 1971: Roundness of glacial Lake Agassiz beach pebbles. *Geol.Assoc.Canada, Spec.Pub.*, 9 : 285-291.
- Embley, R. W., 1976: New evidence for occurrence of debris flow deposits in the deep sea. *Geology*, 4 (6) : 371-374.
- Ermanovics, I. F., 1967: Statistical application of plagioclase extinction in provenance studies. *J.sedim.Petrol.*, 37 : 683-687.
- Ewart, A. and Cole, J. W., 1967: Textural and mineralogical significance of the granitic xenoliths from the central volcanic region, North Island, New Zealand. *N.Z. Jl.Geol.Geophys.*, 10 (1) : 31-34.
- Eynon, G. and Walker, R. G., 1974: Facies relationships in Pleistocene outwash gravels, southern Ontario: a model for bar growth in braided rivers. *Sedimentology*, 21 : 43-70.
- Fahnestock, R. K., 1963: Morphology and hydrology of a glacial stream - White River, Mount Rainier, Washington. *Prof.Pap. U.S. geol. Surv.*, 422-A.
- Fahnestock, R. K. and Bradley, W. C., 1973: Knik and Matanuska Rivers, Alaska: A contrast in braiding. In Morisawa, M. (ed.), *Fluvial Geomorphology*. Binghamton, N.Y. State Univ. Pubs. in Geomorphology, 220-250.
- Fahnestock, R. K. and Haushild, W. L., 1962: Flume studies of the transport of pebbles and cobbles on a sand bed. *Bull.geol.Soc. Am.*, 73 : 1431-1436.

- Fisher, R. V., 1971: Features of coarse-grained, high-concentration fluids and their deposits. *J.sedim.Petrol.*, 41 (4) : 916-927.
- Fiske, R. S., Hopson, C. A. and Waters, A. C., 1963: Geology of Mount Rainier National Park, Washington. *Prof.Pub. U.S. geol.Surv.*, 444.
- Fleming, N. C., 1965: Form and function of sedimentary particles. *J.sedim.Petrol.*, 35 (2) : 381-390.
- Flint, R. F., Sanders, J. E. and Rogers, J., 1960a: Symmictite: A name for nonsorted terrigenous sedimentary rocks that contain a wide range of particle size. *Bull.geol.Soc.Am.*, 71 : 507-510.
- Flint, R. F., Sanders, J. E. and Rogers, J., 1960b: Diamictite, a substitute term for symmictite. *Bull.geol.Soc.Am.*, 71 : 1809-1810.
- Folk, R. L., 1968: *Petrology of Sedimentary Rocks*. Hemphill's, Austin, Texas, 170 pp.
- Friedman, G. M., 1976: Desert and semi-desert environments; modern and ancient deposits: a review. *International Geological Congress Abstracts*, 3 : 833-834, Sydney.
- Gage, M., 1953: Transport and rounding of large boulders in mountain streams. *J.sedim.Petrol.*, 23 : 60-61.
- Galloway, W. E., 1974: Deposition and diagenetic alteration of sandstone in north-east Pacific arc-related basins: Implications for graywacke genesis. *Bull.geol.Soc.Am.*, 85 : 379-390.
- Ginsburg, R. N. (ed.), 1975: *Tidal Deposits*. Springer-Verlag, New York, 428 pp.
- Glover, B. K., 1975: A morphometric analysis of terrace gravels in Santa Ynez basin, Santa Barbara County, California. *Sediment. Geol.*, 13 : 109-124.
- Goldring, R. and Bridges, P., 1973: Sublittoral sheet sandstones. *J. sedim.Petrol.*, 43 (3) : 736-747.
- Gonzalez-Bonorino, G., and Middleton, G. V., 1976: A Devonian submarine fan in western Argentina. *J.sedim.Petrol.*, 46 (1) : 56-69.
- Gould, R. E., 1975: The succession of Australian pre-Tertiary megafossil floras. *Bot.Rev.*, 41 (4) : 453-483.
- Gregory, H. E., 1915: Note on the shape of pebbles. *Am.J.Sci.*, 39 (231) : 300-304.
- Gregory, K. J. and Cullingford, R. A., 1974: Lateral variations in pebble shape in north-west Yorkshire. *Sediment.Geol.*, 12 (4) : 237-248.

- Griggs, G. B., Kulm, L. D., Faters, A. C. and Fowler, G. A., 1970: Deep sea gravel from Cascadia Channel. *J.Geol.*, 78 : 611-619.
- Gunthorpe, R. J., 1970: *Plutonic and Metamorphic Rocks of the Walakka-Kennedee-Tappawitch District, Northern New South Wales*. Ph.D. Thesis, Univ. New England (unpubl.).
- Gupta, A., 1975: Stream characteristics in eastern Jamaica, an environment of seasonal flow and large floods. *Am.J.Sci.*, 275 : 825-847.
- Gustavson, T. C., 1974: Sedimentation on gravel outwash fans, Malaspina Glacier Foreland, Alaska. *J.sedim.Petrol.*, 44 : 374-389.
- Gwinn, V. E., 1964: Deduction of flow regime from bedding characteristics in conglomerates and sandstones. *J.sedim.Petrol.*, 34 (3) : 656-658.
- Hall, R. L., 1968: *The Geology of an Area north-east of Attunga, N.S.W.* B.Sc.Hons., Univ. New England (unpubl.).
- Hall, R. L., 1975: Late Ordovician coral faunas from north-eastern New South Wales. *J.Proc.R.Soc. N.S.W.*, 108 : 75-93.
- Hamilton, G., Hall, G. C. and Roberts, J., 1974: The Carboniferous non-marine stratigraphy of the Paterson-Gresford district, N.S.W. *J.Proc.R.Soc. N.S.W.*, 107 : 76-86.
- Hamilton, W. and Myers, W. B., 1967: The nature of batholiths. *Prof. Pap. U.S. geol.Surv.*, 554-C.
- Hampton, M. A., 1972: The role of subaqueous debris flow in generating turbidity currents. *J.sedim.Petrol.*, 42 : 775-793.
- Hampton, M. A., 1975: Competence of fine-grained debris flows. *J.sedim. Petrol.*, 45 (4) : 834-844.
- Haner, B. E., 1971: Morphology and sediments of Redondo submarine fan, Southern California. *Bull.geol.Soc.Am.*, 82 : 2413-2432.
- Harland, H. B., Herod, K. N. and Krinsley, D. H., 1966: The definition and identification of tills and tillites. *Earth Sci. Rev.*, 2 : 225-256.
- Harms, J. C., 1974: Brushy Canyon Formation, Texas: a deep water density current deposit. *Bull.geol.Soc.Am.*, 85 : 1763-1784.
- Harms, J. C., 1975a: Stratification produced by migrating bed forms. Depositional environments as interpreted from primary sedimentary structures and stratification sequences, *SEPM Short Course No. 2*, Dallas : 45-61.
- Harms, J. C., 1975b: Stratification and sequence in prograding shoreline deposits. Depositional environments as interpreted from primary sedimentary structures and stratification sequences. *SEPM Short Course No. 2*, Dallas : 81-102.

- Harms, J. C. and Fahnestock, R. K., 1965: Stratification, bed forms, and flow phenomena (with an example from the Rio Grande). In Middleton, G. V. (ed.), *Primary Sedimentary Structures and their Hydrodynamic Interpretation. Soc. Econ. Paleontologists Mineralogists, Spec. Publ. 12* : 84-115.
- Harrington, H. J., 1974: The Tasman Geosyncline in Australia. In Denmead, A. K., Tweedale, G. W., Wilson, A. F. (eds.), 1974: *The Tasman Geosyncline - a symposium. Geol. Soc. Aust., Qd. Div.* : 383-407.
- Hayes, J. B., 1970: Polytypism of chlorite in sedimentary rocks. *Clays and Clay Minerals*, 18 : 285-306.
- Heezen, B. C., 1959: Dynamic processes of abyssal sedimentation: Erosion, transportation and redeposition on the deep-sea floor. *Geophys. J. Roy. Astr. Soc.*, 2 : 142-163.
- Heezen, B. C., 1963: Turbidity Currents. Hill, M. N. (ed.), *The Sea*, Volume 3. *Interscience*, New York : 742-771.
- Hein, F. J., 1974: *Gravel Transport and Stratification Origins, Kicking Horse River, British Columbia*. M.Sc. Thesis, McMaster Univ., 135 pp.
- Hendry, H. E., 1972: Breccias deposited by mass flow in the breccia nappe of the French Pre-Alps. *Sedimentology*, 18 : 277-292.
- Hendry, H. E., 1973: Sedimentation of deep water conglomerates in Lower Ordovician rocks of Quebec - Composite bedding produced by progressive liquefaction of sediment. *J. sedim. Petrol.*, 43 (1) : 125-136.
- Hendry, H. E., 1976: The orientation of discoidal clasts in resedimented conglomerates, Cambro-Ordovician, Gaspé, eastern Quebec. *J. sedim. Petrol.*, 46 (1) : 48-55.
- Hill, B. D., 1973: *Selected Aspects of the Upper Devonian-Carboniferous Sedimentation West of Barraba, N.S.W.* B.Sc.Hons. Thesis, Univ. New England (unpubl.).
- Holmes, A., 1965: *Principles of Physical Geology*. Nelson, London, 1288 pp.
- Hooke, R. LeB., 1967: Processes on arid-region alluvial fans. *J. Geol.*, 75 : 438-460.
- Howard, J. D., 1972: Trace fossils as criteria for recognising shorelines in stratigraphic record. In Rigby, J. K. and Hamblin, W. K. (eds.), *Recognition of Ancient Sedimentary Environments. Soc. Econ. Paleontologists Mineralogists, Spec. Pub.*, 16 : 215-225.
- Hsu, K. J., 1960: Paleocurrent structures and paleogeography of the Ultrahelvetian flysch basins, Switzerland. *Bull. geol. Soc. Am.*, 71 : 577-610.
- Hubert, J. F., 1967: Sedimentology of prealpine flysch sequences, Switzerland. *J. sedim. Petrol.*, 37 (3) : 885-907.

- Humbert, F. L., 1968: *Selection and Wear of Pebbles on Gravel Beaches*. Dissertation, Univ. Groningen, Netherlands, 144 pp.
- Hyne, N. J., Goldman, C. R. and Court, J. E., 1973: Mounds in Lake Tahoe, California-Nevada: A model for landslide topography in the subaqueous environment. *J.Geol.*, 81 : 176-188.
- Ingram, R. L., 1954: Terminology for the thickness of stratification and parting units in sedimentary rocks. *Bull.geol.Soc.Am.*, 65 : 937-938.
- Jamieson, T. F., 1860: On drift and rolled gravel of the north of Scotland. *Quart.J.Geol.Soc.London*, 16 : 347-371.
- Jenkins, T. B. H., 1966: The Upper Devonian index ammonoid *Cheiloceras* from New South Wales. *Palaeontology*, 9 (3) : 458-463.
- Jenkins, T. B. H., 1968: Famennian ammonoids from New South Wales. *Palaeontology*, 11 (4) : 535-548.
- Jenkins, T. B. H., 1969: Devonian of the Keepit Inlier. *J.geol.Soc. Aust.*, 16 (1) : 242-243.
- Jenkins, T. L., 1969: *The Carboniferous Sedimentary Sequence in the Caroda District, Upper Horton, N.S.W.* B.Sc.Hons., Univ. New England (unpubl.).
- Johansson, C. E., 1963: Orientation of pebbles in running water. A laboratory study. *Geogr.Annlr.*, 45 (2-3) : 85-112.
- Johansson, C. E., 1965: Structural studies of sedimentary deposits. *Geol.Förel. (Stockholm), Förel.*, 87 : 3-61.
- Johnson, A. M., 1970: *Physical Processes in Geology*. Freeman, Cooper and Co., San Francisco, Calif., 571 pp.
- Jones, P. J., Campbell, K. S. W. and Roberts, J., 1973: Correlation chart for the Carboniferous System of Australia. *Bur.Miner. Resour.Aust.Bull.*, 156A.
- Kalterherberg, J., 1956: Ueber Anlagerungsgefüge in grobklastischen Sedimenten. *Neues Jahrb.Geol. u. Paläontol.*, 104 : 30-57.
- Kelling, G. and Williams, P. F., 1967: Flume studies of the reorientation of pebbles and shells. *J.Geol.*, 75 (3) : 287-305.
- King, C. A. M. and Buckley, J. T., 1968: The analysis of stone size and shape in arctic environments. *J.sedim.Petrol.*, 38 (1) : 200-214.
- Kirsten, T., 1966: Determination of radiogenic argon. In Schaeffer, O.A. and Zähringer, J., (eds.), *Potassium Argon Dating*, pp. 7-39, Springer-Verlag, Berlin.
- Klein, G. deV., 1967: Comparison of recent and ancient tidal flat and estuarine sediments. In Lauff, G. H. (ed.), *Estuaries. Am. Assoc.Advancement Sci., Publ.* 83 : 207-218.

- Klein, G. deV., 1970: Tidal origin of a Precambrian quartzite - the Lower Fine Grained Quartzite (Middle Dalradian) of Islay, Scotland. *J.sedim.Petrol.*, 40 (3) : 973-985.
- Krumbein, W. C., 1939: Preferred orientation of pebbles in sedimentary deposits. *J.Geol.*, 47 : 673-706.
- Krumbein, W. C., 1940: Flood gravel of San Gabriel Canyon, California. *Bull.geol.Soc.Am.*, 51 : 639-676.
- Krumbein, W. C., 1941: Measurement and geological significance of shape and roundness of sedimentary particles. *J.sedim.Petrol.*, 2 : 64-72.
- Krumbein, W. C., 1942: Flood deposits of Arroyo Seco, Los Angeles County, California. *Bull.geol.Soc.Am.*, 53 : 1355-1402.
- Ksiazkiewicz, M., 1958: Submarine slumping in the Carpathian Flysch. *Ann.Soc.geol.Pologne*, 28 (3) : 124-150.
- Kuenen, P. H. and Menard, H. W., 1952: Turbidity currents, graded and non-graded deposits. *J.sedim.Petrol.*, 22 : 83-96.
- Kumar, N. and Sanders, J. E., 1976: Characteristics of shoreface storm deposits: modern and ancient examples. *J.sedim.Petrol.*, 46 (1) : 145-162.
- Kuno, H., 1950: Petrology of the Hakone Volcano and the adjacent areas, Japan. *Bull.geol.Soc.Am.*, 61 : 957-1020.
- Leitch, E. C., 1969: Igneous activity and diastrophism in the Permian of New South Wales. *Spec.Publs.geol.Soc.Aust.*, 2 : 21-37.
- Leitch, E. C., 1974a: The geological development of the southern part of the New England Fold Belt. *J.geol.Soc.Aust.*, 21 (2) : 133-156.
- Leitch, E. C., 1974b: Low grade regional metamorphism in the eastern part of the New England Fold Belt. *Geol.Soc.Aust., Qd. Div., Field Conference Guide Book*, New England : 30-32.
- Leitch, E. C., 1975: Plate tectonic interpretation of the Paleozoic history of the New England Fold Belt. *Bull.geol.Soc.Am.*, 86 : 141-144.
- Leitch, E. C., 1976: Zonation of low grade regional metamorphic rocks, Nambucca Slate Belt, north-eastern New South Wales. *J.geol.Soc.Aust.*, 22 (4) : 413-422.
- Leslie, R. B., 1963: Geology of the Tamworth Trough area, N.S.W. *Frome-Broken Hill Co. Pty. Ltd. Report No. 6000-G-20*, 28 pp.
- Liboriussen, J., 1975: A study of gravel fabric. *Sediment.Geol.*, 14 : 235-251.

- Lindsay, J. F., 1964: *Permian and Carboniferous Sedimentation of the Macleay District, N.S.W.* M.Sc. Thesis, Univ. New England (unpubl.).
- Lindsay, J. F., 1966: Carboniferous subaqueous mass movement in the Manning-Macleay Basin, Kempsey, N.S.W. *J.sedim.Petrol.*, 36 (3) : 719-732.
- Lindsay, J. F., 1968: Development of clast fabric in mudflows. *J.sedim. Petrol.*, 38 (4) : 1242-1258.
- Lindsay, J. F., Summerson, C. H. and Barrett, P. J., 1970: A long axis clast fabric comparison of the Squannam "Tillite", Massachusetts and the Gowganda Formation, Ontario. *J.sedim.Petrol.*, 40 : 475-479.
- Lindsey, D. A., 1966: Sediment transport in a Precambrian ice age: The Huronian Gowganda Formation. *Science*, 154 : 1442-1443.
- Link, M. H., 1975: Matilija Sandstone: A transition from deep-water turbidite to shallow-marine deposition in the Eocene of California. *J.sedim.Petrol.*, 45 (1) : 57-62.
- Lloyd, A. C., 1934: Preliminary report on the geological survey of the Gunnedah-Manilla district, with special reference to the occurrence of subsurface water. *A.Rep.Dep.Mines N.S.W. (1933)* : 89-91.
- Lowe, D. R., 1972: Implications of three submarine mass-movement deposits, cretaceous, Sacramento Valley, California. *J.sedim. Petrol.*, 42 (1) : 89-101.
- Lowe, D. R., 1975: Water escape structures in coarse-grained sediments. *Sedimentology*, 22 : 157-204.
- Lowe, D. R., 1976a: Grain flow and grain flow deposits. *J.sedim.Petrol.*, 46 (1) : 188-199.
- Lowe, D. R., 1976b: Subaqueous liquefied and fluidised sediment flows and their deposits. *Sedimentology*, 23 : 285-308.
- Lowe, D. R. and LoPiccolo, R. D., 1974: The characteristics and origins of dish and pillar structures. *J.sedim.Petrol.*, 44 (2) : 484-501.
- Luttig, G., 1962: The shape of pebbles in the continental, fluvial and marine facies. *Intern.Assoc. Scientific Hydrology, publ.*, 59 : 253-258.
- MacGillavry, H. J., 1970: Turbidite detritus and geosyncline history. *Tectonophysics*, 9 : 365-393.
- Mackin, J. H., 1948: Concept of the graded river. *Bull.geol.Soc.Am.*, 59 : 463-512.

- Malde, H. E., 1968: The catastrophic late Pleistocene Bonneville flood in the Snake River plain, Idaho. *Prof.Pap. U.S. geol.Surv.*, 596.
- Maldonado, A. and Stanley, D. J., 1976: The Nile Cone: submarine fan development by cyclic sedimentation. *Mar.Geol.*, 20 : 27-40.
- Manser, W., 1965a: Geological Map of New England 1:100,000, Curlewis sheet (No. 330), with marginal text. The University of New England, Armidale, New South Wales, Australia.
- Manser, W., 1965b: Geological Map of New England 1:100,000, Gunnedah sheet (No. 320), with marginal text. The University of New England, Armidale, New South Wales, Australia.
- Manser, W., 1967: *Stratigraphic Studies of the Upper Palaeozoic and post-Palaeozoic Succession in the Upper Hunter Valley*. M.Sc. Thesis, Univ. New England (unpubl.).
- Manser, W., 1968: Geological Map of New England 1:100,000, Wingen sheet (No. 359) with Parts of Nos. 350, 351, 360, with marginal text and 1:50,000 Map of the Timor Anticline. The University of New England, Armidale, New South Wales, Australia.
- Marcus, M. G., 1960: Periodic drainage of glacier-dammed Tulsequah Lake, British Columbia. *Geog.Rev.*, 50 (1) : 89-106.
- Marsden, M. A. H., 1972: The Devonian history of north-eastern Australia. *J.geol.Soc.Aust.*, 19 (1) : 125-162.
- Marshall, A. J., 1968: *Stratigraphy of the Yarramanbully area, near Manilla, N.S.W.* B.Sc.Hons. Thesis, Univ. New England (unpubl.).
- Masters, C. D., 1967: Use of sedimentary structures in determination of depositional environments, Mesaverde Formation, Williams Fork Mountains, Colorado. *Bull.Am.Ass.Petrol.Geol.*, 51 (10) : 2033-2043.
- Mayer, W., 1972: *Palaeozoic Sedimentary Rocks from Southern New England: A Sedimentological Evaluation*. Ph.D. Thesis, Univ. New England (unpubl.).
- McBride, E. F., 1966: Sedimentary petrology and history of the Haymond Formation (Pennsylvanian), Marathon Basin, Texas. *Texas Bur. Econ.Geol.Rept.Inv.*, 57 : 101 pp.
- McBride, E. F., Shepherd, R. G. and Crawley, R. A., 1975: Origin of parallel, near-horizontal laminae by migration of bed forms in a small flume. *J.sedim.Petrol.*, 45 (1) : 132-139.
- McCowan, B.C., 1974: *Geology of a Carboniferous Sequence East of Barraba*. Unpubl. Project, Univ. New England.
- McDonald, B. C. and Banerjee, I., 1971: Sediments and bed forms on a braided outwash plain. *Can.J. Earth Sci.*, 8 (10) : 1282-1301.

- McDougall, I., 1966: Precision methods of potassium-argon isotopic age determination on young rocks. In Runcorn, S. K. (ed.), *Methods and Techniques in Geophysics*, 2 : 279-304. Interscience, London.
- McGowen, J. H. and Groat, C. G., 1971: Van Horn Sandstone, west Texas: An alluvial fan model for mineral exploration. *Bur.Econ.Geology, Texas, Rept.Invest.* 22 : 57 pp.
- McKee, E. B., 1972: *Cascadia. The Geologic Evolution of the Pacific Northwest*. McGraw-Hill, Inc.
- McKelvey, B. C., 1966: *Stratigraphy and Petrology of a Devonian and Carboniferous Sequence in North-eastern N.S.W.* Ph.D. Thesis, Univ. New England (unpubl.).
- McKelvey, B. C., 1968: Geological Map of New England 1:100,000 Rangheet Sheet (No. 280), with marginal text. The University of New England, Armidale, New South Wales, Australia.
- McKelvey, B. C., 1974: Devonian and Carboniferous sedimentation on the Tasman Shelf. *Geol.Soc.Aust., Qd. Div., Field Conference Guide Book*, New England : 20-22.
- McKelvey, B. C., 1977: The Upper Nowra Sandstone - a transgressive sand sheet. Manuscript in prep.
- McKelvey, B. C. and Gutsche, H. W., 1969: The geology of some Permian sequences on the New England Tablelands, New South Wales. *Spec. Publs. geol.Soc.Aust.*, 2 : 13-20.
- McKelvey, B. C. and White, A. H., 1964: Geological Map of New England 1:100,000, Horton Sheet (No. 290), with marginal text. The University of New England, Armidale, New South Wales, Australia.
- McKelvey, B. C. and White, A. H., 1968: Regional stratigraphy of a Devonian and Carboniferous sequence in north-eastern New South Wales. *Unpubl. Reports in the Geol.Sciences, U.N.E., Report No. 1968/4*, 38 pp.
- Miall, A. D., 1970a: Continental marine transition in the Devonian of Prince of Wales Island, Northwest Territories. *Can.J.Earth Sci.*, 7 (1) : 125-144.
- Miall, A. D., 1970b: Devonian alluvial fans, Prince of Wales Island, arctic Canada. *J.sedim.Petrol.*, 40 : 556-571.
- Middleton, G. V., 1966: Small-scale models of turbidity currents and the criterion for autosuspension. *J.sedim.Petrol.*, 36 : 202-208.
- Middleton, G. V., 1967: Experiments on density and turbidity currents. III. Deposition of sediment. *Can.J. Earth Sci.*, 4 : 475-505.
- Middleton, G. V., 1970: Experimental studies related to problems of flysch sedimentation. *Geol.Assoc. Canada, Spec. Pap.*, 7 : 253-272.

- Middleton, G. V., 1973: Johannes Walther's Law of the Correlation of Facies. *Bull.geol.Soc.Am.*, 84 : 979-988.
- Middleton, G. V. and Hampton, M. A., 1973: Sediment gravity flows: Mechanics of flow and deposition. *Turbidites and Deep Water Sedimentation, SEPM, Short Course* : 1-38.
- Middleton, G. V. and Hampton, M. A., 1976: Subaqueous sediment transport and deposition by sediment gravity flows. In Stanley, D. J. and Swift, D. J. P. (eds.), *Marine Sediment Transport and Environmental Management*. John Wiley & Sons, Inc.
- Moore, D. J., 1974: *The Stratigraphy and Sedimentation of the Devonian-Carboniferous Sequence in the Northern End of the Werrie Syncline, N.S.W.* B.Sc. Hons. Thesis, Univ. New England (unpubl.).
- Moore, D. and Roberts, J., 1976: The Early Carboniferous marine transgression in the Merlewood Formation, Werrie Syncline, New South Wales. *J.Proc.R.Soc. N.S.W.*, 109 : 49-57.
- Moore, R. C., 1949: Meaning of Facies. *Geol.Soc.Am.Mem.* 39 : 1-34.
- Moors, H. T. and Schleiger, N. W., 1971: The sedimentary structures of an intrusive conglomerate in the flysch sequence of Seymour East, Victoria, Australia. *J.geol.Soc.Aust.*, 17 (2) : 157-170.
- Morgenstern, N. R., 1967: Submarine slumping, and the initiation of turbidity currents. In Pichards, A. F. (ed.), *Marine Geotechnique*. Univ. Illinois Press, Urbana : 189-220.
- Mutti, E., 1974: Examples of ancient deep-sea fan deposits from circum-Mediterranean geosynclines. In Dott, R. H. Jr., and Shauer, R. H. (eds.), *Modern and Ancient Geosynclinal Sedimentation. Soc.Econ. Paleontologists Mineralogists, Spec.Pub.* 19 : 92-105.
- Mutti, E. and Picci-Lucchi, F., 1972: Le torbiditi dell'Apennino settentrionale: introduzione all'analisi di facies. *Mem. Soc.Geol. Italia*, 11 : 161-199.
- Nelson, H., 1976: Late Pleistocene and Holocene depositional trends, processes, and history of Astoria deep-sea fan, northeast Pacific. *Mar.Geol.*, 20 : 129-173.
- Nelson, C. H. and Kulm, L. D., 1973: Submarine fans and deep sea channels. *Turbidites and Deep Water Sedimentation, SEPM Short Course* : 39-78.
- Nelson, C. H. and Nilsen, T. H., 1974: Depositional trends of modern and ancient deep-sea fans. In Dott, R. H. Jr. and Shauer, R. H. (eds.), *Modern and Ancient Geosynclinal Sedimentation. Soc.Econ. Paleontologists Mineralogists, Spec.Pub.*, 19 : 69-89.

- Nilson, T. H., 1969: Old Red sedimentation in the Buelandet-Vaerlandet Devonian district, western Norway. *Sediment. Geol.*, 3 : 35-57.
- Nilson, T. H. and Simoni, T. R. Jr., 1973: Deep sea fan paleocurrent patterns of the Eocene Butano sandstone, Santa Cruz Mountains, California. *J. Res. U.S. geol. Surv.*, 1 (4) : 439-452.
- Nockolds, S. P., 1954: Average chemical compositions of some igneous rocks. *Bull. geol. Soc. Am.*, 65 : 1007-1032.
- Normark, W. R., 1974: Submarine canyons and fan valleys: Factors affecting growth patterns of deep-sea fans. In Dott, R. H. Jr. and Shauer, P. H. (eds.), *Modern and Ancient Geosynclinal Sedimentation. Soc. Econ. Paleontologists Mineralogists, Spec. Pub.*, 19 : 56-68.
- Normark, W. R. and Piper, D. J. W., 1972: Sediments and growth patterns of Navy deep sea fan, San Clemente Basin, California borderland. *J. Geol.*, 80 : 198-223.
- Offenberg, A. C., 1971: Tamworth 1:250,000 Geological Series Sheet SH 56-13. New South Wales, Department of Mines.
- Ore, H. T., 1964: Some criteria for recognition of braided stream deposits. *Wyo. Univ. Contr. Geol.*, 3 : 1-14.
- Osborne, G. D., Jopling, A. V. and Lancaster, H. E., 1948: The stratigraphy and general form of the Timor Anticline, N.S.W. *J. Proc. R. Soc. N.S.W.*, 82 : 312-318.
- Packham, G. H., 1960: Sedimentary history of part of the Tasman Geosyncline in south-eastern Australia. *11th Int. Geol. Congress* : 74-83.
- Packham, G. H. (ed.), 1969: The geology of New South Wales. *J. geol. Soc. Aust.*, 16 (1) : 1-654.
- Packham, G. H. and Crook, K. A. W., 1960: The principle of diagenetic facies and some of its implications. *J. Geol.*, 68 (4) : 392-407.
- Pedder, A. E. H., 1967: The Devonian System of New England, N.S.W., Australia. In Oswald, D. H. (ed.), *International Symposium on the Devonian System, II. Alberta Soc. Petrol. Geol.*, Calgary : 135-146.
- Pedder, A. E. H., Jackson, J. H. and Ellenor, D. W., 1970: An interim account of the Middle Devonian Timor Limestone of north-eastern New South Wales. *Proc. Linn. Soc. N.S.W.*, 94 (8) : 242-272.
- Peterson, G. L., 1965: Implications of two Cretaceous mass transport deposits, Sacramento Valley, California. *J. sedim. Petrol.*, 35 (2) : 401-407.

- Pettijohn, F. J., 1957: *Sedimentary Rocks*. 2nd ed., Harper and Row, New York, 718 pp.
- Pettijohn, F. J., 1962: Dimensional fabric and ice flow, Precambrian (Huronian) glaciation. *Science*, 175 : 442.
- Philip, G. M., 1966: The occurrence and palaeogeographical significance of Ordovician strata in New South Wales. *Aust.J.Sci.*, 29 (4) : 112-115.
- Picard, M. D. and High, L. R. Jr., 1972: Paleoenvironmental reconstructions in an area of rapid facies change, Parachute Creek Member of Green River Formation (Eocene), Uinta Basin, Utah. *Bull.geol.Soc.Am.*, 83 : 2689-2708.
- Pickett, J. W., 1960: A clymeniid from the Wocklumeria zone of New South Wales. *Palaeontology*, 3 : 237-241.
- Pickett, J. W., 1972: Correlation of the Middle Devonian formations of Australia. *J.geol.Soc.Aust.*, 18 (4) : 457-466.
- Piper, D. J. W., 1970a: Transport and deposition of Holocene sediment on La Jolla deep sea fan, California. *Mar.Geol.*, 8 : 211-227.
- Piper, D. J. W., 1970b: A Silurian deep sea fan in western Ireland and its bearing on the nature of turbidity currents. *J.Geol.*, 78 (5) : 509-522.
- Piper, D. J. W., von Huene, R. and Duncan, J. R., 1973: Late Quaternary sedimentation in the active Eastern Aleutian Trench. *Geology*, 1 (1) : 19-22.
- Pittman, E. D., 1963: Use of zoned plagioclase as an indicator of provenance. *J.sedim.Petrol.*, 33 (2) : 380-386.
- Pittman, E. D., 1970: Plagioclase feldspar as an indicator of provenance in sedimentary rocks. *J.sedim.Petrol.*, 40 (2) : 591-598.
- Pittman, E. F., 1898: Report on proposed reservoir on the Namoi River. *A.Rep.Dep. Mines N.S.W. (1897)* : 135-136.
- Potter, P. E. and Pettijohn, F. J., 1963: *Paleocurrents and Basin Analysis*. Springer-Verlag, Berlin, Göttingen, Heidelberg, 330 pp.
- Powers, N. C., 1953: A new roundness scale for sedimentary particles. *J.sedim.Petrol.*, 22 (2) : 117-119.
- Price, I., 1973: A new Permian and Upper Carboniferous (?) succession near Woodsreef, N.S.W., and its bearing on the palaeogeography of western New England. *Proc.Linn.Soc. N.S.W.*, 97 (3) : 202-210.
- Rapp, A., 1959: Avalanche boulder tongues in Lappland. *Geogr.Annlr.*, 41 : 34-48.

- Rees, A. I., 1968: The production of preferred orientation in a concentrated dispersion of elongated and flattened grains. *J.Geol.*, 76 : 457-465.
- Reineck, H. E. and Singh, I. B., 1973: *Depositional Sedimentary Environments*. Springer-Verlag, Berlin, 439 pp.
- Ricci-Lucchi, F., 1969: Composizione e morfometria di un conglomerato risedimento nel flysch miocenico romagnolo. *Giornale di Geol., Ann.Mus.Geol. Bologna, Ser. 5a*, 36 : 1-47.
- Ricci-Lucchi, F., 1975: Depositional cycles in two turbidite formations of northern Apennines (Italy). *J.sedim.Petrol.*, 45 (1) : 3-43.
- Richter, K., 1932: Die Bewegungsrichtung des Inlandeises rekonstruiert aus dem Kritzen und Längsachsen der Geschiebe. *Z.Geschiebeforsch.*, 8 : 62-66.
- Richter, K., 1933: Gefüge und Zusammensetzung des norddeutschen Jungmoränen-Gebietes. *Abh.Geol.-Päldont.Inst.Univ. Greifswald*, 11 : 1-63.
- Richter, K., 1936: Gefügestudien in Eingebrae, Fondalsbrae und ihren Vorlandssedimenten. *Zeitschr.Gletscherkunde* 24 : 22-30.
- Ritter, D., 1975: Stratigraphic implications of coarse grained gravel deposited as overbank sediment, southern Illinois. *J.Geol.*, 83 : 645-650.
- Roberts, J., 1975: Early Carboniferous brachiopod zones of eastern Australia. *J.geol.Soc.Aust.*, 22 (1) : 1-32.
- Roberts, J., Jones, P. J., Jell, J. S., Jenkins, T. B. H., Marsden, M. A. H., McKellar, R. G., McKelvey, B. C. and Seddon, G., 1972: Correlation of the Upper Devonian rocks of Australia. *J.geol.Soc.Aust.*, 18 (4) : 467-490.
- Roberts, J. and Oversby, B., 1974: The Lower Carboniferous geology of the Rouchel district, New South Wales. *Bur.Miner.Resour.Aust. Bull.*, 147 : 93 pp.
- Rocheleau, M. and Lajoie, J., 1974: Sedimentary structures in resedimented conglomerate of the Cambrian flysch, L'Islet, Quebec Appalachians. *J.sedim.Petrol.*, 44 (3) : 826-836.
- Rodine, J. D. and Johnson, A. M., 1976: The ability of debris, heavily freighted with coarse clastic materials, to flow on gentle slopes. *Sedimentology*, 23 : 213-234.
- Rodriguez, J. and Gutschick, R. C., 1970: Late Devonian-Early Mississippian ichnofossils from western Montana and northern Utah. Crimes, T. P. and Harper, J. C. (eds.), *Trace Fossils, Geol.Jour., spec. issue 3* : 407-438.
- Ruchin, L. B., 1958: *Grundzüge der Lithologie*. Akademie-Verlag, Berlin, 806 pp.

- Runnegar, B. N., 1970: The Permian faunas of northern New South Wales and the connection between the Sydney and Bowen Basins. *J.geol. Soc.Aust.*, 16 (2) : 697-710.
- Rupke, N. A., 1975: Deep-sea fan deposition in the Upper Carboniferous of the southern Cantabrian Mountains, Spain. *IXeme Congres International de Sedimentologie, Nice, Extraits des publications* : 359-362.
- Rusnak, G. A., 1957: The orientation of sand grains under conditions of "unidirectional" fluid flow. 1. Theory and experiment. *J.Geol.*, 65 : 384-409.
- Rust, B. R., 1966: Late Cretaceous Paleogeography near Wheeler Gorge, Ventura County, California. *Bull.Am.Assoc.Petrol.Geol.*, 50 (7) : 1389-1398.
- Rust, B. R., 1972a: Structure and process in a braided river. *Sedimentology*, 18 : 221-245.
- Rust, B. R., 1972b: Pebble orientation in fluvial sediments. *J.sedim. Petrol.*, 42 (2) : 384-388.
- Rust, B. R., 1975: Fabric and structure in glaciofluvial gravels. In Jopling, A. V. and McDonald, B. C. (eds.), *Glaciofluvial and Glaciolacustrine Sedimentation. Soc.Econ. Paleontologists Mineralogists, Spec.Pub.*, 23 : 238-248.
- Ryder, J. M., 1971: The stratigraphy and morphology of para-glacial alluvial fans in south central British Columbia. *Can.J. Earth Sci.*, 8 : 279-298.
- Ryder, R. T. and Scholten, R., 1973: Syntectonic conglomerates in south-western Montana: Their nature, origin and tectonic significance. *Bull.geol.Soc.Am.*, 84 : 773-796.
- Sames, C. W., 1966: Morphometric data of some recent pebble associations and their application to ancient deposits. *J.sedim.Petrol.*, 36 : 126-142.
- Scheckler, S. E., 1974: Systematic characters of Devonian ferns. *Ann. Mo.bot.Gdn.*, 61 (2) : 462-473.
- Scheibner, E., 1973: A plate tectonic model of the Palaeozoic tectonic history of New South Wales. *J.geol.Soc.Aust.*, 20 (4) : 405-426.
- Scheibner, E., 1974: Fossil fracture zones, segmentation, and correlation problems in the Tasman Fold Belt System. In Denmead, A. K., Tweedale, G. W., Wilson, A. F. (eds.), 1974: *The Tasman Geosyncline - a symposium. Geol.Soc.Aust., Qd. Div.* : 65-98.
- Scheibner, E., 1976: Explanatory Notes on the Tectonic Map of New South Wales. *Geol.Surv., N.S.W.*
- Schermmerhorn, L. J. G. and Stanton, W. I., 1963: Tilloids in the west Congo Geosyncline. *Q.Jl.geol.Soc.Land.*, 119 : 201-241.