

REFERENCES

- Abdulhadi, R. and Lamb, D. (1988). Soil seed stores in a rainforest succession. *Proceedings of the Ecological Society of Australia* 15: 81-87.
- Adam, P. (1992). *Australian Rainforests*. Clarendon Press, Oxford.
- Ahern, C.R. and Macnish, S.E. (1983). Comparative study of phosphorus and potassium levels of basaltic soils associated with scrub and forest communities on the Darling Downs. *Australian Journal of Soil Research* 21: 527-538.
- Ashton, D.H. and Frankenberg, J. (1976). Ecological studies of *Acmena smithii* (Poir.) Merr. & Perry with special reference to Wilson's Promontory. *Australian Journal of Botany* 24: 453-487.
- Austin, M.P. (1987). Models for the analysis of species' response to environmental gradients. *Vegetatio* 69: 35-45.
- Austin, M.P. and Belbin, L. (1982). A new approach to species classification problems in floristic analysis. *Australian Journal of Ecology* 7: 75-89.
- Austin, M.P. and Smith, T.M. (1989). A new model for the continuum concept. *Vegetatio* 83: 35-47.
- Bale, C.L. and Williams, J.B. (1993). Composition and classification of *Nothofagus moorei* communities in northern New South Wales. *Australian Systematic Botany* 6: 429-440.
- Baur, G.N. (1957). Nature and distribution of rainforests in New South Wales. *Australian Journal of Botany* 5: 190-233.
- Baur, G.N. (1965). *Forest types in New South Wales*. Forestry Commission of NSW Research Note 17. Forestry Commission of NSW, Sydney.
- Baur, G.N. (1968). *The ecological basis of rainforest management*. Forestry Commission of NSW, Sydney.
- Beadle, N.C.W. (1981). *The vegetation of Australia*. Gustav Fischer, Stuttgart.
- Beadle, N.C.W. and Costin, A.B. (1952). Ecological classification and nomenclature. *Proceedings of the Linnean Society of New South Wales* 77: 61-82.
- Beard, J.S. (1944). Climax vegetation in tropical America. *Ecology* 25: 127-158.
- Beard, J.S. (1955). The classification of tropical American vegetation types. *Ecology* 36: 89-100.
- Beard, J.S. (1967). Some vegetation types of tropical Australia in relation to those of Africa and America. *Journal of Ecology* 55: 271-290.
- Beard, J.S. (1976). The monsoon forests of the Admiralty Gulf, Western Australia. *Vegetatio* 31: 177-192.

- Belbin, L. (1991). The analysis of pattern in bio-survey data. In *Nature Conservation: cost effective biological surveys and data analysis* (eds C.R. Margules and M.P. Austin), pp. 176-190. CSIRO, Melbourne.
- Belbin, L. (1992). *PATN Technical Reference Manual*. CSIRO Division of Wildlife and Ecology, Canberra.
- Belbin, L., Faith, D.P. and Milligan, G.W. (1992). A comparison of two approaches to B-flexible clustering. *Multivariate Behavioural Research* 27: 417-433.
- Belbin, L., Lee, and McDonald, Cam. (1993). Comparing three classification strategies for use in ecology. *Journal of Vegetation Science* 4: 341-348.
- Benson, J.S. (1995). The biology and management of ooline (*Cadellia pentastylis*) in NSW. Species management report number 2, NSW National Parks and Wildlife Service, 44 pp..
- Blake, S.T. (1938). The plant communities of Western Queensland and their relationship, with special reference to the grazing industry. *Proceedings of the Royal Society of Queensland* 49: 156-204.
- Blake, S.T. (1953). Plant communities. In *Survey of Katherine-Darwin region, 1946*. CSIRO Australia Land Research Series No. 1, pp. 58-68.
- Botkin, D.B., Janak, J.F. and Wallis, J.R. (1972). Some ecological consequences of a computer model of forest growth. *Journal of Ecology* 60: 849-872.
- Boughey, A.S. (1964). Deciduous thicket communities in northern Rhodesia. *Adansonia* ser. 2,4: 239-261.
- Bowman, D.M.J.S. (1991a). Recovery of some northern Australian monsoon forest tree species following fire. *Proceedings of the Royal Society of Queensland* 101: 21-25.
- Bowman, D.M.J.S. (1991b). Environmental determinants of *Allosyncarpia ternata* forests that are endemic to Arnhem Land, northern Australia. *Australia Journal of Botany* 39: 575-589.
- Bowman, D.M.J.S. (1992). Monsoon forests in north-western Australia. II. Forest-savanna transitions. *Australian Journal of Botany* 40: 89-102.
- Bowman, D.M.J.S. and Dunlop, C.R. (1986). Vegetation pattern and environmental correlates in coastal forests of the Australian monsoon tropics. *Vegetatio* 65: 99-104.
- Bowman, D.M.J.S. and Fensham, R.J. (1991). Response of a monsoon forest-savanna boundary to fire protection, Weipa, northern Australia. *Australian Journal of Ecology* 16: 111-118.
- Bowman, D.M.J.S. and Minchin, P.R. (1987). Environmental relationships of woody vegetation patterns in the Australian monsoon tropics. *Australian Journal of Botany* 35:151-169.
- Bowman, D.M.J.S. and Wilson, B.A.. (1988). Fuel characteristics of coastal monsoon forests, Northern Territory, Australia. *Journal of Biogeography* 15: 807-817.

- Bowman, D.M.J.S., Wilson, B.A. and McDonough, L. (1991). Monsoon rainforests in northwestern Australia. I. Vegetation classification and the environmental control of tree species. *Journal of Biogeography* 18: 679-686.
- Bray, J.R. and Curtis, J.T. (1957). An ordination of the upland forest communities of southern Wisconsin. *Ecological Monographs* 27: 325-349.
- Burbidge, N.T. (1960). The phytogeography of the Australian region. *Australian Journal of Botany* 8: 75-212.
- Burgess, I.P., Floyd, A.G., Kikkawa, J. and Pattemore, V. (1975). Recent developments in the silviculture and management of sub-tropical rainforest in New South Wales. *Proceedings of the Ecological Society of Australia* 9: 74-84.
- Busby, J.R. (1984). *Nothofagus cunninghamii* (Southern Beech) vegetation in Australia. *Australian Flora and Fauna Series* 1: 1-69.
- Busby, J.R. (1991). BIOCLIM - a bioclimatic analysis and prediction system. In *Nature Conservation: cost effective biological surveys and data analysis* (eds C.R. Margules and M.P. Austin), pp. 64-68. CSIRO Australia.
- Clayton-Greene, K. A. and Beard, J.S. (1985). The fire factor in vine thicket and woodland vegetation of the Admiralty Gulf region, north-west Kimberley, Western Australia. *Proceedings of the Ecological Society of Australia* 13: 225-230.
- Clements, F.E. (1916). *Plant Succession. An Analysis of the Development of Vegetation*. Carnegie Institute Washington Publication 242, Washington DC.
- Clements, F.E. (1928). *Plant Succession and Indicators: A definitive edition of Plant Succession and Plant Indicators*. The H.W. Wilson Company, New York.
- Clewett, J.F., Clarkson, N.M., Owens, D.T. and Abrecht, D.G. (1994). *Australian Rainman: Rainfall Information for Better Management*. Queensland Department of Primary Industries, Brisbane.
- Coaldrake, J.E., Tothill, J.C., McHarg, G.W. and Hargreaves, J.N.G. (1972). Vegetation Map of Narayan Research Station, South-east Queensland. CSIRO Division of Tropical Pastures Technical Paper No. 12.
- Connell, J.H. and Lowman, M.D. (1989). Low-diversity tropical rain forests: some possible mechanisms for their existence. *American Naturalist* 134: 88-119.
- Connell, J.H. and Slatyer, R.O. (1977). Mechanisms of succession in natural communities and their role in community stability and organization. *American Naturalist* 111: 1119-1144.
- Connell, J.H., Noble, I.R. and Slatyer, R.O. (1987). On the mechanisms producing successional change. *Oikos* 50: 136-137.
- Connell, J.H., Tracey, J.G. and Webb, L.J. (1984). Compensatory recruitment, growth and mortality as factors maintaining rain forest tree diversity. *Ecological Monographs* 54: 141-164

- Cottam, G. and Curtis, J.T. (1956). The use of distance measures in phytosociological sampling. *Ecology* 37: 451-460.
- Cottam, G. and McIntosh, R.P. (1966). Vegetation continuum. *Science* 152: 546-547.
- Curtis, J.T. and McIntosh, R.P. (1950). The interrelations of certain analytic and synthetic phytosociological characters. *Ecology* 31: 434-455.
- Daubenmire, R. (1959). A canopy-coverage method of vegetational analysis. *Northwest Science* 33: 43-64.
- De Mooy, C.J., Hubble, G.D. and Beckmann, G.G. (1977). The soils of the Central Burnett area, Queensland. *CSIRO Australia Soils and Land Use Series* No. 56.
- Department of National Development (1965). Fitzroy Region, Queensland, Resource Series - Climate. Government Printer, Canberra.
- Dick, R.S. (1975). The climates of Australia: according to Koeppens principles of definition. *Queensland Geographical Journal, Third Series, Volume 3*.
- Dittus, W.P.J. (1977). The ecology of a semi-evergreen forest community in Sri Lanka. *Biotropica* 9: 268-286.
- Drury, W.H. and Nisbet, I.C.T. (1973). Succession. *Journal of the Arnold Arboretum* 54: 331-368.
- Dunlop, C.R. and Webb, L.J. (1991). Flora and vegetation. In *Monsoonal Australia. Landscape, ecology and man in the northern lowlands* (eds C.D. Haynes, M.G. Ridpath and M.A.J. Williams), pp. 41-60. A.A. Balkema, Rotterdam.
- Eby, P. (1995). The biology and management of flying foxes in NSW. Species management report number 18, NSW National Parks and Wildlife Service, 72 pp..
- Egler, F.E. (1954). Vegetation science concepts I. Initial floristic composition - a factor in old-field vegetation development. *Vegetatio* 4: 412-417.
- Ellis, B.A., Tierney, P.J. and Dawson, T.J. (1992). The diet of the bridled nailtail wallaby (*Onychogalea fraenata*). I. Site and seasonal influences and dietary overlap with the black-striped wallaby (*Macropus dorsalis*) and domestic cattle. *Wildlife Research* 19: 65-78.
- Faith, D.P., Minchin, P.R. and Belbin, L. (1987). Compositional dissimilarity as a robust measure of ecological distance. *Vegetatio* 69: 57-66.
- Fensham, R.J. (1995). Floristics and environmental relations of inland dry rainforest in north Queensland, Australia. *Journal of Biogeography* 22: 1047-1063.
- Fensham, R.J. (1996a). Land clearance and conservation of inland dry rainforest in north Queensland, Australia. *Biological Conservation* 75: 289-296.
- Fensham, R.J. (1996b). The floristics and structure of dry rainforest at Forty Mile Scrub National Park, north Queensland. *Cunninghamia* 4: 483-495.

- Fensham, R.J. and Woinarski, J.C.Z. (1992). *YAWULAMA The ecology and conservation of monsoon forest on the Tiwi Island, Northern Territory*. Conservation Commission of the Northern Territory, Darwin.
- Fensham, R.J., Fairfax, R.J., and Cannell, R.J. (1994). The invasion of *Lantana camara* L. in Forty Mile Scrub National Park, north Queensland. *Australian Journal of Ecology* 19: 297-305.
- Fitzpatrick, E.A. (1967a). Climate of the Nogoia-Belyando area. In *Lands of the Nogoia-Belyando area, Queensland*. CSIRO Australia Land Research Series No. 18, pp. 68-82.
- Fitzpatrick, E.A. (1967b). Climate of the Isaac-Comet area. In *Lands of the Isaac-Comet area, Queensland*. CSIRO Australia Land Research Series No. 19, pp. 53-67.
- Fitzpatrick, E.A. (1968). Climate of the Dawson-Fitzroy area. In *Lands of the Dawson-Fitzroy area, Queensland*. CSIRO Australia Land Research Series No. 21, pp. 87-104.
- Floyd, A.G. (1989). *Rainforest Trees of Mainland South-eastern Australia*. Inkata Press, Melbourne.
- Floyd, A.G. (1990). *Australian Rainforests in New South Wales*. Vols 1 & 2. Surrey Beatty and Sons, Chipping Norton.
- Forster, P.I. (1994). Notes on *Dansiea* Byrnes and *Macropteranthes* F. Muell. (Combretaceae). *Austrobaileya* 4: 149-153.
- Forster, P.I. (1995). *Ehretia grahamii* (Boraginaceae): notes on distribution, habitat, variation and conservation status. *Austrobaileya* 4: 451-452.
- Forster, P.I., Bostock, P.D., Bird, L.H. and Bean, A.R. (1991). *Vineforest Plant Atlas for South-east Queensland*. Queensland Herbarium, Brisbane.
- Fraser, L. and Vickery, J.W. (1938). The ecology of the Upper Williams River and Barrington Tops Districts. II. The rain-forest formations. *Proceedings of the Linnean Society of New South Wales* 63: 139-184.
- Gardiner, C.A. (1942). The vegetation of Western Australia with special reference to the climate and soil. *Journal of the Royal Society of Western Australia* 28: 11-87.
- Gillison, A.N. (1987). The 'dry' rainforests of *Terra Australis*. In *The rainforest legacy. Australian National Rainforests Study, Vol. 1* (eds G. Werren and A.P. Kershaw), pp. 305-321. Australian Government Publishing Service, Canberra.
- Gleason, H.A. (1926). The individualistic concept of the plant association. *Bulletin of the Torrey Botanical Club* 53: 1-20.
- Graham, A.W. and Hopkins, M.S. (1990). Soil seed banks of adjacent unlogged rainforest types in North Queensland. *Australian Journal of Botany* 38: 261-268.
- Green, R.J. (1993). Avian seed dispersal in and near subtropical rainforests. *Wildlife Research* 20: 535-557.

- Greig-Smith, P. (1952). Ecological observations on degraded and secondary forest in Trinidad, West Indies. II. Structure of the communities. *Journal of Ecology* 40: 316-330.
- Grime, J.P. (1977). Evidence for the existence of three primary strategies in plants and its relevance to ecological and evolutionary theory. *American Naturalist* 111: 1169-1194.
- Gunn, R.H. (1974). A soil catena on weathered basalt in Queensland. *Australian Journal of Soil Research* 12: 1-14.
- Gunn, R.H. and Nix, H.A. (1977). *Land Units of the Fitzroy Region, Queensland*. CSIRO Australia Land Research Series No. 39, pp. 50-62.
- Gunn, R.H., Galloway, R.W., Pedley, L. and Fitzpatrick, E.A. (1967). General report on lands of the Nogo-Belyando area. CSIRO Australia Land Research Series No. 18.
- Guymer, G.P. (1988). A taxonomic revision of *Brachychiton* (Sterculiaceae). *Australian Systematic Botany* 1: 199-323.
- Hall, E.A.A., Specht, R.L. and Eardley, C.M. (1964). Regeneration of the vegetation on Koonamore Vegetation Reserve, 1926-1962. *Australian Journal of Botany* 12: 205-264.
- Hamilton, A.C. (1989). African forests, In *Tropical Rain Forest Ecosystems* (ed. H. Leith and M.J.A. Werger), pp. 155-182. Elsevier, Amsterdam.
- Hart, Terese B., Hart, J.A. and Murphy, P.G. (1989). Monodominant and species-rich forests of the humid tropics: causes for their co-occurrence. *American Naturalist* 133: 613-633.
- Henderson, R.J.F. (ed.) (1994). *Queensland Vascular Plants; Names and Distribution*. Queensland Department of Environment and Heritage, Brisbane.
- Herbert, D.A. (1932). The relationships of the Queensland flora. *Proceedings of the Royal Society of Queensland* 44: 2-22.
- Herbert, D.A. (1935). The climatic sifting of Australian vegetation. Report of the Twenty-second Meeting of the Australian and New Zealand Association for the Advancement of Science, pp. 349-370.
- Herbert, D.A. (1960). Tropical and subtropical rain forest in Australia. *Australian Journal of Science* 22: 283-290.
- Hill, M.O. (1979a). *TWINSPAN - A FORTRAN program for arranging multivariate data in a two-way table by classification of individuals and attributes*. Cornell University, Ithaca, New York.
- Hill, M.O. (1979b). *DECORANA - A FORTRAN program for detrended correspondence analysis and reciprocal averaging*. Cornell University, Ithaca, New York.
- Hooker, J.D. (1860). Introductory essay. *Botany of the Antarctic voyage of H.M. Discovery Ships "Erebus" and "Terror" in the years 1830-1843. III. Flora Tasmaniae*, Reeve, London.
- Hopkins, M.S. (1975). *Species patterns and diversity in the subtropical rain forest*. PhD Thesis, University of Queensland.

- Hopkins, M.S. (1981). Disturbance and change in rainforests and the resulting problems of functional classification. In *Vegetation Classification in Australia* (eds A.N. Gillison and D.J. Anderson), pp. 42-52. CSIRO Australia and Australian National University Press, Canberra.
- Hopkins, M.S. (1990). Disturbance - the forest transformer. In *Australian tropical rainforests. Science-values-meaning* (eds L.J. Webb and J. Kikkawa), pp. 40-52. CSIRO, Melbourne.
- Hopkins, M.S. and Graham, A.W. (1983). The species composition of soil seed banks beneath lowland tropical rainforests in north Queensland. *Biotropica* 15: 90-99.
- Hopkins, M.S. and Graham, A.W. (1987). The viability of seeds of rainforest species after experimental soil burials under tropical wet lowland forest in north-eastern Australia. *Australian Journal of Ecology* 12: 97-108.
- Hopkins, M.S., Ash, J., Graham, A.W., Head, J. and Hewett, R.K. (1993). Charcoal evidence of the spatial extent of the *Eucalyptus* woodland expansions and rainforest contractions in North Queensland during the late Pleistocene. *Journal of Biogeography* 20: 357-372.
- Hopkins, M.S., Kikkawa, J., Graham, A.W., Tracey, J.G. and Webb, L.J. (1977). An ecological basis for the management of rain forest. In *The Border Ranges. A land use conflict in regional perspective* (eds R. Monroe and N.C. Stevens). pp. 57-66. Royal Society of Queensland, Brisbane.
- Hopkins, M.S., Tracey, J.G. and Graham, A.W. (1990). The size and composition of soil seed-banks in remnant patches of three structural rainforest types in North Queensland. *Australian Journal of Ecology* 15: 43-50.
- Horne, R. and Gwalter, J. (1982). The recovery of rainforest overstorey following logging. I. Subtropical rainforest. *Australian Forest Research* 13: 29-44.
- Horsup, A., James, C. and Porter, G. (1993). Vertebrates of dry rainforest of south and mid-eastern Australia. *Memoirs of the Queensland Museum* 34: 215-228.
- Hubbell, S.P. (1979). Tree dispersion, abundance and diversity in a tropical dry forest. *Science* 203: 1299-1309.
- Huston, M. and Smith, T.M. (1987). Plant succession: life history and competition. *American Naturalist* 130: 160-198.
- Innis, G.J. (1989). Feeding ecology of fruit pigeons in subtropical rainforests of south-eastern Queensland. *Australian Wildlife Research* 16: 365-394.
- International Union for the Conservation of Nature and Natural Resources (IUCN) (1973). *A working system for classification of world vegetation*. IUCN Occasional Paper No. 5, IUCN, Morges, Switzerland.
- Isbell, R.F. (1962). Soils and vegetation of the brigalow lands, eastern Australia. CSIRO Australia Soils and Land Use Series No. 43.
- Jahnke, B.R. (1976). Notes on the birds of Isla Gorge National Park, August 1973. *Queensland Naturalist* 21: 100-103.

- Janzen, D.I. (1981). Patterns of herbivory in a tropical deciduous forest. *Biotropica* 13: 271-282.
- Johnson, R.W. (1964). *Ecology and Control of Brigalow in Queensland*. Queensland Department of Primary Industries, Brisbane.
- Johnson, R.W. (1970). Vegetation survey of Brigalow Research Station. In *Brigalow Research Station Soil and Vegetation Survey*, pp. 20-37. Queensland Department of Primary Industries, Brisbane.
- Johnson, R.W. (1980). Studies of a vegetation transect through brigalow (*Acacia harpophylla*) forest in central Queensland. *Australian Journal of Ecology* 5: 287-307.
- Johnson, R.W. (1981). Choice of attributes to study succession in brigalow (*Acacia harpophylla*) communities. In *Vegetation Classification in Australia* (eds A.N. Gillison and D.J. Anderson), pp. 66-77. CSIRO Australia and Australian National University Press, Canberra.
- Johnson, R.W. (1984). Flora and vegetation of the Brigalow Belt. In *The Brigalow Belt of Australia* (ed. A. Bailey), pp. 41-59. Royal Society of Queensland, Brisbane.
- Johnston, R.D. and Lacey, C.J. (1983). Multi-stemmed trees in rainforest. *Australian Journal of Botany* 31: 189-195
- Jones, R. (1980). Hunters in the Australian coastal savanna. In *Human Ecology in Savanna Environments* (ed. D. Harris), pp. 107-146. Academic Press, London.
- Kahn, T.P., and Lawrie, B.C. (1987). Vine thickets of the inland Townsville region. In *The rainforest legacy. Australian National Rainforests Study*, Vol. 1 (eds G. Werren and A.P. Kershaw), pp. 159-199. Australian Government Publishing Service, Canberra.
- Keith, D.A. (1994). Floristic, structure and diversity of natural vegetation in the O'Hares Creek catchment, south of Sydney. *Cunninghamia* 3: 543-594.
- Kenneally, K. F., Keighery, G. J. and Hyland, B. P. M. (1991). Floristics and phytogeography of Kimberley rainforests. In *Kimberley Rainforests of Australia* (eds N. L. McKenzie, R. B. Johnston, and P. G. Kendrick), pp. 93-131. Surrey Beatty and Sons, Chipping Norton.
- Kenneally, K.F. and Beard, J.S. (1987). Rainforests of Western Australia. In *The rainforest legacy. Australian National Rainforests Study*, Vol 1 (eds G. Werren and A.P. Kershaw), pp. 289-304. Australian Government Publishing Service, Canberra.
- Kent, M. and Coker, P. (1992). *Vegetation Description and Analysis: A Practical Approach*. Belhaven Press, London.
- Kershaw, A.P. (1985). An extended late Quaternary vegetation record from north-eastern Queensland and its implications for the seasonal tropics of Australia. *Proceedings of the Ecological Society of Australia* 13: 179-189.
- Kikkawa, J., Webb, L.J., Dale, M.B., Monteith, G.B., Tracey, J.G. and Williams, W.T. (1981). Gradients and boundaries of monsoon forests in Australia. *Proceedings of the Ecological Society of Australia* 11: 39-52.

- King, G.C. and Chapman, W.S. (1983). Floristic composition and structure of a rainforest area 25 years after logging. *Australian Journal of Ecology* 8: 415-423.
- King, S. (1980). *Dry rainforests in the Macleay River gorges*. B.Sc. Hons. Thesis, Botany Department, University of New England.
- Kirkpatrick, J.B. and Brown, M.J. (1994). A comparison of direct and environmental domain approaches to planning reservation of forest higher plant communities and species in Tasmania. *Conservation Biology* 8: 217-224.
- Lacey, C.J. and Johnston, R.D. (1990). Woody clumps and clumpwoods. *Australian Journal of Botany* 38: 299-334.
- Lance, G.N. and Williams, W.T. (1967). A general theory of classificatory sorting strategies. I. Hierarchical systems. *Computing Journal* 9: 373-380.
- Lavarack, P.S. and Godwin, M.D. (1987). Rainforests of northern Cape York Peninsula. In *The rainforest legacy. Australian national rainforests study*, Vol. 1 (eds. G. Werren and A.P. Kershaw), pp. 201-222. Australian Government Publishing Service, Canberra.
- Leichhardt, L. (1847). *Journal of an Overland Expedition in Australia from Moreton Bay to Port Essington 1844-45*. T. & W. Boone, London.
- Liddle, D.T., Russell-Smith, J., Brock, J., Leach, G.J. and Connors, G.T. (1994). Atlas of the Vascular Rainforest Plants of the Northern Territory. *Flora of Australia Supplementary Series* No. 3.
- Lieberman, D. and Li, M. (1992). Seedling recruitment patterns in a tropical dry forest in Ghana. *Journal of Vegetation Science* 3: 375-382.
- Lloyd, P.L. (1984). The climatic environment of the Brigalow Belt of Queensland. In *The Brigalow Belt of Australia* (ed. A. Bailey), pp. 23-40. Royal Society of Queensland, Brisbane.
- Mackey, B.G. (1993). A spatial analysis of the environmental relations of rainforest structural types. *Journal of Biogeography* 20: 303-336.
- McCook, L.J. (1994). Understanding ecological community succession. *Vegetatio* 110: 115-147.
- McDonald, R.C., Isbell, R.F., Speight, J.G., Walker, J. and Hopkins, M.S. (1990). *Australian Soil and Land Survey: Field Handbook*. Inkata Press, Melbourne.
- McDonald, W.J.F. and Whiteman, W.G. (1979). *Moreton Region Vegetation Map Series. Murwillumbah*. Queensland Department of Primary Industries, Brisbane.
- McIntosh, R.P. (1967). The continuum concept of vegetation. *The Botanical Review* 33: 130-187.
- McKenzie, N.L. (1991). An ecological survey of tropical rainforests in Western Australia: background and methods. In *Kimberley Rainforests of Australia* (eds N.L. McKenzie, R.B. Johnston, and P.G. Kendrick), pp. 1-26. Surrey Beatty and Sons, Chipping Norton.

- McLuckie, J. and Petrie, A.H.K. (1927). An ecological study of the flora of Mt Wilson. 4. Habitat factors and plant response. *Proceedings of the Linnean Society of New South Wales* 52: 161-184.
- McMahon, J.P., Hutchinson, M.F., Nix, H.A. and Ord, K.D. (1995). *ANUCLIM, Users' Guide*. Centre for Resource and Environmental Studies, Australian National University, Canberra.
- Miles, J.M. and Burbidge, A.A. (eds) (1975). A biological survey of the Prince Regent River Reserve, North-west Kimberley, Western Australia in August 1974. *Wildlife Research Bulletin Western Australia* No. 3: 1-116. WA Department of Fisheries and Wildlife, Perth.
- Mills, K. (1987). The distribution, character and conservation status of the rainforests of the Illawarra district, New South Wales. In *The rainforest legacy. Australian national rainforests study*, Vol. 1 (eds G. Werren and A.P. Kershaw), pp. 71-94. Australian Government Publishing Service, Canberra.
- Minchin, P.R. (1990). DECODA: Database for Ecological COMMUNITY DATA (Version 2.02). ANUTECH, Canberra.
- Minchin, P.R. (1987). An evaluation of the relative robustness of techniques for ecological ordination. *Vegetatio* 69: 89-107.
- Mitchell, T.L. (1848). *Journal of an Expedition into the Interior of Tropical Australia, in search of a route from Sydney to the Gulf of Carpentaria*. Longman, Brown, Green and Longmans, London.
- Morgan, M.G. (1988). *Provinces of the Brigalow Belt*. Unpublished report prepared for Queensland National Parks and Wildlife Service, Brisbane.
- Mueller, F. Von (1858). Botanical report on the North Australian Expedition, under the command of A.C. Gregory, Esq.. *Journal of the Linnean Society* 2: 137-163.
- Mueller-Dombois, D. and Ellenberg, H. (1974). *Aims and Methods of Vegetation Ecology*. John Wiley and Sons, New York.
- Murali, K.S. and Sukumar, R. (1994). Reproductive phenology of a tropical dry forest in Mudumalai, southern India. *Journal of Ecology* 82: 759-767.
- Murphy, P.G. and Lugo, Ariel E. (1986a). Ecology of tropical dry forest. *Annual Review of Ecology and Systematics* 17: 67-88.
- Murphy, P.G. and Lugo, Ariel E. (1986b). Structure and biomass of a subtropical dry forest in Puerto Rico. *Biotropica* 18: 89-96.
- Neyland, M.G. and Brown, M.J. (1993). Rainforest in eastern Tasmania - floristics and conservation. *Papers and Proceedings of the Royal Society of Tasmania* 127: 23-32.
- Nicholson, D.I., Henry, N.B. and Rudder, J. (1988). Stand changes in north Queensland rainforests.. *Proceedings of the Ecological Society of Australia* 15: 61-80.

- Nix, H.A. (1977). Land classification criteria: Vegetation. In *Land Units of the Fitzroy Region, Queensland* (eds R.H. Gunn and H.A. Nix) CSIRO Australia Land Research Series No. 39, pp. 50-62.
- Nix, H.A. (1982). Environmental determinants of biogeography and evolution in *Terra Australis*. In *Evolution of the flora and fauna of arid Australia* (eds W.R. Barker and P.J.M. Greenslade), pp. 47-66. Peacock Publications, Frewville, South Australia.
- Nix, H.A. (1991). An environmental analysis of Australian rainforests. In *The rainforest legacy. Australian National Rainforests Study*, Vol. 2, pp. 1-26. Australian Government Publishing Service, Canberra
- Nix, H.A., Stein, Janet, McMahon, J.P., Tassell, G. and Hodges, V. (1992). *Conservation of Remnant Vegetation*. A case study on the dry rainforest/vine thickets of Eastern Australia. Unpublished report, Centre for Resource and Environmental Studies, Australian National University, Canberra.
- Noble, I.R. and Slatyer, R.O. (1979). The effect of disturbance on plant succession. *Proceedings of the Ecological Society of Australia* 10: 135-145.
- Noble, I.R. and Slatyer, R.O. (1980). The use of vital attributes to predict successional changes in plant communities subject to recurrent disturbances. *Vegetatio* 43: 5- 21.
- Northcote, K.H. (1971). *A Factual Key for the Recognition of Australian Soils*. Rellim Technical Publications, Glenside.
- Northcote, K.H., Hubble, G.D., Isbell, R.F., Thompson, C.H. and Bettenay, E. (1975). *A Description of Australian Soils*. CSIRO Australia.
- Olgers, F., Webb, A.W., Smit, J.A.J. and Coxhead, B.A. (1966). Geology of the Baralaba 1:250 000 Sheet area, Queensland. *Bureau of Mineral Resources Australia Report*.
- Olsen, M. and Lamb, D. (1988). Recovery of subtropical rainforest following storm damage. *Proceedings of the Ecological Society of Australia* 15: 297-301.
- Partridge, I.J. (ed.) (1994). Will it rain? The effects of the Southern Oscillation and El Nino on Australia. Queensland Department of Primary Industries Information Series QI94015.
- Pedley, L. and Isbell, R.F. (1971). Plant communities of Cape York Peninsula. *Proceedings of the Royal Society of Queensland* 82: 51-74.
- Pedley, L. (1967). Vegetation of the Nogoia-Belyando area. In *Lands of the Nogoia-Belyando area, Queensland*. CSIRO Australia Land Research Series No. 18, pp. 138-169.
- Prance, G.T. (1989). American tropical forests. In *Tropical Rain Forest Ecosystems* (eds. H. Leith and M.J.A. Werger), pp. 99-132. Elsevier, Amsterdam.
- Raunkiaer, C. (1934). *The Life Forms of Plants and Statistical Plant Geography*. Clarendon Press, Oxford.

- Read, Jennifer and Hill, R.S. (1983). Rainforest invasion onto Tasmanian old-fields. *Australian Journal of Ecology* 8: 149-161.
- Read, Jennifer and Hill, R.S. (1985). Dynamics of *Nothofagus*-dominated rainforest on mainland Australian and lowland Tasmania. *Vegetatio* 63: 67-78.
- Read, Jennifer and Hill, R.S. (1988). The dynamics of some rainforest associations in Tasmania. *Journal of Ecology* 76: 558-584.
- Richards, P.W. (1952). *The Tropical Rain Forest*. Cambridge University Press, Cambridge.
- Richards, P.W., Tansley, A.G. and Watt, A.S. (1940). The recording of structure, life-form and flora of tropical communities as a basis for their classification. *Journal of Ecology* 28: 224-239.
- Ross, R. (1954). Ecological studies on the rain forest in southern Nigeria. III. Secondary succession in the Sasha Forest Reserve. *Journal of Ecology* 42: 259-282.
- Russell-Smith, J. (1991). Classification, species richness and environmental relationships of monsoon rainforest in northern Australia. *Journal of Vegetation Science* 2: 259-278.
- Russell-Smith, J. and Bowman, D.M.J.S. (1992). Conservation of monsoon rainforest isolates in the Northern Territory, Australia. *Biological Conservation* 59: 51-63.
- Russell-Smith, J. and Dunlop, C. (1987). The status of monsoon vine forest in the Northern Territory: a perspective. In *The rainforest legacy. Australian National Rainforests Study*, Vol. 1 (eds G. Werren and A.P. Kershaw), pp. 227-288. Australian Government Publishing Service, Canberra.
- Russell-Smith, J. and Lee, A.H. (1992). Plant populations and monsoon rain forest in the Northern Territory, Australia. *Biotropica* 24: 471-487.
- Russell-Smith, J., Lucas, D., Brock, J. and Bowman, D.M.J.S. (1993). *Allosyncarpia*-dominated rain forest in monsoonal northern Australia. *Journal of Vegetation Science* 4: 67-82.
- Sattler, P.S. and Webster, R.J. (1984). The conservation status of brigalow (*Acacia harpophylla*) communities in Queensland. In *The Brigalow Belt of Australia* (ed. A. Bailey), pp. 149-160. Royal Society of Queensland, Brisbane.
- Schimper, A.F.W. (1903). *Plant Geography upon a Physiological Basis*. Oxford University Press.
- Sheil, D. and May, R.M. (1996). Mortality and recruitment rate evaluations in heterogeneous tropical forests. *Journal of Ecology* 84: 91-100.
- Shugart, H.H., Hopkins, M.S., Burgess, I.P. and Mortlock, A..T. (1980). The development of a succession model for subtropical rainforest and its application to assess the effects of timber harvest at Wiangarie State Forest, New South Wales. *Journal of Environmental Management* 11: 243-265.
- Shugart, H.H., West, D.C. and Emanuel, W.R. (1981). Patterns and dynamics of forests: an application of simulation models. In *Forest Succession: Concepts and Application* (eds D.C. West, H.H. Shugart and D.B. Botkin), pp. 74-94. Springer-Verlag, New York.

- Smith, K.J., Beckmann, G.G. and Little, I.P. (1990). Soils of the southern Lockyer Valley, Queensland. *CSIRO Australia Soils and Land Use Series* No. 62.
- Smith, T.M. and Huston, M. (1989). A theory of the spatial and temporal dynamics of plant communities. *Vegetatio* 83: 49-69.
- Sneath, P.H.A. and Sokal, R.R. (1973). *Numerical taxonomy*. The principles and practice of numerical classification. W.H. Freeman: San Francisco.
- Specht, R.L. (1958). The climate, geology, soils and plant ecology of the northern portion of Arnhem Land. In *Records of the American-Australian Scientific Expedition to Arnhem Land* (eds R. L. Specht and C. P. Mountford), Vol. 3, pp. 333-413. Melbourne University Press, Melbourne.
- Specht, R.L. (1970). Vegetation. In *The Australian Environment* (4th edn) (ed. G.W. Leeper), pp. 44-67. CSIRO/Melbourne University Press, Melbourne.
- Specht, R.L. (1981). Foliage projective cover and standing biomass. In *Vegetation Classification in Australia* (eds A.N. Gillison and D.J. Anderson), pp. 10-21. CSIRO Australia and Australian National University Press, Canberra.
- Speck, N.H. (1968). Vegetation of the Dawson-Fitzroy area. In *Lands of the Dawson-Fitzroy area, Queensland*. CSIRO Australia Land Research Series No. 21, pp. 157-173.
- Speck, N.H., Wright, R.L., Sweeny, F.C., Perry, R.A., Fitzpatrick, E.A., Nix, H.A., Gunn, R.H. and Wilson, I.B. (1968). Lands of the Dawson-Fitzroy area, Queensland. CSIRO Australia. Land Research Series No. 21.
- Spjotvoll, E. and Stoline, M.R. (1973). An extension of the *T* - method of multiple comparison to include the cases with unequal sample sizes. *Journal of the American Statistical Association* 68: 976-978.
- Stace, H.C.T., Hubble, G.D., Brewer, R., Northcote, K.H., Sleeman, J.R., Mulcahy, M.J. and Hallsworth, E.G. (1968). *A Handbook of Australian Soils*. Rellim Technical Publications, Glenside.
- Stanton, J.P. and Morgan, M.G. (1977). RAKES: A Rapid Selection and Appraisal of Key and Endangered Sites - the Queensland Case Study. University of New England, Armidale.
- Statistica, (1994). Statistica for Windows, StatSoft Inc. Tulsa Oklahoma..
- Steele, J.G. (1972). *The Explorers of the Moreton Bay District 1770-1830*. University of Queensland Press, Brisbane.
- Steenis, C.G.G.J. Van (1958). Basic principles of rain forest sociology. In: *Proceedings of the Kandy Symposium on the Study of Tropical Vegetation*, pp. 159-165. UNESCO, Paris.
- Stewart, G.R., Gracia, C.A., Hegarty, E.E. and Specht, R.L. (1990). Nitrate reductase activity and chlorophyll activity in sun leaves of subtropical Australian closed-forest (rainforest) and open-forest communities. *Oecologia* 82: 544-551.

- Stocker, G.C. (1970). The age of charcoal from old jungle fowl nests and vegetation change on Melville Island. *Search* 2: 28-30.
- Stocker, G.C. (1981). Regeneration of a north Queensland rain forest following felling and burning. *Biotropica* 13: 86-92.
- Stocker, G.C. and Hyland, B.P.M. (1981). Semi-evergreen vine forests (monsoon forests). In *The Vegetation of Australia* (ed. N.C.W. Beadle), pp. 179-195. Cambridge University Press, Cambridge.
- Stocker, G.C. and Unwin, G.L. (1989). The rainforests of northeastern Australia - their environment, evolutionary history and dynamics. In *Tropical Rain Forest Ecosystems* (eds H. Leith and M.J.A. Werger), pp. 241-259. Elsevier, Amsterdam.
- Stocker, G.C., Unwin, G.L. and West, P.W. (1985). Measures of richness, evenness and diversity in tropical rainforest. *Australian Journal of Botany* 33: 131-137.
- Story, R. (1967). Vegetation of the Isaac-Comet area. In *Lands of the Isaac-Comet area, Queensland*. CSIRO Australia Land Research Series No. 19, pp. 108-128.
- Story, R. (1969). Vegetation of the Adelaide-Alligator area. In *Lands of the Adelaide-Alligator area, Northern Territory*. CSIRO Australia Land Research Series No. 25, pp. 114-130.
- Story, R. (1976). Vegetation of the Alligator Rivers area. In *Lands of the Alligator Rivers area, Northern Territory*. CSIRO Australia Land Research Series No. 38, pp. 89-111.
- Story, R., Galloway, R.W., Gunn, R.H. and Fitzpatrick, E.A. (1967). General report on lands of the Isaac-Comet area, Queensland. CSIRO Australia Land Research Series No. 19.
- Sukumar, R., Dattaraja, H.S., Suresh, H.S., Radhakrishnan, J., Vasudeva, R., Nirmala, S. and Joshi, N.V. (1992). Long-term monitoring of vegetation in a tropical deciduous forest in Mudumalai, southern India. *Current Science* 62: 608-616.
- Swaine, M.D. (1994). Long-term studies of tropical forest dynamics. In *Long-term Experiments in Agricultural and Ecological Sciences* (eds R.A. Leigh and A.E. Johnston), pp. 305-319. CAB International.
- Swaine, M.D. and Whitmore, T.C. (1988). On the definition of ecological species groups in tropical rain forests. *Vegetatio* 75: 81-86.
- Swaine, M.D., Hall, J.B. and Putz, F.E. (1987). The dynamics of tree populations in tropical forest: a review. *Journal of Tropical Ecology* 3: 359-366.
- Swaine, M.D., Lieberman, Diana and Hall, J.B. (1990). Structure and dynamics of a tropical dry forest in Ghana. *Vegetatio* 88: 31-51.
- Taylor, J.A. and Dunlop, C.R. (1985). Plant communities of the wet-dry tropics of Australia: the Alligator Rivers region, Northern Territory. *Proceedings of the Ecological Society of Australia* 13: 83-127.

- Thackway, R. and Cresswell, I.D. (eds.) (1995). *An Interim Biogeographic Regionalisation for Australia: a framework for establishing the national system of reserves*. Version 4.0. Australian Nature Conservation Agency, Canberra.
- Thornthwaite, C.W. (1933). The climate of the earth. *Geographical Review* 23: 433-440.
- Tilman, D. (1985). The resource ratio hypothesis of plant succession. *American Naturalist* 125: 827-852.
- Tommerup, E.C. (1934). Plant ecological studies in south-east Queensland. *Proceedings of the Royal Society of Queensland* 46: 91-118.
- Tracey, J.G. (1969). Edaphic differentiation in some forest types in eastern Australia. 1. Soil physical factors. *Journal of Ecology* 57: 805-816.
- Tracey, J.G. (1982). *The vegetation of the humid tropical region of North Queensland*. CSIRO, Melbourne.
- Tracey, J.G. and Webb, L.J. (1979). *The vegetation of the humid tropical region of North Queensland (Maps and Key)*. CSIRO, Indooroopilly, Queensland.
- Truswell, E.M. (1990). Australian rainforests: the 100 million year record. In *Australian tropical rainforest. Science- values- meaning* (eds L.J. Webb and J. Kikkawa), pp. 7-22. CSIRO, Melbourne.
- Turner, J. and Kelly, J. (1981). Relationships between soil nutrients and vegetation in a North Coast forest, New South Wales. *Australian Forest Research* 11: 201-208.
- Turner, J.C. (1976a). An altitudinal transect in rain forest in the Barrington Tops area, New South Wales. *Australian Journal of Ecology* 1: 155-174.
- Turner, J.C. (1976b). Vegetation on the Brushy Hill Range, Lake Glenbawn. *Hunter Natural History* 8: 234-244.
- Turner, J.C. and Vernon, S.L. (1994). Rainforest stands between Barrington Tops and the Hunter River, New South Wales. *Cunninghamia* 3: 465-514.
- Unwin, G.L. and Kriedemann, P.E. (1990). Drought tolerance and rainforest tree growth on a north Queensland rainfall gradient. *Forest Ecology and Management* 30: 113-123.
- Unwin, G.L., Applegate, G.B., Stocker, G.C. and Nicholson, D.I. (1988). Initial effects of Tropical Cyclone "Winifred" on forests in north Queensland. *Proceedings of the Ecological Society of Australia* 15: 283-296.
- Vanclay, J.K. (1989). A growth model for North Queensland rainforests. *Forest Ecology and Management* 27: 245-271.
- Veblen, T.T., Hill, R.S. and Read, J. (eds) (1996). *The Ecology and Biogeography of Nothofagus Forests*. Yale University Press, New Haven.

- Walker, D. (1990). Directions and rates of tropical rainforest processes. In *Australian tropical rainforest. Science- values- meaning* (eds L.J. Webb and J. Kikkawa), pp. 23-32. CSIRO, Melbourne.
- Walker, J. and Hopkins, M.S. (1984). Vegetation. In *Australian Soil and Land Survey Field Handbook*, pp. 44-67. Inkata Press, Melbourne.
- Walter, H. (1971). *Ecology of Tropical and Subtropical Vegetation*. Oliver and Boyd, Edinburgh.
- Weaver, J.E. and Clements, F.E. (1938). *Plant Ecology*. McGraw Hill, New York.
- Webb, A.A. (1970). Soil survey of Brigalow Research Station. In *Brigalow Research Station Soil and Vegetation Survey*, pp. 1-19. Queensland Department of Primary Industries, Brisbane.
- Webb, A.A., Maltby, J.E., Gill, J.Y. and Nugent, P.J. (1977). Chemical properties and fertility status of soils of the Brigalow Research Station, central Queensland. Queensland Department of Primary Industries Agricultural Chemistry Branch Technical Report No. 9.
- Webb, L.J. (1959). A physiognomic classification of Australian rainforests. *Journal of Ecology* 47: 551-570.
- Webb, L.J. (1968). Environmental relationships of the structural types of Australian rainforest vegetation. *Ecology* 49: 296-311.
- Webb, L.J. (1969). Edaphic differentiation in some forest types in eastern Australia. II. Soil chemical factors. *Journal of Ecology* 57: 817-830.
- Webb, L.J. (1978a). A general classification of Australian rainforests. *Australian Plants* 9: 349-363.
- Webb, L.J. (1978b). A structural comparison of New Zealand and South-east Australian rainforests and their tropical affinities. *Australian Journal of Ecology* 3: 7-21.
- Webb, L.J. and Tracey, J.G. (1981). Australian rainforests: patterns and change. In *Ecological Biogeography of Australia* (ed. A. Keast), pp. 605-674. W. Junk, The Hague.
- Webb, L.J. and Tracey, J.G. (1994). The rainforests of northern Australia. In *Australian Vegetation* (ed. R. H. Groves), pp. 87-130. Cambridge University Press, Cambridge.
- Webb, L.J., Tracey, J.G. and Williams, W.T. (1972). Regeneration and pattern in the subtropical rainforest. *Journal of Ecology* 60: 675-695.
- Webb, L.J., Tracey, J.G. and Williams, W.T. (1976). The value of structural features in tropical forest typology. *Australian Journal of Ecology* 1: 3-28.
- Webb, L.J., Tracey, J.G. and Williams, W.T. (1984). A floristic framework for Australian rainforests. *Australian Journal of Ecology* 9: 169-198.
- Webb, L.J., Tracey, J.G. and Williams, W.T. (1985). Australian tropical forests in a southeast Asian context: a numerical method for site comparison. *Proceedings of the Ecological Society of Australia* 13: 267-276.

- Webb, L.J., Tracey, J.G., Williams, W.T. and Lance, G.N. (1967a). Studies in the numerical analysis of complex rain-forest communities . 1. A comparison of methods applicable to site/species data. *Journal of Ecology* 55: 171-191.
- Webb, L.J., Tracey, J.G., Williams, W.T. and Lance, G.N. (1967b). Studies in the numerical analysis of complex rain-forest communities. 2. The problem of species sampling. *Journal of Ecology* 55: 525-538.
- Webb, L.J., Tracey, J.G., Williams, W.T. and Lance, G.N. (1970). Studies in the numerical analysis of complex rain-forest communities. 5. A comparison of properties of floristic and physiognomic-structural data. *Journal of Ecology* 58: 203-232.
- West, P.W., Stocker, G.C. and Unwin, G.L. (1988). Environmental relationships and floristic and structural change in some unlogged tropical rainforest plots of north Queensland. *Proceedings of the Ecological Society of Australia* 15: 49-60.
- White, F. (1983). *The Vegetation of Africa*. UNESCO, Paris.
- Whitmore, T.C. (1984). *Tropical Rain Forests of the Far East* (2nd edn). Oxford University Press, Oxford.
- Whitmore, T.C. (1989). Southeast Asian tropical forests. In *Tropical Rain Forest Ecosystems* (eds H. Leith and M.J.A. Werger), pp. 195-218. Elsevier, Amsterdam.
- Williams, W.T. and Tracey, J.G. (1984). Network analysis of northern Queensland tropical rainforests. *Australian Journal of Botany* 32: 109-116.
- Williams, W.T., Lance, G.N., Webb, L.J. and Tracey, J.G. (1973). Studies in the numerical analysis of complex rain-forest communities. 6. Models for the classification of quantitative data. *Journal of Ecology* 63: 47-70.
- Williams, W.T., Lance, G.N., Webb, L.J., Tracey, J.G. and Dale, M.B.. (1969a). Studies in the numerical analysis of complex rain-forest communities. 3. The analysis of successional data. *Journal of Ecology* 57: 515-535.
- Williams, W.T., Lance, G.N., Webb, L.J., Tracey, J.G. and Connell, J.H. (1969b). Studies in the numerical analysis of complex rain-forest communities. 4. A method for the elucidation of small-scale forest pattern. *Journal of Ecology* 57: 635-654.
- Wilson, B.A., Brocklehurst, P.S., Clark, M.J. and Dickinson, K.J.M. (1990). *Vegetation Survey of the Northern Territory, Australia*. Conservation Commission of the Northern Territory, Technical Report No. 49.
- Winter, J.W., Bell, F.C., Atherton, R.G. and Pahl, L.I. (1987). An introduction to Australian rainforests. In *The rainforest legacy. Australian national rainforests study*, Vol. 1 (eds G. Werren and A.P. Kershaw), pp. 1-7. Australian Government Publishing Service, Canberra.
- Young, P.A. (1979). *The Rainforests of the Biggenden District South-east Queensland: a biogeographical and ecological investigation*. B.Sc. Hons. Thesis, Griffith University.

Young, P.A. and McDonald, W.J.F. (1987). The distribution, composition and status of the rainforests of southern Queensland. In *The rainforest legacy. Australian national rainforests study*, Vol. 1 (eds G. Werren and A.P. Kershaw), pp. 119-141. Australian Government Publishing Service, Canberra.